

IEEE Standard for the Qualification of Switchgear Assemblies for Class 1E Applications in Nuclear Power Generating Stations

IEEE Power and Energy Society

Sponsored by the
Switchgear Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C37.82™-2017
(Revision of IEEE Std C37.82-1987)

IEEE Standard for the Qualification of Switchgear Assemblies for Class 1E Applications in Nuclear Power Generating Stations

Sponsor

Switchgear Committee
of the
IEEE Power and Energy Society

Approved 28 September 2017

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: The methods and requirements for qualifying switchgear assemblies for indoor areas outside of the containment in nuclear power generating stations are described in this document. These assemblies include: metal-enclosed low-voltage power circuit breaker switchgear assemblies, as defined in IEEE Std C37.20.1™; metal-clad switchgear assemblies, as defined in IEEE Std C37.20.2™; metal-enclosed bus, as defined in IEEE Std C37.23™; and metal-enclosed interrupter switchgear assemblies, as defined in IEEE Std C37.20.3™.

Keywords: Class 1E metal-enclosed power switchgear assemblies, design basis event, DBE, IEEE C37.82™, qualified life

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 2 February 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-4289-3 STD22757
Print: ISBN 978-1-5044-4290-9 STDPD22757

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141, USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the SASC–IEEE Standard for the Qualification of Switchgear Assemblies for Class 1E Applications in Nuclear Power Working Group had the following membership:

Dave Riffe, *Chair*

Larry Connor

Michael Flack
Amy Rowell

Terrance Woodyard

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

S. Aggarwal
Jean-Marc BIASSE
William Bloethe
Gustavo Brunello
Paul Cardinal
Suresh Channarasappa
Gary Donner
Edgar Dullni
Jerry Earl
Douglas J. Edwards
Michael Flack
Lou Grahor

Randall Groves
Ajit Gwal
Thomas Hawkins
Hamidreza Heidarisafa
Werner Hoelzl
Richard Jackson
Yuri Khersonsky
Boris Kogan
Jim Kulchisky
Albert Livshitz
Jeffery Mizener
Charles Morse

Darryl Moser
Michael Newman
T. W. Olsen
Lorraine Padgett
Bansi Patel
K. James Phillips
Bart S. Ryogo
C. Taylor
L. Vergis
John Webb
Terry Woodyard
Yaowu Zhang

When the IEEE-SA Standards Board approved this standard on 20 September 2017, it had the following membership:

Jean-Philippe Faure, *Chair* **Gary Hoffman, *Vice Chair*** **John D. Buck, *Past Chair*** **Konstantinos Karachalios, *Secretary***

Chuck Adams
Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Doug Edwards
J. Travis Griffith
Michael Janezic

Thomas Koshy
Joseph L. Koepfinger*
Kevin Lu
Daleep Mohla
Damir Novosel
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Adrian Stephens
Mehmet Ulema
Phil Wennblom
Howard Wolfman
Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C37.82-2017, IEEE Standard for the Qualification of Switchgear Assemblies for Class 1E Applications in Nuclear Power Generating Stations.

This standard complements IEEE Std 323™-2003, IEEE Standard for Qualifying Class 1E Equipment for Nuclear Power Generating Stations, by providing specific requirements for the qualification of switchgear assemblies for safety-related applications in Nuclear Power Generating Stations.¹ This standard is typically used in combination with seismic qualification standards IEEE Std 344™ and IEEE Std C37.81™ to perform a complete qualification program for switchgear assemblies.

The primary purpose of this standard is to define the requirements that should take place prior to a seismic qualification program. Significant degradation could occur during the service life of switchgear assemblies; therefore it is important that test samples be in a state of degradation prior to seismic event simulation. IEEE Std 323-2003 provides guidance for evaluating time based aging mechanisms caused by excessive ambient temperatures and /or a radiation environment. Safety-related switchgear assemblies are typically located in mild environments, and are not impacted by these time-based aging mechanisms.

Circuit breakers and other switchgear components used in nuclear facilities may be subjected to frequent cycling through testing or routine plant operation. Therefore, a pre-seismic aging program that cycles circuit breakers and components through endurance testing is typically required. This standard considers that qualified life may be a time interval, operational cycles, or both, whereas IEEE-323-2003 defines qualified life as a time interval.

Changes in this standard include adding definitions of Seismic Category I and Seismic Category II equipment. Seismic Category I is equivalent to Class 1E. Seismic Category II is for equipment that is not required to function but whose failure could adversely affect the safe shutdown of any Seismic Category I equipment.

In approaching the task of developing a standard for these procedures, the authors noted the following:

- a) Standards for switchgear assemblies have been developed over a long period of time through the efforts of the Institute of Electrical and Electronics Engineers (IEEE), the National Electrical Manufacturers Association (NEMA), and other interested parties under the auspices of the American National Standards Institute (ANSI).
- b) The switchgear assembly products that have been produced in accordance with these standards and that have been properly manufactured, applied, handled, installed, operated, and maintained, have had long and successful performance records.
- c) Because switchgear assemblies are protective equipment, the standards are conservative and provide ample margin with respect to normal application. Design and application also tend to be conservative.
- d) The application of switchgear assemblies is always outside the containment in a nuclear power generating station. Normal service conditions are not severe. The only unusual requirements sometimes presented are as follows:
 - 1) The need to meet safety-related performance demands during a design basis event (DBE) at any time, up to and including the end of a stipulated period known as the qualified life
 - 2) Qualification to the requirements of the DBE, which is usually a specified seismic event but may include severe environmental conditions for stipulated periods of time subsequent to the seismic and other DBE.

¹Information on references can be found in [Clause 2](#).

- e) Switchgear assemblies are not cataloged “off-the-shelf” items as are motors, valves, pumps, etc. They are built from standardized components and subassemblies but in varied arrangements to satisfy the needs of different applications. The complement of devices such as relays, etc, are rarely the same from assembly to assembly and are subject to modification during production and even after installation. Additionally, switchgear assemblies include removable elements and draw-out mounted devices that may be used in various positions in the switchgear (e.g., connect, test, and disconnect).
- f) Qualification programs should identify design and material characteristics that, after a period of time or number of operations and during a DBE, may precipitate common cause failure due to aging of redundant equipment. The concept of aging must be included in the qualification procedure in order to investigate the possibility that aging degradation might be the source of common cause failure in redundant Seismic Class 1 equipment. In order to provide maximum assurance that the equipment can meet its safety-related performance requirements on a continuing basis throughout its installed life and for the stipulated DBE, it may be necessary to limit the installed life or establish a maintenance program for replacement of some components whose qualified life is shorter than the design qualified life for the total equipment.
- g) Modern switchgear assemblies may include digital or advanced analog components that may require susceptibility testing for EMI/RFI and power surges. Guidelines for ensuring electromagnetic compatibility of safety systems can be found in IEEE Std 603™ [B2] and IEEE Std 7-4.3.2™ [B1] and U.S. NRC RG 1.180 (Revision 1) [B3].²

²The numbers in brackets correspond to those of the bibliography in Annex A.

Contents

1. Overview.....	10
1.1 Scope.....	10
1.2 Purpose.....	10
2. Normative references	10
3. Definitions.....	11
4. Service conditions	12
4.1 General	12
4.2 Usual service conditions.....	12
4.3 Unusual service conditions.....	14
4.4 Design basis events (DBE).....	14
5. Performance requirements	14
6. Margin.....	15
6.1 General	15
6.2 Demonstration of margin.....	15
6.3 Aging.....	15
6.4 Seismic	15
6.5 Margin for unusual service conditions.....	15
7. Qualification procedure.....	15
7.1 General	15
7.2 Assembly qualification	16
7.3 Component qualification	17
7.4 Assembly tests	18
7.5 Field modifications	19
7.6 Replacement of critical components.....	19
8. Documentation.....	19
Annex A (informative) Bibliography	20