

IEEE Standard for Sealed Dry-Type Power Transformers, 501 kVA and Higher, Three-Phase, with High-Voltage 601 to 34500 Volts, Low-Voltage 208Y/120 to 4160 Volts— General Requirements

IEEE Power and Energy Society

Sponsored by the
Transformers Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C57.12.52™-2012

1 March 2013

Currently in preview, click buy full version

**IEEE Standard for Sealed Dry-Type
Power Transformers, 501 kVA
and Higher, Three-Phase, with
High-Voltage 601 to 34500 Volts,
Low-Voltage 208Y/120 to 4160 Volts—
General Requirements**

Sponsor

**Transformers Committee
of the
IEEE Power and Energy Society**

Approved 5 December 2012

IEEE-SA Standards Board

Abstract: Characteristics relating to performance, limited electrical and mechanical interchangeability, and guidance to assist in the proper selection of sealed dry-type transformers are provided in this standard. Specific rating combinations are described in the range from 750 to 5000 kVA inclusive, with high-voltage 2400 to 34500 Volts inclusive and low-voltage 208Y/120 to 4160 Volts inclusive. Sealed dry-type power transformers filled with only dry air or nitrogen, at the time of filling, are considered. Other gases are not considered in this standard. This standard does not apply to other types of transformers, such as specialty, ventilated dry-type, pad-mounted dry-type, liquid immersed, instrument, regulating, furnace, mine, and rectifier transformers.

Keywords: ambient temperature, BIL, construction, current transformer, dry air, dry-type, electrical, gas, GA, grounding, IEEE C57.12.52™, insulation level, jacking, limiting temperature, mechanical, nitrogen, percent impedance voltage, performance, rating, sealed dry-type power transformers, self-cooled, surge arresters, taps, temperature rise, tests, transformer, transformer tank, unit substation, winding temperature

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA
Copyright © 2013 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 1 March 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-8188-2 STD98117
Print: ISBN 978-0-7381-8189-9 STDPD98117

IEEE prohibits discrimination, harassment, and bullying.
For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. If a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At conferences, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any response to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Introduction

This introduction is not part of IEEE Std C57.12.52-2012, IEEE Standard for Sealed Dry-Type Power Transformers, 501 kVA and Higher, Three-Phase, with High-Voltage 601 to 34500 Volts, Low-Voltage 208Y/120 to 4160 Volts—General Requirements.

This dry-type transformer standard describes sealed dry-type transformers with self-cooled kilovolt-ampere ratings 501 to 5000 and high voltages 601 to 34 500 volts.

This standard is the result of an effort encompassing the interests of users, manufactures, and others dedicated to developing voluntary consensus standards primarily for dry-type transformers.

The gases used to fill sealed dry type transformers covered by this standard are limited to dry air and nitrogen at the time of filling, as this is present industry practice in North America. Previous versions of this standard dealt with other gases that are no longer used. IEC 60076-15, International Standard Power transformers—Part 15 Gas-filled power transformers deals with gases not covered in this standard, such as sulfur hexafluoride SF₆. This gas is also not used in industry practice in North America.

The copyright of this standard has been transferred from NEMA to IEEE.

This standard is a voluntary consensus standard. Its use is mandatory only when required by a duly constituted legal authority or when specified in a contractual relationship. To meet specialized needs and to allow innovation, specific changes are permissible when mutually determined by the user and the producer, provided such changes do not violate existing laws and are considered technically adequate for the function intended.

When this document is used on a mandatory basis, the word “shall” indicates mandatory requirements, and the words “should” and “may” refer to matters that are recommended and permissive, respectively, but not mandatory.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Sealed Dry Type Power Transformers Working Group had the following membership:

Sheldon P. Kennedy, *Chair*

Robert C. Ballard
Ray Bartnikas
Gene Blackburn
Carl Bush
Yunxiang Chen
Henry B. Cooke
Derek Foster

Timothy Holdway
Charles W. Johnson, Jr.
Sheldon P. Kennedy
Jerry Murphy
Martin Navarro
Dhiru Patel
Mangesh Rajadhyaksha

Leslie Recksiedler
Subhas Sarkar
Hemchandra Shertukde
Sanjib Som
R. William Simpson, Jr.
Roger Wicks
Peter Zhao

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Sattish Aggarwal
Samuel Aguirre
Robert C. Ballard
Peter Balma
Steven Bezner
Wallace Binder
Thomas Bishop
Thomas Blackburn
William Bloethe
Chris Brooks
William Byrd
Kurt Clemente
Preston Cooper
John Crouse
Glenn Davis
Matthew Davis
Gary Donner
Donald Dunn
Gary Engmann
Dan Evans
Jorge Fernandez Daher
Joseph Foldi
Marcel Fortin
Derek Foster
Rostyslaw Fostin
Mietek Glinkowski

Jalal Gohari
James Graham
Randall Groves
Timothy Hayden
Jeffrey Helzer
Lee Herron
Gary Heuston
Philip Hopkinson
John Houdek
Charles W. Johnson, Jr.
Andrew Jones
Chad Kennedy
Sheldon P. Kennedy
Yuri Khokhlovsky
Joseph Koepfinger
Robert Kogan
J. Kulchisky
Saumen Kundu
John Lackey
Chung-Yiu Lam
Benjamin Lanz
Aleksandr Levin
Albert Livshitz
Greg Luri
Richard Marek
William McBride
Daniel Mulkey

Jerry Murphy
K. M. Nair
Michael S. Newman
Raymond Nicholas
Lorraine Padden
Bansi Patel
Christopher Petrola
Alvaro Portillo
Lewis Powell
Julian Profir
John Roach
Michael Roberts
Marnie Roussell
Thomas Rozek
Bartien Sayogo
Robert Seitz
James Smith
Jerry Smith
Gary Stoedter
David Tepen
Gerald Vaughn
John Vergis
Jane Verner
Kenneth White
Matthew Wilkowski
Jian Yulloter

When the IEEE-SA Standards Board approved this standard on 5 December 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert M. Grow, *Past Chair*
Konstantinos Karachalios, *Secretary*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael William Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Young Kyun Kim
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling

Oleg Logvinov
Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Mike Seavey
Yatin Trivedi
Phil Winston
Yu Yuan

* Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Catherine Berger
IEEE Standards Senior Program Manager, Document Development

Erin Spivey
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references	2
3. Abbreviations	2
4. Usual service conditions	2
5. Ratings and characteristics	3
5.1 Kilovolt-ampere ratings	3
5.2 Kilovolt-ampere and voltage ratings	3
5.3 Taps	3
5.4 Insulation levels	3
5.5 Angular displacement and terminal markings	4
5.6 Percent impedance voltage	4
6. Construction	5
6.1 Insulation system	5
6.2 Accessory location	5
6.3 Nameplate	5
6.4 Transformer connections	6
6.5 Tap changer	7
6.6 Temperature indication	7
6.7 Pressure-vacuum gage	8
6.8 Shutoff valve	8
6.9 Filling valve	8
6.10 Tank	9
7. Routine tests	10
8. Tolerances	10
9. Other ratings and characteristics	11
9.1 Other ambient temperature conditions	11
9.2 Other winding temperature rises	11
9.3 Other insulation systems	11
9.4 Other high-voltage ratings and connections	11
9.5 Y-Y connected transformers	12
9.6 Increased neutral insulation	13
9.7 Other basic lightning impulse insulation levels (BILs)	13
10. Other construction	13
10.1 Surge arresters	13
10.2 Unit substation applications	13
10.3 Pressure alarm switch	14
10.4 High-temperature alarm switch	14
10.5 Current transformers (or provision for their addition in the future)	14
10.6 Terminal blocks	14
11. Other tests	15
Annex A (informative) Bibliography	16

IEEE Standard for Sealed Dry-Type Power Transformers, 501 kVA and Higher, Three-Phase, with High-Voltage 601 to 34500 Volts, Low-Voltage 208Y/120 to 4160 Volts—General Requirements

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard is for sealed dry-type transformers, 501 kVA and larger, with high-voltage 601 to 34500 volts inclusive and low-voltage 208Y/120 to 4160 volts inclusive. This standard is intended to set forth characteristics relating to performance, limited electrical and mechanical interchangeability, and to assist in the proper selection of such equipment.

This standard does not apply to other types of transformers, such as specialty, ventilated dry-type, pad-mounted dry-type, liquid immersed, instrument, regulating, furnace, mine, and rectifier operations.