

IEEE Guide for Conducting a Transient Voltage Analysis of a Dry-Type Transformer Coil

IEEE Power and Energy Society

Sponsored by the
Transformers Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std C57.12.58-2017
(Revision of IEEE Std C57.12.58-1991)

IEEE Guide for Conducting a Transient Voltage Analysis of a Dry-Type Transformer Coil

Sponsor

Transformers Committee
of the
IEEE Power and Energy Society

Approved 15 June 2017

IEEE-SA Standards Board

Currently in preview, click buy full version

Abstract: General recommendations for measuring voltage transients in dry-type distribution and power transformers are provided. Recurrent surge voltage generator circuitry, instrumentation, test sample, test point location, mounting the test coil, conducting the test, and reporting results are covered.

Keywords: IEEE C57.12.58™, impulse distribution, recurrent surge generator, transient voltage analysis

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 13 November 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-4338-8 STD22785
Print: ISBN 978-1-5044-4339-5 STDPD22785

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change from time to time about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, conferences, and educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Explorer at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this guide was submitted to the IEEE-SA Standards Board for approval, the following attendees of the Dry-Type Transformers Subcommittee provided input on the revision of this document:

Roger C. Wicks, *Chair*

James Antweiler	Charles Johnson	Klaus Pointner
R. Casey Ballard	Sheldon Kennedy	Paulette Payne Powell
J. Arturo Del Rio	Aleksandr Levin	Thomas Prevost
Derek Foster	Tim-Felix Mai	Michael Sharp
Mark Gromlovits	Richard Marek	Sanjib Som
Phil Hopkinson	Martin Navarro	David Stankes
Mohammad Iman	Klaus Papp	Vijay Tendulkar
John John	Dhiru Patel	David Walker

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Roy Alexander	Jim Kulchisky	Alvaro Peralillo
R. Casey Ballard	Chung-Yiu Lam	John Poirier
Peter Balma	William Larzelere	Johannes Rickmann
Barry Beaster	Aleksandr Levin	Thomas Rozek
W.J. (Bill) Bergman	Tim-Felix Mai	Ryandi Ryandi
Paul Cardinal	Omar Mazzoni	Bartien Sayogo
John Crouse	Daleep Mohla	Jeremy Smith
Gary Donner	Daniel Mulkey	Jerry Smith
Jorge Fernandez Daher	Jerry Murphy	David Stankes
Bruce Forsyth	K. R. M. Nair	Ralph Stell
Derek Foster	Martin Navarro	David Tepen
Jalal Gohari	Michael Newman	James Van De Ligt
Randall Groves	Raymond Nicholas	Roger Verdolin
Werner Hoelzl	T. W. Olsen	John Vergis
Mohammad Iman	Lois Padden	David Walker
Richard Jackson	Luigi Palazzo	John Wang
John John	Klaus Papp	Kenneth White
Charles Johnson	Bansi Patel	Roger C. Wicks
Laszlo Kadar	Shawn Patterson	Jian Yu
	Paulette Payne Powell	

When the IEEE-SA Standards Board approved this guide on 15 June 2017, it had the following membership:

Jean-Philippe Faure, *Chair* **Gary Hoffman, *Vice Chair*** **John D. Kulick, *Past Chair*** **Konstantinos Karachalios, *Secretary***

Chuck Adams	Thomas Koshy	Robby Robson
Masayuki Ariyoshi	Joseph L. Koepfinger*	Dorothy Stanley
Ted Burse	Kevin Lu	Adrian Stephens
Stephen Dukes	Daleep Mohla	Mehmet Ulema
Doug Edwards	Damir Novosel	Phil Wennblom
J. Travis Griffith	Ronald C. Petersen	Howard Wolfman
Michael Janezic	Annette D. Reilly	Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C57.12.58-2017, IEEE Guide for Conducting a Transient Voltage Analysis of a Dry-Type Transformer Coil.

This guide covers general recommendations for measuring voltage transients in dry-type distribution and power transformers. Insulation is recognized as one of the most important components of a transformer. Its major function is to prevent dielectric breakdown between parts with different voltage potentials. Insulation materials and components are also a part of the mechanical structure of the transformer. Any weakness of insulation may result in the failure of the transformer. Dielectric strength is a measure of the effectiveness with which insulation performs. It was once accepted that low-frequency tests alone were adequate to demonstrate the dielectric strength of transformers. As more became known about lightning phenomena, and as impulse testing apparatus was developed, it became apparent that the distribution of impulse voltage stress through the transformer winding varies with the configuration of the windings.

Impulse voltages are distributed initially on the basis of winding capacitances. If this initial distribution differs from the final low-frequency inductance distribution, the impulse energy will oscillate between the two distributions until the energy is dissipated and the inductance distribution is reached. In severe cases, these internal oscillations can produce voltages to ground that approach twice the applied voltage. Along with the variation in size of transformer windings and the physical configuration of the windings, the impulse voltage distribution when chopping the applied wave was considered by the task force that developed this guide. Since there was insufficient information on how to interpret the short-time oscillations on the insulation system, the inclusion of the chopped wave was deferred until a later date.

This document was originally developed in 1991 to determine standard methods for examining the impulse voltage distribution within dry-type transformer windings; to establish a means for defining the location and magnitude of maximum voltage stress in a dry-type transformer coil; and to support other IEEE standards such as the thermal evaluation document, IEEE Std C57.12.60^[B1].

This updated version of IEEE Std C57.12.58 corrects some editorial and technical issues from the original document. The task force involved in the revision of this document considered a more extensive revision of the document (incorporating use of commercial equipment and new software techniques), but due to a compressed time frame determined to defer this more extensive revision after the approval of this document.

¹The numbers in brackets correspond to those of the bibliography in Annex A.

Contents

1. Overview.....	9
1.1 Scope.....	9
1.2 Purpose.....	9
2. Normative references	9
3. Definitions.....	10
4. General.....	10
4.1 Functional diagram.....	10
4.2 Recurrent surge generator.....	10
4.3 Voltage measurement.....	10
5. Recurrent surge voltage generator circuitry.....	11
5.1 Description of the circuit	11
5.2 Selection of element values	11
6. Instrumentation	17
6.1 General	17
6.2 Frequency response	17
6.3 Common-mode rejection.....	18
6.4 Grounding practice.....	19
7. Test sample.....	19
7.1 Sample description	19
7.2 Description of transient phenomena	19
7.3 Test leads	19
8. Test point locations.....	20
8.1 General	20
8.2 Disc-type coils.....	21
8.3 Layer-wound coils.....	21
8.4 End turns	21
8.5 Additional test points.....	22
9. Mounting the test coil.....	22
10. Conducting the test.....	23
10.1 Test coil	23
10.2 Surge generator.....	23
10.3 Voltage measurements.....	23
11. Reporting results	23
Annex A (informative) Bibliography.....	25
Annex B (informative) A solution of decay rate of surge generator.....	26

IEEE Guide for Conducting a Transient Voltage Analysis of a Dry-Type Transformer Coil

1. Overview

1.1 Scope

This guide applies to the equipment setup, measurement, and analysis of the transient voltage response of a dry-type transformer coil to impulse voltage.

1.2 Purpose

Transient voltage analysis is used to determine the response of various parts of the coil to a $1.2 \mu\text{s} \times 50 \mu\text{s}$ impulse wave. This analysis can be made on specially designed prototype coils with embedded voltage leads. This testing uses significantly lower voltages than the rated BIL to expedite the test time for each data point required.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE Std C57.12.80™, IEEE Standard Terminology for Power and Distribution Transformers.^{2,3}

IEEE Std C57.12.01™, IEEE Standard Test Code for Dry-Type Distribution and Power Transformers.

IEEE Std C57.98™, IEEE Guide for Transformer Impulse Tests.

²IEEE publications are available from the Institute of Electrical and Electronics Engineers (<http://standards.ieee.org>).

³The IEEE standards or products referred to in [Clause 2](#) are trademarks owned by the Institute of Electrical and Electronics Engineers, Incorporated.