

IEEE Standard for Metal-Oxide Surge Arresters for AC Power Circuits (>1 kV)

IEEE Power and Energy Society

Developed by the
Surge Protective Devices Committee

IEEE Std C62.11™-2020
(Revision of IEEE Std C62.11-2012)

Currently in preview, click buy full version

IEEE Standard for Metal-Oxide Surge Arresters for AC Power Circuits (>1 kV)

Developed by the

Surge Protective Devices Committee
of the
IEEE Power and Energy Society

Approved 6 May 2020

IEEE SA Standards Board

Currently in preview, click buy full version

Abstract: Metal-oxide surge arresters (MOSAs) designed to repeatedly limit the voltage surges on 48 Hz to 62 Hz power circuits (>1000 V) by passing surge discharge current and automatically limiting the flow of system power current are addressed in this standard. This standard applies to devices for separate mounting and to devices supplied integrally with other equipment. The tests demonstrate that an arrester is able to survive the rigors of reasonable environmental conditions and system phenomena while protecting equipment and/or the system from damaging overvoltages caused by lightning, switching, and other undesirable surges.

Keywords: charge transfer, discharge current, discharge voltage, IEEE C62.11™, lightning protection, maximum continuous operating voltage, MCOV, metal-oxide disk, metal-oxide surge arrester, MOSA, single-impulse charge transfer rating, surge arrester, thermal charge transfer rating, thermal energy, withstand rating, TOV

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 24 September 2020. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6708-7 STD24189
Print: ISBN 978-1-5044-6709-4 STDPD24189

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <https://www.ieee.org/about/corporate/governance/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or completeness of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to results and workmanlike effort. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include

both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries

into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendation. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Participants

At the time this IEEE standard was completed, the C62.11 Working Group had the following membership:

Jonathan Woodworth, Chair
Timothy Smith, Vice Chair

Robert Allison	Jeff Kester	Remo Mugwyler
Steve Brewer	Fayaz Khatri	Craig Polchinski
Jose Cabrera	Chris Kulig	Michael Ramarge
Michael Champaign	Dennis Lenk	Austen Rau
Michael Comber	Jody Levine	Matthias Schubert
Tom Field	William Lui	Essay Shu
Ryan Freeman	Sami Mardini	Andrew Steffen
Steven Hensley	Nigel McQuin	James Taylor
Raymond Hill	Mark Mc Vey	Randy Ward
Volker Hinrichsen	Iuda Morar	Steve Whisenant
Bengt Johnnerfelt		Chad Withers

The following members of the individual Standards Association balloting group voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

John Ainscough	Fredric Friend	Jim Kulchisky
Saleman Alibhay	Saurabh Ghosh	Chris Kulig
Curtis Ashton	David Giegel	Chung-Yiu Lam
Thomas Barnes	Nadim Giotis	Benjamin Lanz
Earle Bascom III	Mietek Glinkowski	Wei-Jen Lee
Philip Beaumont	Waymon Goch	Jody Levine
Steven Bezner	Jalal Gohari	Lawrenc Long
Wallace Binder	Edwin Goodwin	William Lui
Thomas Blackburn	James Graham	Thomas Lundquist
William Bloethe	J. Travis Griffitts	Reginaldo Maniego
Kenneth Bow	Randa C. Jones	Albert Martin
Harold Brewer	David Kishichi	Michael Maytum
Chris Brooks	John Harley	John McDaniel
Gustavo Brunello	Jeffrey Helzer	Joseph Melanson
Demetrio Bucaneg Jr.	Steven Hensley	Charles Morse
Thomas Callsen	Raymond Hill	Remo Mugwyler
Paul Cardinal	Thang Hochanh	R. Murphy
Michael Champagne	Werner Hoelzl	Ryan Musgrove
Robert Christman	Robert Hoerauf	K.R. M. Nair
C. Clair Claiborn	Philip Hopkinson	Dennis Neitzel
Michael Comber	Ronald Hotchkiss	Arthur Neubauer
Stephen Conrad	James Houston	Joe Nims
David Crotty	John John	Lorraine Padden
Jorge Hernandez Daher	Dennis Johnson	Jan Paramalingam
Alireza Baneshpooy	Laszlo Kadar	Bansi Patel
Namal Dowling	John Kay	Dhiru Patel
Robert Duckworth	Thomas Keels	David Peelo
Michael Edds	Peter Kelly	Brian Penny
Gearold O. H. Eidhin	Sheldon Kennedy	Emanuel Petrache
Cliff Erven	Stuart Kerry	Christopher Petrola
Michael Faulkenberry	Jeff Kester	Alvaro Portillo
Namal Fernando	Yuri Khersonsky	Iulian Profrir
Rostyslaw Fostiak	Chad Kiger	Benjamin Quak
Carl Fredericks	James Kinney	Farnoosh Rahmatian
Ryan Freeman	Boris Kogan	Michael Ramarge

Juan Ramirez
Moises Ramos
Reynaldo Ramos
Eric Rasmussen
Austen Rau
Lakshman Raut
Samala Santosh Reddy
Timothy Robirds
Charles Rogers
Ryandi Ryandi
Bartien Sayogo
Carl Schuetz
Robert Schuerger
Kenneth Sedziol
Devki Sharma

Harish Sharma
Stephen Shull
Hyeong Sim
Jerry Smith
Timothy Smith
Gary Smullin
Andrew Steffen
Gary Stoedter
K. Stump
James Taylor
David Tepen
Peter Tirinzoni
John Toth
Nijam Uddin
James Van De Ligt

Gerald Vaughn
John Vergis
Jane Verner
Matthew Wakeham
Mark Waldron
David Wallace
Lanyi Wang
Steve Whisenant
Kenneth White
James Wilson
Jonathan Woodworth
Terry Woodyard
Jian Yu
Waldemar Ziomek
Gaetano Zizzo

When the IEEE SA Standards Board approved this standard on 6 May 2020, it had the following membership:

Gary Hoffman, *Chair*
John Walter Rosdahl, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Doug Edwards
J.Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*
David J. Law

Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel

Dorothy Stanley
Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C62.11-2020, IEEE Standard for Metal-Oxide Surge Arresters for AC Power Circuits (>1 kV).

Metal-oxide surge arresters (MOSAs) described in this standard represent the predominant surge arrester technology applied on ac power systems above 1 kV. This standard presents minimum criteria for the testing of such surge arresters. Matters of application of this type of surge arrester are covered in IEEE Std C62.22™.¹ For testing and application of surge protective devices for use in low-voltage circuits (1 kV and below), other standards in the IEEE C62 series are available.

This edition contains the following significant changes from IEEE Std C62.11™-2012:

Clause 2	Added Reference to CIGRE TB 696
Clause 2	Added Reference to IEC 60071-2
Clause 3 Duty-cycle Voltage	Modified definition to indicate it is an obsolete term.
Clause 3 Single Impulse Charge transfer rating	Modified the definition of single impulse withstand rating to reflect charge transfer withstand and term Q_{rs}
Clause 3 Thermal Charge Transfer Rating	Added thermal charge transfer rating definition Q_{th}
Clause 3 Thermal Energy Withstand Rating	Added thermal energy withstand rating definition and term W_{th}
4.1.2 c)	Change usual service conditions to 1000 m (3281 ft) from 1800 m.
4.2.1 c)	Changed unusual service conditions to altitude exceeding 1000 m (3281 ft). Removed any specific ranges above 1000 m.
Clause 5	Modified Table 1 to reflect the trend toward elimination of duty-cycle voltage rating that is being replaced with MCOV as the relevant voltage rating of an arrester.
Clause 6 Table 2	Modified to agree with the final changes made to the test requirements.
Clause 6 Table 3, Table 4, Table 5	Created Arrester Classification Table 3, Table 4, and Table 5 that replaced previous Table 6, Table 7, Table 12, and Table 13. Also removed reference to system voltage and converted to MCOV levels instead.
7.2.2.3.3	Modified the type of voltage that can be used to heat the metal-oxide disks from only ac to include ac and dc.
8.1.2.1 a)1), a)2)	Modified test parameters for distribution arresters to align with IEC 60099-4. Added option to waive test with sufficient strike distance.
8.1.2.1 b)	Modified test parameters for distribution arresters to align with IEC 60099-4 and add option to waive test.
8.1.2.3	Modified Deadfront arrester test level table. Eliminated dc test and brought it in line with IEEE Std 386™.

¹Information on references can be found in Clause 2.

8.1.2.4	<p>Modified test parameters and test methods for insulation withstand voltages for arrester housings.</p> <p>Changed parameters for arresters with MCOV < 140 kV</p> <p>Changed test method to switching impulse from power frequency tests for arrester with MCOV \geq 140 kV and < 460 kV.</p> <p>For arresters applied to systems above 800 kV the test voltage will be negotiated between supplier and customer.</p> <p>Made provision for no test if the strike distance of the arrester is above a specific level. (Adopted a less conservative level than IEC in anticipation of the future change to the IEC formula.)</p> <p>Added reference to IEEE Std 4TM and requirement for 15 impulses.</p>
8.2.2.1	Deleted old Table 6 and rolled it into Summary Table 4.
8.2.2.2	Deleted old Table 7 and rolled it into Summary Table 4.
8.4.2.1.1	Modified Table 8 to reflect MCOV instead of rated voltage, and deleted less than 3 kV row since there are no ratings below that.
8.8.2.3	Replaced new paragraph e) that was dropped by mistake and added clearer test sequence. Also removed the requirement to inspect the internal components.
Previous Subclause 8.11	Eliminated Subclause 8.11 Partial Discharge Test as a design test since it is a routine test.
Previous Subclause 8.12	Eliminated the high-current short-duration test as a stand-alone test and folded it into the new Operating Duty Test.
Previous Subclause 8.13	Eliminated the low-current long-duration test for distribution arresters since they are now included in the Q_{rs} test.
Previous Subclause 8.14, new Subclause 8.11	<p>The switching impulse energy rating test was modified by eliminating the preconditioning surges at lower currents, since it has been demonstrated in technical studies that low current surges such as these do not age MOSA type arresters.</p> <p>A V_{ref} test is included at the start of the test to verify the MCOV rating of the sample.</p> <p>The 10 s TOV at the start of the thermal recovery portion of the test was modified to $1.25 \times$ MCOV to reflect the goal of eliminating duty cycle voltage as a test parameter in this standard. A graphic test procedure summary was added for clarity of the test procedure.</p>
Previous Subclause 8.15, new Subclause 8.12	Adopted the term charge transfer rating Q_{rs} as the single-impulse withstand rating of arresters. Included distribution arresters in this test series. A test procedure graphic was added for clarity. Added distribution arresters to the tested classes to replace LCLD test. Both 8/20 and rectangular waveshapes allowed for distribution arresters.
Previous Subclause 8.16, new Subclause 8.13	<p>The duty cycle test was revised as follows:</p> <p>Station and intermediate arresters exempt since this is a redundant test to switching impulse withstand test.</p> <p>Q_{th} parameter adopted as the charge transfer characteristic.</p> <p>Name changed to Operating Duty Test to distance this standard from the duty cycle rating parameter.</p> <p>Removed 20 impulse preconditioning test for non-gapped MOV, since studies have shown that low current impulses < 20 kA do not age MOSA arresters.</p> <p>Added high current impulse to preconditioning test to replace 20 lower current impulses.</p> <p>Changed thermal recovery voltage to MCOV or higher for all distribution arresters instead of just HD. (Text of draft accepted in March meeting.)</p> <p>Revised non-gapped graphic of test timeline and correlated to verbiage with labels (Draft 9).</p> <p>Added separate graphic of timeline and verbiage for gapped arresters.</p> <p>Added new subclause for gapped MOV arresters that combines some parts of IEC 60099-6 and IEEE Std C62.11-2012.</p>

Previous 8.17, new Subclause 8.14	<p>The TOV test was modified as follows:</p> <p>Eliminated the 0.01s TOV, since it is not likely to happen in the real world and tests laboratories cannot actually test this short time.</p> <p>Added V_{ref} test as an initial test to verify specimen MCOV.</p> <p>Reduced the longest required time down to 3600 s and required it instead of 10000 s. This better represents the real world based on input from utilities.</p> <p>Adopted the prior duty energy to be W_{th}.</p> <p>Modified wording to require a start temp of 60 °C not allowing for a 10 min delay between removing from oven and starting the test.</p> <p>Added procedure graphic for clarification of test.</p> <p>Changed pass criteria of discharge voltage to $\pm 5\%$ from 10% to make consistent with other design tests.</p>
Previous Subclause 8.21, new Subclause 8.18	Eliminated ODC, HCSD, and LCLD withstand tests and added single impulse charge transfer tests in their place and operating duty tests.
Previous Subclause 9.5	Eliminated subclause because there is no need to specify both creep distance and withstand voltage of a sample. Withstand voltage requirement remains.
Clause 11	Eliminated the clause based on lack of use and no rationale to keep.
Table C.1	Split table into Table C.1 and Table C.2, added new Q_{rs} and W_{th} values, and removed reference to rated voltage.
D.8.1	Modified rationale for most of the insulation withstand tests.
D.8.9	Updated historical note with more information.
Rationale removed	Low-current long-duration test, partial discharge test, high-current short-duration.
D.8.11	Updated to new procedure.
D.8.12	Updated to new procedure.
D.8.13	Updated to new procedure.
D.8.14	Updated to modified procedure.

Contents

1. Overview.....	14
1.1 Scope.....	14
1.2 Purpose.....	14
2. Normative references	14
3. Definitions, acronyms, and abbreviations	15
3.1 Definitions.....	15
3.2 Acronyms and abbreviations	21
4. Service conditions	22
4.1 Usual service conditions.....	22
4.2 Unusual service conditions.....	23
5. Standard MCOV rating of an arrester and previously used duty-cycle rating.....	24
6. Performance characteristics and tests.....	25
7. Test requirements	27
7.1 Complete arrester test samples	27
7.2 Prorated section	27
7.3 Test measurements.....	30
7.4 Impulse test-wave tolerances.....	31
7.5 Power-frequency test voltages.....	31
8. Design tests	31
8.1 Arrester insulation withstand test.....	31
8.2 Discharge-voltage characteristics test	35
8.3 Power-frequency sparkover test for arresters equipped with gaps	37
8.4 Impulse protective level voltage-time characteristic test for arresters equipped with gaps.....	37
8.5 Accelerated aging test of metal-oxide disks.....	40
8.6 Accelerated aging test of polymer-housed distribution arresters with exposure to light and electrical stress	41
8.7 Accelerated aging test of polymer-housed arresters with exposure to salt fog.....	43
8.8 Contamination test.....	45
8.9 Distribution arrester seal integrity design test.....	47
8.10 Radio-influence voltage (RIV) test.....	48
8.11 Switching impulse energy rating test (W_{th}).....	49
8.12 Single-impulse charge transfer rating test (Q_{rs})	51
8.13 Operating duty test for distribution arresters (Q_{th})	53
8.14 Temporary overvoltage (TOV) test.....	56
8.15 Short-circuit test.....	59
8.16 Failure mode test for liquid-immersed arresters	69
8.17 Deadfront arrester failure mode test	71
8.18 Distribution arrester disconnecter test.....	72
8.19 Maximum Design Cantilever Load (MDCL) and moisture ingress test for polymer-housed arresters	74
8.20 Ultimate mechanical strength-static (UMS-static) test for porcelain-housed arresters.....	79
8.21 Seismic capability verification	79
9. Construction.....	79
9.1 Identification data.....	79
9.2 Standard mountings.....	80

9.3 Iron and steel parts.....	80
9.4 Terminal connections.....	80
10. Protective characteristics.....	81
11. Routine tests	81
11.1 General	81
11.2 Current sharing test.....	81
11.3 Discharge-voltage test	82
11.4 Partial Discharge (PD) test.....	82
11.5 Seal test.....	82
11.6 Power-frequency test	82
11.7 Power-frequency sparkover.....	83
Annex A (informative) Example use of procedure of 8.2 Discharge voltage characteristics test.....	84
Annex B (informative) Basis for accelerated aging procedure	89
Annex C (informative) Surge arrester classification and performance requirements	91
Annex D (informative) Rationale for tests prescribed by IEEE Std C62.11-2020	92
Annex E (informative) Bibliography.....	119

IEEE Standard for Metal-Oxide Surge Arresters for AC Power Circuits (>1 kV)

1. Overview

1.1 Scope

This standard applies to metal-oxide surge arresters (MOSAs) designed to repeatedly limit the voltage surges on 48 Hz to 62 Hz power circuits (>1000 V) by passing surge discharge current and automatically limiting the flow of system power current. This standard applies to devices for separate mounting and to devices supplied integrally with other equipment.

1.2 Purpose

To define tests that demonstrate that an arrester can survive the rigors of reasonable environmental conditions and system phenomena while protecting equipment and/or the system from damaging overvoltages caused by lightning, switching, and other system disturbances.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ASTM A153/153M, Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware.²

ASTM D750, Standard Test Method for Rubber Deterioration in Carbon-Arc Weathering Apparatus.

ASTM D1499, Standard Practice for Operating Light and Water Exposure Apparatus (Carbon-Arc Type) for Exposure of Plastics.

ASTM D2565, Standard Practice for Xenon Arc Exposure of Plastics Intended for Outdoor Applications.

²ASTM publications are available from the American Society for Testing and Materials (<http://www.astm.org/>).