



APPROVED METHOD:

**OPTICAL AND ELECTRICAL MEASUREMENTS
OF SOLID-STATE LIGHTING PRODUCTS
AN AMERICAN NATIONAL STANDARD**

Currently in preview, click buy full version



ANSI/IES LM-79-19

**APPROVED METHOD:
OPTICAL AND ELECTRICAL
MEASUREMENTS OF SOLID-STATE
LIGHTING PRODUCTS
AN AMERICAN NATIONAL STANDARD**

Publication of this Technical Memorandum
has been approved by IES.
Suggestions for revisions should be directed to IES.



Copyright 2019 by the Illuminating Engineering Society.

Approved by the IES Standards Committee February 28, 2019, as a Transaction of the Illuminating Engineering Society.

Approved as an American National Standard May 14, 2019.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005

IES Standards and Guides are developed through committee consensus and produced at the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Brian Liebel, Director of Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-004-0

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Prepared by the Committee on Solid State Lighting of the IES Testing Procedures Committee

Solid State Lighting Subcommittee:

E. Bretschneider, *subcommittee chair*

C. C. Miller, *subcommittee vice chair*

Members

R. C. Berger	M. L. Grather	M. Kotrebai	M. Sapcoe
R. P. Bergin	Y. Hiebert	B. Kuebler	G. Steinberg
R. S. Berman	J. Hospodarsky	S. Longo	R. Tuttle
L. Davis	J. Hulett	J. P. Marella	J. Vollers
P. Elizondo	A. Jackson	J. Melman	
K. C. Fletcher	J. Jiao	E. Radkov	

Advisory Members

C. Andersen	G. John	R. McKim	L. Rogers
C. A. Bloomfield	P-C Hung	S. Mitsuhashi	A. P. Royer
M. Boroson	T. Kawabata	M. S. O'Boyle	D. Ryan
B. Boudreaux	J. Leland	Y. Ohno	G. Swiernik
P-T Chou	K. M. Liepmann	E. Page	T. Uchida
M. E. Duffy	J. Lockner	D. Park	S. Yamauchi
D. J. Ellis	R. J. Lowe	M. Piscitelli	G. Yu
J. Gaines	J. McIntosh	M. Przychyly	

IES Testing Procedures Committee:

B. Kuebler, *Chair*

C. C. Miller, *Co-Chair*

D. Randolph, *Secretary*

J. Jiao, *Treasurer*

Members

C. Andersen	K. C. Fletcher	A. Jackson	G. McKee
R. P. Bergin	M. L. Grather	M. Kotrebai	E. Radkov
R. S. Bergman	Y. Hiebert	J. Leland	M. B. Sapcoe
E. Bretschneider	J. Hospodarsky	S. Longo	J. E. Walker
P. Elizondo	J. Hulett	J. P. Marella	
D. J. Ellis	P-C Hung	P. McCarthy	

Advisory Members

L. M. Bers	J. Frazer	J. Lockner	A. W. Serres
J. Kuebler	K. J. Hemmi	Y. Ohno	G. A. Steinberg
C. A. Bloomfield	S. Hua	E. Page	L. Swainston
P-T Chou	G. John	D. Park	J.S. Swiernik
M. Damle	H. Kashaninejad	E. S. Perkins	A. Thorseth
L. Davis	T. Kawabata	M. Piscitelli	R. C. Tuttle
M. E. Duffy	R. Kelley	D. Rogers	J. C. Vollers
J. J. Demirjian	K. C. Lerbs	M. Royer	Y. Zong
V. Eberhard	K. M. Liepmann	T. Schneider	

CONTENTS

Foreword	1
1.0 Introduction and Scope	1
1.1 Introduction.....	1
1.2 Scope	1
2.0 Normative References	2
2.1 ANSI/IES RP-16-17	2
2.2 IES LM-78-17.....	2
2.3 IES LM-75-01/R12	2
3.0 Definitions	2
3.1 acceptance interval	2
3.2 current crest factor	2
3.3 tolerance interval	2
4.0 Physical and Environmental Test Conditions	2
4.1 General	2
4.2 Temperature	2
4.2.1 Ambient Temperature.....	2
4.2.2 Measurement of Light Fixture Temperature	3
4.3 Airflow	3
4.4 Thermal Conditions for Mounting SSL Products	3
4.5 Vibration	3
4.6 Stray Light	3
4.7 Humidity.....	4
5.0 Electrical Test Conditions	4
5.1 Power Supply Requirements	4
5.1.1 Voltage Waveform and Frequency	4
5.1.2 AC Voltage Regulation	4
5.1.3 DC Voltage Regulation	4
5.2 Test and Reference Circuit Requirements.....	4
5.2.1 Test Circuit Requirements	4
5.2.2 Reference Circuit Test	5

5.3	Electrical Measurement Instrument Calibration	5
5.3.1	Voltage Circuit Internal Impedance	5
5.3.2	AC Power Meter Accuracy	5
5.3.3	AC Power Analyzer Frequency Range	5
5.3.4	Total Harmonic Distortion Measurements	5
5.3.5	DC Voltage Measurement	5
5.3.6	DC Current Measurement	6
5.4	Electrical Settings	6
6.0	Test Preparation	6
6.1	DUT Identification	6
6.2	DUT Handling	6
6.3	Seasoning	6
6.4	Pre-burn and Stabilization	7
6.5	Operating Position and Orientation	7
6.6	Optical and Electrical Waveforms	7
7.0	Total Luminous Flux and Integrated Optical Measurements	7
7.1	General	7
7.2	Integrating Sphere Systems	7
7.2.1	General	7
7.2.2	Photometer and Spectroradiometer Characteristics	8
7.2.3	Self-Absorption and Size of Sphere	8
7.3	Angular Integration Systems	8
7.3.1	General	8
7.3.2	Photometer and Spectroradiometer Characteristics	9
7.3.3	Angular Scanning Resolution	9
7.3.4	Angular Range	9
8.0	Luminous Intensity or Optical Angular Distribution Measurement	9
8.1	General	10
8.2	Photometer and Spectroradiometer Characteristics	10
8.3	Test Distance	10
8.4	Goniometer Alignment	10
9.0	Color Uniformity Measurements	11
9.1	General	11
9.2	Angular Resolution	11
9.3	Angular Range	11
9.4	Angular Color Uniformity	11
9.5	Signal Limit and Verification	11

10.0 Measurement Uncertainty	12
11.0 Reporting Requirements	12
11.1 Typical Report Content	12
11.2 Nonstandard Conditions or Operating Procedures	13
Annex A – Airflow Considerations for Testing SSL Products	14
Annex B – High Frequency Current and Measurement Circuit Capacitance	14
Annex C – Power Supply Resistance and Inductance Dependency	16
Annex D – Tolerance Interval vs. Acceptance Interval	17
Annex E – Benefits of Waveform Measurement	19
Annex F – Lower Luminous Intensity for Chromaticity Uniformity	19
References	22

Currently in preview, click buy full version

Foreword

This document is a revision of IES LM-79-2008, *Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products*. Changes have been made to update information and provide better guidance based on information gathered from proficiency testing associated with laboratory accreditation and independent research. The updated requirements in this test method are intended to reduce the variation of measurement results across testing laboratories, while minimizing the burden on the testing laboratories. The method is based on absolute photometry addressing the requirements for optical and electrical measurement of solid-state lighting products.

The structure of the document has been changed significantly to match the approved IES Testing Procedure Committee document structure.

1.0 Introduction and Scope

1.1 Introduction

Solid-state lighting (SSL) products as defined in this document utilize light-emitting diodes, including inorganic LEDs (simply called *LEDs*) and organic LEDs (*OLEDs*) as the optical radiation sources to generate light for illumination purposes. An overview of LEDs and lighting is available in IES TM-16-17.¹ Although constant current control is typical for individual LEDs, this document addresses integrated SSL products incorporating semiconductor device-level current control; thus, the electrical parameters of interest are the SSL product's input electrical parameters.

For special purposes, it may be useful to determine the characteristics of SSL products when they are operated at other than the standard conditions described in this approved method. Where this is done, such results are meaningful only for the conditions under which they were obtained, and these conditions shall be stated in the test report.

The photometric information typically required for SSL products includes total luminous flux (lumens), luminous

efficacy (lm/W), luminous intensity (candelas) in one or more directions, chromaticity coordinates, correlated color temperature (CCT), and color rendering index (CRI). In addition, special lighting applications of SSL products may need data such as radiant intensity, photon intensity, radiant flux, photon flux, radiant efficacy, and photon efficacy. For this approved method, the determination of all these parameters will be considered *optical measurement*.

The electrical characteristics measured for AC-powered SSL products include RMS* AC voltage, RMS AC current, AC active power, power factor, total harmonic current distortion, and voltage frequency. For DC-powered SSL products, measured electrical characteristics include DC voltage, DC current, and power. For this approved method, the determination of these parameters will be considered electrical measurements.

1.2 Scope

This approved method describes the procedures to be followed and precautions to be observed in performing reproducible accurate measurements of total luminous, radiant, or photon flux; electrical power; system efficacy; luminous, radiant, or photon intensity distribution; and color quantities and/or spectrum of solid-state lighting (SSL) products for illumination purposes, under standard conditions. This approved method covers LED luminaires, OLED luminaires, integrated LED lamps, integrated OLED lamps, non-integrated LED lamps operated with a driver designated by a manufacturer's identification number or by a defined [ANSI] reference circuit, and LED light engines, all of which will be referred to as *SSL products or device under test (DUT)*. SSL products, excluding non-integrated LED lamps, are intended to directly connect to AC mains power or to a DC voltage power supply to operate.

This document does not cover SSL products that require external heat sinks, nor does it cover components of

* "RMS" stands for root-mean-square and is a way of expressing an AC quantity of voltage or current in terms functional equivalence to DC. For example, 10 V AC RMS is the amount of voltage that would produce the same amount of heat dissipation across a resistor of given value as 10 V DC. RMS voltage is also referred to as the "equivalent" or "DC equivalent" value of an AC voltage or current. For a sine wave, the RMS value is approximately 0.707 of its peak value. Source: All About Circuits. (Accessed 2018 Feb 23) www.allaboutcircuits.com/textbook/alternating-current/chpt-1/measurements-ac-magnitude/