



Illuminating
ENGINEERING SOCIETY

RECOMMENDED PRACTICE:
LIGHTING COMMON APPLICATIONS
AN AMERICAN NATIONAL STANDARD

Currently in preview, click buy full version



ANSI/IES RP-10-20

**RECOMMENDED PRACTICE:
LIGHTING COMMON APPLICATIONS
AN AMERICAN NATIONAL STANDARD**

Publication of this Recommended Practice
has been approved by IES.
Suggestions for revisions
should be directed to IES.

**Prepared by:
The IES Light and Design Committee**



Copyright 2020 by the Illuminating Engineering Society.

Approved by the IES Standards Committee February 13, 2020 as a Transaction of the Illuminating Engineering Society.

Approved April 21, 2020 as an American National Standard.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, they should be forwarded to Brian Liebel, Director Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-112-2

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Prepared by the IES Light and Design Lighting Committee

John M. Fox, *Co-chair*

Peter A. Hugh, *Co-chair*

Michael A. Myer, *Vice Chair*

Richard Rummel, *Vice Chair*

Members

C. Bukalski

J. R. Dross

G. C. Hansen

C. Inclan

M. Hianag

D. H. Kelly

M. Lehman

D. R. Lincoln

L. M. North

B. Parks

Y. Yoshida

Advisory Members

C. M. Brotz

K. P. Murphy

E. Savvidou

J. W. Yon

Y. Zhao

Currently in preview, click buy full version

CONTENTS

Foreword	1
1.0 Introduction and Scope	2
1.1 Introduction.....	2
1.2 Scope	2
2.0 Project Type and Status	2
3.0 Application Types	2
3.1 Accenting	3
3.2 Administration	3
3.3 Atria and Courtyards	3
3.4 Building Entries	4
3.5 Conferencing.....	8
3.5.1 Videoconferencing and Telepresence.....	9
3.6 Food Service	10
3.7 IT Areas	11
3.8 Plants	11
3.9 Reading and Writing	11
3.10 Restrooms and Locker Rooms	11
3.11 Support Spaces	12
3.12 Transition Spaces.....	12
Annex A – Illuminance Recommendations	13
References	24

Foreword

This Foreword is not part of ANSI/IES RP-10-20. It is provided for informational purposes only.

This Recommended Practice (RP) does not provide general lighting information that is included in other IES documents. If the reader does not already have this information, it may be obtained as needed from the following IES Standards:

The Lighting Science Series:

- ANSI/IES LS-1-20, *Lighting Science: Nomenclature and Definitions for Illuminating Engineering*
- ANSI/IES LS-2-20, *Lighting Science: Concepts and Language of Lighting*
- ANSI/IES LS-3-20, *Lighting Science: Physics and Optics of Radiant Power*
- ANSI/IES LS-4-20, *Lighting Science: Measurement of Light – The Science of Photometry*
- ANSI/IES LS-5-20, *Lighting Science: Color*
- ANSI/IES LS-6-20, *Lighting Science: Calculation of Light and Its Effects*
- ANSI/IES LS-7-20, *Lighting Science: Vision – Eye and Brain*
- ANSI/IES LS-8-20, *Lighting Science: Vision – Perceptions and Performance*

The Lighting Practice Series:

- ANSI/IES LP-1-20, *Lighting Practice: Designing Quality Lighting for People and Buildings*
- ANSI/IES LP-2-20, *Lighting Practice: Designing Quality Lighting for People in Outdoor Environments*
- ANSI/IES LP-3-20, *Lighting Practice: Designing and Specifying Daylighting for Buildings*
- ANSI/IES LP-4-20, *Lighting Practice: Electric Light Sources – Properties, Selection, and Specification*
- ANSI/IES LP-6-20, *Lighting Practice: Lighting Control Systems – Properties, Selection, and Specification*
- ANSI/IES LP-7-20, *Lighting Practice: The Lighting Design and Construction Process*
- ANSI/IES LP-8-20, *Lighting Practice: The Commissioning Process Applied to Lighting and Control Systems*

- ANSI/IES LP-9-20, *Lighting Practice: Upgrading Lighting Systems in Commercial and Industrial Facilities*
- ANSI/IES LP-10-20, *Lighting Practice: Sustainable Lighting – An Introduction to the Environmental Impacts of Lighting*
- ANSI/IES LP-11-20, *Lighting Practice: Environmental Considerations for Outdoor Lighting*

Guidance for designing lighting for applications not covered in this document may be found in other documents in the IES Recommended Practice Series, including:

- ANSI/IES RP-1-20, *Recommended Practice: Lighting Office Spaces*
- ANSI/IES RP-2-20, *Recommended Practice: Lighting Retail Spaces*
- ANSI/IES RP-3-20, *Recommended Practice: Lighting Educational Facilities*
- ANSI/IES RP-4-20, *Recommended Practice: Lighting Library Spaces*
- ANSI/IES RP-5-20, *Recommended Practice: Lighting Sports and Recreational Areas*
- ANSI/IES RP-6-20, *Recommended Practice: Lighting Industrial Facilities*
- ANSI/IES RP-7-20, *Recommended Practice: Lighting Industrial Facilities*
- ANSI/IES RP-8-18, *Recommended Practice for Design and Maintenance of Roadway and Parking Facility Lighting*
- ANSI/IES RP-9-20, *Recommended Practice: Lighting Hospitality Spaces*
- ANSI/IES/ALA RP-11-20, *Recommended Practice: Lighting for Interior and Exterior Residential Environments*
- ANSI/IES RP-28-20, *Recommended Practice: Lighting and the Visual Environment for Older Adults and the Visually Impaired*
- ANSI/IES RP-29-20, *Recommended Practice: Lighting Hospital and Healthcare Facilities*
- ANSI/IES RP-30-20, *Recommended Practice: Lighting Museums*
- ANSI/IES RP-37-20, *Recommended Practice: Lighting Airport Outdoor Environments*
- ANSI/IES/AVIXA RP-38-17, *Lighting Performance for Small to Medium Sized Videoconference Rooms*

- *ANSI/IES RP-39-19, Recommended Practice for Off-Roadway Sign Luminance*
- *ANSI/IES RP-40-20, Recommended Practice: Lighting Port Terminals*
- *ANSI/IES RP-41-20, Recommended Practice: Lighting Theater, Auditorium, and Worship Spaces*
- *ANSI/IES RP-42-20, Recommended Practice: Dimming and Control Method Designations*

1.0 Introduction and Scope

1.1 Introduction

There need not be anything commonplace about lighting for applications that are common to many building projects. Some of these applications, such as lobbies, make first impressions. Others, like conferencing and food service, can be the amenities that set one employer apart from others. Lighting for these applications is important and can infuse a facility with uncommon character. Daylighting can be quite effective in addressing illuminances in many of these applications.

1.2 Scope

This Recommended Practice primarily addresses design considerations and illuminance criteria for common areas, which should influence luminaire optical selections, light source choices, and final layouts.

It is important that deliberate thought be given to details beyond the recommended illuminances in this chapter. For example, in **Section 3.6 Food Service**, the vertical illuminance citation does not necessarily demand a uniform array of low-wattage wall washers. Such lighting can be achieved with uplight or downlight in each stall, a perimeter slot-like detail along the back bar elevation, adjustable accents, the smallest of daylight-slots in the top of the back bar (for at least the daytime condition), or some combination of these. Each of these can achieve the target illuminance, but each has a distinctly different appearance and requires different architectural detailing. Such specific details are not enumerated for all tasks. The design team is responsible for determining and addressing indoor

and outdoor lighting and energy criteria set forth by authorities having jurisdiction, which may be different from and supersede IES criteria.

2.0 Project Type and Status

Before any design work, an understanding of the project type and scope is necessary. This will establish the extent to which daylighting can address most or many or some of the lighting goals. New construction, and restoration projects each offer varying opportunities. At every opportunity the lighting designer should give every consideration to daylighting as a light source. For some applications and tasks, daylighting can be the primary light source. Daylight demands attention in order to moderate or eliminate glare and balance visible and thermal energy. Additional information may be found in *ANSI/IES LP-3-20, Lighting Practice: Designing and Specifying Daylighting for Buildings* (see **Foreword**).

3.0 Application Types

To develop lighting solutions that meet quality, quantity, and operational criteria, an inventory is made of the common applications space types under consideration and the anticipated occupants, functions, and tasks. Otherwise, lighting cannot be best targeted to the users, their expectations, functions, and tasks.

Space type definitions are required early in the project design in order to track design efforts, which include inventorying the project knowns, anticipated functions and tasks, and calculating lighting, power, and energy compliance. The applications and tasks cited in **Table A-2** (in **Annex A**) should be reviewed against the project knowns and correlated with the space types and functions to establish recommended illuminance criteria. The designer should seek clarification with the client where discrepancies occur between programming information and the available application and task citations in **Table A-2**.