



**RECOMMENDED PRACTICE:**  
**LIGHTING THEATERS AND**  
**WORSHIP SPACES**

AN AMERICAN NATIONAL STANDARD

Currently in preview, click buy full version



**ANSI/IES RP-41-20**

**RECOMMENDED PRACTICE:  
LIGHTING THEATERS AND  
WORSHIP SPACES  
AN AMERICAN NATIONAL STANDARD**

Publication of this Recommended Practice  
has been approved by IES.  
Suggestions for revisions  
should be directed to IES.

**Prepared by  
The IES Assembly and Performance Lighting Committee**



*Copyright 2020 by the Illuminating Engineering Society.*

*Approved by the IES Standards Committee January 6, 2020 as a Transaction of the Illuminating Engineering Society.*

*Approved March 23, 2020 as an American National Standard.*

*All rights reserved.* No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, they should be forwarded to Brian Liebel, Director Standards, at [standards@ies.org](mailto:standards@ies.org) or the above address for verification and correction. The IES welcomes and urges feedback and comments

Printed in the United States of America.

ISBN# 978-0-87995-071-2

---

## DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

## AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

**Prepared by the IES Assembly and Performance Lighting Committee**

**Joseph M. Good, *Chair***

**Members**

J. M. Baker  
T. DeeW. Ellis  
M. D. Fink  
R. A. Gibney  
J. Gorrell

T. P. Hansen  
E. Hyatt  
L. H. Jones  
S. Kaye  
W. C. Kenyon

D. A. Kuyk  
A. R. Levine  
M. London  
E. T. Loudenburg  
J. B. Mabray

J. McCarty  
B. E. Tubb  
B. Wynn

**Advisory Members**

R. K. Davis  
G. Guarnaccia

J. Highgate  
A. M. Mor

H. R. Ratafia  
T. B. Rayl

C. Rega

---

# CONTENTS

<b>Foreword</b> .....	<b>1</b>
<b>1.0 Introduction and Scope</b> .....	<b>1</b>
1.1 Introduction.....	1
1.2 Scope.....	2
<b>2.0 General Objectives</b> .....	<b>2</b>
2.1 Considerations for Design Professionals.....	2
2.2 Budgetary Considerations.....	3
2.3 Architectural Considerations.....	3
2.4 Acoustical Considerations.....	4
2.5 Structural Considerations.....	4
2.6 Mechanical and Electrical Supply Considerations.....	4
2.7 Public Circulation Areas.....	5
2.8 House and Back-of-House Lighting.....	5
2.8.1 Audience Spaces.....	5
2.8.2 Work Lights.....	6
2.8.3 Dressing Rooms and Staff Preparation Rooms.....	6
2.8.4 Control Locations.....	7
2.8.5 Other Backstage Spaces.....	7
2.9 Special Considerations for Houses of Worship.....	7
2.9.1 Worship Needs.....	8
2.9.2 Designing Worship Lighting.....	8
2.9.3 Contemporary, Traditional, and Transitional Forms of Worship.....	9
2.9.4 Target Planes.....	10
2.9.5 Veiling Reflections.....	10
2.9.6 Defining Areas of Coverage.....	11
2.9.7 Reverent Focal Areas.....	11
2.9.8 Narthex.....	11
2.9.9 Sacristy.....	11
2.9.10 Choirs and Music.....	12
2.9.11 Decorative Luminaires.....	12
2.9.12 Controls.....	12
2.9.13 Maintenance.....	13
2.9.14 Broadcast Lighting.....	13
2.9.15 Daylighting in the Worship Space.....	13

<b>3.0</b>	<b>Stage Lighting Instruments</b>	<b>14</b>
3.1	Ellipsoidal Spotlights	15
3.2	Fresnel	16
3.3	Floodlights	17
3.4	PAR Lights	17
3.5	Strip Lights	17
3.6	Cyclorama Lights	18
3.7	Follow Spots	18
3.8	Projectors	18
3.9	Automated Instruments and Accessories	18
3.10	Measuring and Reporting Equipment Performance	19
<b>4.0</b>	<b>Layout and Selection of Stage Lighting Equipment</b>	<b>19</b>
4.1	Lighting the Traditional Proscenium Stage	19
4.1.1	Stage Lighting in the Auditorium Ceiling	20
4.1.2	Lighting Instruments in Auditorium and Proscenium Sidewalls	21
4.1.3	Stage Lighting on the Balcony Front	22
4.1.4	Follow-Spot Booths and Areas	23
4.1.5	Lighting Equipment at Edge of the Stage Platform or Apron	23
4.1.6	Lighting Located Behind the Proscenium Opening	23
4.1.7	First Electric Batten or Bridge	24
4.1.8	Overhead Lighting Positions	24
4.1.9	Backstage Lighting Positions	24
4.1.10	Lighting for a Traditional Proscenium: Summary	25
4.2	Adaptations for Alternative Stage Layouts	25
4.2.1	Backstage Utility Lighting	26
4.2.2	Mounting Hardware	26
4.2.3	Material Access Space	26
4.3	Power Overview	27
4.3.1	DMX512A Standards	27
4.3.2	Outlets and Connections	28
4.3.3	Company Switch	28
<b>5.0</b>	<b>Dimmers and Lighting Control</b>	<b>28</b>
5.1	Dimmers	29
5.2	Control Consoles	30
5.3	Auxiliary Controls	31
5.4	Dimmer Performance Data Systems	32
5.5	Theatrical Data Networks	32
5.6	System Startup	32

**6.0 Conclusion.....33**

**Annex A – Illuminance Recommendations.....33**

**References .....47**

Currently in preview, click buy full version

## Foreword

---

This Foreword is not part of ANSI/IES RP-41-20. It is provided for informational purposes only.

This Recommended Practice (RP) does not provide general lighting information that is included in other IES documents. If the reader does not already have this information, it may be obtained as needed from the following IES Standards:

### The Lighting Science Series:

- *LS-1-20, Lighting Science: Nomenclature and Definitions for Illuminating Engineering*
- *LS-2-20, Lighting Science: Concepts and Language of Lighting*
- *LS-3-20, Lighting Science: Physics and Optics of Radiant Power*
- *LS-4-20, Lighting Science: Measurement of Light – The Science of Photometry*
- *LS-5-20, Lighting Science: Color*
- *LS-6-20, Lighting Science: Calculation of Light and Its Effects*
- *LS-7-20, Lighting Science: Vision – Eye and Brain*
- *LS-8-20, Lighting Science: Vision – Perception and Performance*

### The Lighting Practice Series:

- *LP-1-20, Lighting Practice: Designing Quality Lighting for People and Buildings*
- *LP-2-20, Lighting Practice: Designing Quality Lighting for People in Outdoor Environments*
- *LP-3-20, Lighting Practice: Designing and Specifying Daylighting for Buildings*
- *LP-4-20, Lighting Practice: Electric Light Sources – Properties, Selection, and Specification*
- *LP-5-20, Lighting Practice: Lighting Control Systems – Properties, Selection, and Specification*
- *LP-7-20, Lighting Practice: The Lighting Design and Construction Process*
- *LP-8-20, Lighting Practice: The Commissioning Process Applied to Lighting and Control Systems*
- *LP-9-20, Lighting Practice: Upgrading Lighting Systems in Commercial and Industrial Facilities*

- *LP-10-20, Lighting Practice: Sustainable Lighting – An Introduction to the Environmental Impacts of Lighting*
- *LP-11-20, Lighting Practice: Environmental Considerations for Outdoor Lighting*

## 1.0 Introduction and Scope

---

### 1.1 Introduction

The IES Assembly and Performance Lighting Committee developed this Recommended Practice (RP) to assist design professionals in specifying or understanding the requirements of performance lighting and control systems.

The public assembly spaces in auditoriums, theaters, and worship spaces share many similar lighting requirements, but remain different. For example, the tasks of reading, circulation, and personal interaction are similar, yet most auditoriums and theaters never utilize daylight (as this interferes with the projected image of the presentation lighting on the stage). Common concerns include, for example, task illuminance, accent illuminance (perhaps with different features), egress lighting, and lighting controls.

Lighting for any kind of live presentation or production space involves the use of specialized “lighting instruments,” or “light fixtures.” Until very recently, these most often used tungsten-halogen lamps and may be referred to as “conventional instruments,” but LED sources are becoming more common. Theatrical lighting instruments are used in conjunction with flexible control equipment to facilitate easy changes in the lighting. The space will need to include many mounting positions for the lights, power, and control wiring infrastructure, and extensive lighting control equipment.

There are several other IES publications that designers should consider. These include the most recent revision of *ANSI/ASHRAE/IES Standard 90.1, Energy Standard for Buildings Except Low-Rise Residential Buildings*<sup>1</sup> and *ANSI/IES LM-73-18, Photometric Testing of Entertainment Luminaires Using Incandescent Filament Lamps or High Density Discharge Lamps*.<sup>2</sup>

It is important to note that the theatrical lighting community uses a few unique terms that differ from those typically accepted in the general lighting industry. One of these is *(stage) lighting instrument* or *light fixture* for a lighting device otherwise known as a *luminaire*. Other unique terms are defined in *ANSI/IES LS-1-20, Nomenclature and Definitions for Illuminating Engineering*.<sup>3</sup> This RP attempts to explain theatrical lighting and its practice using the terms of the trade as the theatrical lighting community understands them.

## 1.2 Scope

This RP considers the factors involved in achieving a successful, functioning space for live performances. It outlines the unique nature of these facilities and general techniques for creative lighting, but leaves the details to architects and the special consultants involved in the design of these spaces.

As a complete review and revision of prior documents on these topics, this RP incorporates the latest design and application information associated with contemporary theatrical and worship architecture, lighting positions in both the house and stage areas, typical lighting instruments and layouts, the effects of lighting on mechanical and acoustical elements, and the lighting controls used for activities and presentation.

This document provides specialized information on assembly spaces, as a component of larger facilities. It primarily addresses specifics that should influence lighting instrument and light source selection, as well as final layouts based on project programming and architectural requirements and limitations. Other room types—those not specific to assembly, performance, or worship—are covered in *ANSI/IES RP-10-20, Recommended Practice: Lighting Common Applications*.<sup>4</sup>

In this RP, the term "theater" means a space to present live performances, including all necessary ancillary facilities. Theaters may be found in facilities such as lecture and concert halls, churches, platforms, motion picture houses, portions of restaurants, and sports arenas.

## 2.0 General Objectives

The objective of stage lighting is to support the functional and artistic goals of the live performance for both the performers and the audience. Lighting is used to help control visibility, contribute to scene composition, enhance movement of the performance action, and set a mood (or "atmosphere") for the presentation. This requires a well-defined plan, which is commonly communicated through a "light plot," and other production lighting documentation.

To achieve these goals, the theatrical lighting designer needs complete flexibility as to choice of lighting instruments, mounting location, wattage, color, intensity, beam shape, beam direction, and light movement. The team designing the spaces that will be used for productions should include suitable infrastructure to support the creative process at a level commensurate with the proposed programs. The architectural space should be designed to support the function and aesthetic of the facility. This may include circulation, egress, task (generally reading), display, art, and decorative lighting. If the assembly space is a theater, much flexibility can be anticipated. If the space is a house of worship, a significant consideration may be the use of simple controls. The design team has many tools available for use in shaping the facility for owner use.

### 2.1 Considerations for Design Professionals

The architect involved with facility design should be aware of all of the types of people who will use the facility. The "clients" are not just the owner or producer, but the performers, designers, and technicians. It is to the architect's advantage to seek them out and solicit their design input.

Theater facility design is a unique form of architecture that frequently requires specialized design assistance. The scope and complexity of each project will determine the need for additional design advice. Talented consultants are readily available for stage machinery and rigging, lighting, acoustics, and other theater disciplines. Their participation will help ensure that the building functions properly.