



**TECHNICAL MEMORANDUM:**  
**DESCRIPTION, MEASUREMENT,**  
**AND ESTIMATION OF SKY GLOW**  
AN AMERICAN NATIONAL STANDARD

Currently in preview, click buy full version



Currently in preview, click buy full version

**TECHNICAL MEMORANDUM:  
DESCRIPTION, MEASUREMENT,  
AND ESTIMATION OF SKY GLOW**  
AN AMERICAN NATIONAL STANDARD

Publication of this Technical Memorandum  
has been approved by IES.  
Suggestions for revisions  
should be directed to IES.

**Prepared by**  
**The IES Sky Glow Calculations Committee**



*Copyright 2021 by the Illuminating Engineering Society.*

*Approved by the IES Standards Committee, June 28, 2021, as a Transaction of the Illuminating Engineering Society.*

*Approved September 17, 2021, as an American National Standard.*

*All rights reserved.* No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Brian Liebel, Director of Standards, at [standards@ies.org](mailto:standards@ies.org) or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-410-9

---

## DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

## AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

**Prepared by the IES Sky Glow Calculations Committee.**

**Bruce R. Kinzey, *Chair***

**Members**

I. Ashdown  
D. Duriscoe  
F. Falchi

M. L. Grather  
L.-W. Hung  
M. Kocifaj

L. Malbon  
B. Schlesselman  
P. Trepanowski

R. Wainscoat  
C. Walker

**Advisory Members**

R. D. Clear

L. Wilmott

---

Currently in preview, click buy full version

# CONTENTS

<b>Preface</b> .....	1
<b>1.0 Introduction and Scope</b> .....	<b>2</b>
1.1 Introduction.....	2
1.2 Scope.....	3
<b>2.0 Effects of Light Output, Distribution, and Spectral Content on Sky Glow</b> .....	<b>3</b>
2.1 Light Output and Distribution.....	4
2.1.1 Uplight.....	4
2.1.2 Reflected Light.....	6
2.1.3 Scattered Light.....	9
2.2 Spectral Content .....	9
2.2.1 Spectral Behavior in the Atmosphere.....	10
2.2.2 Spectral Influences on Astronomical Observation.....	13
<b>3.0 Characteristics of Lighting Applications</b> .....	<b>14</b>
3.1 Spectral Properties of Light Sources Commonly Used in Exterior Applications.....	14
3.2 Lighting Characteristics of Related Applications.....	17
<b>4.0 Calculating Sky Glow From Lighting Characteristics</b> .....	<b>17</b>
4.1 Phase I – Production and Migration of Light into the Night Sky.....	17
4.2 Phase II – Interactions of Light With Atmospheric Conditions.....	19
<b>5.0 Introduction to Modeling Approaches and Issues</b> .....	<b>20</b>
5.1 Variability and Uncertainty in Estimating Scattering .....	20
5.1.1 Wavelength Dependence.....	20
5.1.2 Source Emission Angle.....	21
5.2 Models and Approximations.....	22
<b>6.0 Means of Measuring Sky Glow</b> .....	<b>23</b>
6.1 Human Visual Indicators of Sky Glow Impact.....	23
6.1.1 Naked-Eye Limiting Magnitude.....	24
6.1.2 Number of Stars Visible.....	25
6.1.3 Comparing Indicators.....	26
6.2 Night Sky Radiance Measurement .....	27
6.2.1 Single-Channel Measurements.....	27
6.2.2 Imaging Array Measurements.....	28
6.2.3 Spectroscopic Instruments.....	31

<b>7.0</b>	<b>General Recommendations for Reducing Sky Glow.....</b>	<b>31</b>
7.1	Eliminate Unnecessary Lighting .....	31
7.2	Eliminate Uplight .....	32
7.3	Reduce Lumen Output .....	33
7.3.1	Reducing the Initial Lumen Package .....	33
7.3.2	Reducing Output via Dimming .....	34
7.4	Control Spectral Content.....	34
7.5	Set Appropriate Expectations .....	3
<b>8.0</b>	<b>Glossary.....</b>	<b>35</b>
	<b>Annex A – Sky Glow Comparison Tool .....</b>	<b>37</b>
	<b>References .....</b>	<b>38</b>

Currently in preview, click buy full versi

Currently in preview, click buy full version



## Preface

---

Numerous human benefits derive from the use of light at night. Unfortunately, increased brightness of the night sky, or *sky glow*, also directly accompanies the alteration of natural lighting levels by human-based light sources. The first, most easily observed effect of sky glow is decreased visibility of the night sky (see **Figure P-1**). Associated expressions of concern began almost simultaneously with the widespread deployment of electric lighting, and are now common around the globe.



**Figure P-1. Effects of sky glow from Las Vegas are very evident from Lake Mead, about 76 kilometers distant.**

(Image courtesy of Dan Duriscoe)

More recently, apprehension has expanded to include the potential adverse influences on animals and plants from light at night occurring at “unnatural” periods during the normal diurnal cycle. The ongoing large-scale conversion of outdoor lighting sources from low- and high-pressure sodium to white light-emitting diodes (LED) has been especially criticized for LEDs’ greater content of wavelengths in the portion of the visible range between 380 and 550 nm. Because the natural night sky has relatively low levels of wavelengths within this range (see **Section 2.2.2**), any such addition from human-based sources does in fact represent a significant departure from natural

conditions.\* While some amount of detrimental effect more or less accompanies all anthropogenic light at night, a mounting body of evidence indicates that these shorter wavelengths can be particularly disruptive, affecting natural ecosystems in addition to imposing outsized interference on the work of the astronomical community. In all cases, human-based sky glow can be considered an environmental pollutant akin to other acknowledged pollutants that engineers and designers strive to minimize while still meeting the wide-ranging needs of modern society. Global calls for action can be expected to continue and grow as documented impacts of anthropogenic light at night become better measured and understood.

It is important to recognize that all white light sources emit wavelengths within the noted range. Any white light visible from any source in any outdoor location (e.g., light emitted from building interiors) contributes to the issue, and thus multiple approaches are available (and will be necessary) to effectively address it. It is also important to recognize that lighting is intrinsically linked to a broad host of other concerns, among them safety, security, and energy use and its attendant effects.

This Technical Memorandum represents the beginning steps of a proactive response from the lighting community toward addressing the panoply of concerns in the most well-rounded and practical manner possible. While more work is needed, it is clear that improved understanding and estimation of the associated sources, quantities, characteristics, and resulting behaviors of light entering the night sky will be essential components of a comprehensive remediation strategy.

This document provides guidance on means of reducing human contributions to light in the night sky and information on estimating the relative effectiveness of the different options available.

A glossary of relevant terms is included in **Section 8**.

---

\* Although the moon introduces these wavelengths to varying degrees and intensities over the course of a lunar cycle, moonlight’s cyclical nature, vulnerability to weather conditions (e.g., cloud cover), and inseparable role in the evolutionary development of life on Earth render it distinctly different from continuous ground-based electric lighting.

## 1.0 Introduction and Scope

### 1.1 Introduction

Human-based light in the night sky mainly originates from outdoor sources intended to enable or enhance use of exterior spaces when natural light levels are insufficient for the intended purpose. To a lesser extent, light at night also comes from building interior lighting that escapes via windows or other means. Sky glow resulting from light reaching the night sky is a distinct phenomenon from other potential undesirable effects of the use of light, such as light trespass or exposure to the direct or reflected glare from an outdoor luminaire (sometimes included under the broader term “light pollution”), or light at night to which an individual may be exposed from interior sources (e.g., televisions, smart phones or tablets, clocks, nightlights). The various effects experienced by an individual would often involve a combination of such sources; this Technical Memorandum (TM) focuses exclusively on the brightness and related characteristics of the night sky and how these are influenced by the human-based light reaching it.

All light released to the external environment propagates through Earth’s atmosphere to at least a limited extent. The atmosphere is a complex and dynamic combination of elements that influence the amount and characteristics of light beams traveling through it. As in other forecasts involving the atmosphere (e.g., weather), such complexity ensures that no estimation procedure or model can ever achieve perfect accuracy. The precision of the results varies from that ideal in proportion to: 1) the degree of inaccuracy introduced by any simplifying assumptions required; 2) the level of computing power necessary and available to conduct the estimation; and 3) the impacts of variable inputs. This last group includes, for example, real-time localized atmospheric conditions and particulate loading (including quantities, sizes, and shapes); presence of other lighting sources not considered in the estimate\*; growth of vegetation and local geographical conditions

\* Including natural sources such as airglow caused by cosmic rays, chemiluminescence, and other atmospheric effects. Other than moonlight, natural sources are typically low in magnitude relative to human-based sources.

that are difficult to precisely represent throughout a widespread scenario; blocking by buildings; and varying reflectivity of nearby surfaces.

Despite the associated challenges, such complexity does not preclude the potentially valuable insight to be gained from carrying out an “imperfect” estimation. At the community or regional level, however, knowledge of the absolute amount of sky glow present before and after planned installations is required in order to keep track of cumulative impacts. At present, this is assessed most quickly and accurately through pre- and post-installation measurement because accurate methodologies for prediction are still very much under development. This TM proposes a workable future methodology, although multiple components of it remain to be developed (see **Section 4.0**). In the interim, locations undergoing large-scale changes (e.g., a street lighting conversion) should consider conducting pre- and post-measurement of night sky brightness levels, not only for their own immediate purposes, but also to provide useful documented data to help with future methodologies. **Section 6.0** introduces measurement of night sky brightness.

Careful selection and implementation of lighting equipment does, in fact, directly influence the amount and properties (see **Sidebar – Properties and Characteristics**) of light that ultimately winds up in the night sky, as well as how far that influence extends away from the illuminated area. Such attention also helps address other important light pollution issues, such as light trespass and nuisance glare, while reducing costs of operation. Identifying when lighting is needed and when and where it is not, and then

#### SIDEBAR – Properties and Characteristics

This document refers to both “properties” and “characteristics” of light. These terms are often elsewhere used interchangeably, but a distinction is made here. “Properties” refers to qualities inherent in a given light beam, such as its spectral content and intensity, whereas “characteristics” is used as a broader term that includes additional influences from attributes of the lighting application, such as hours of use, initial directions of emission (which may differ from the portion of that light reaching the sky), and reflectances of surfaces being illuminated.