

IPC-2294
2024 - June

**Design Standard for
Printed Electronics on
Rigid Substrates**

An international standard developed by IPC



BUILD ELECTRONICS BETTER

IPC Mission

IPC is a global trade association dedicated to furthering the competitive excellence and financial success of its members, who are participants in the electronics industry.

In pursuit of these objectives, IPC will devote resources to management improvement and technology enhancement programs, the creation of relevant standards, protection of the environment, and pertinent government relations.

IPC encourages the active participation of all its members in these activities and commits to full cooperation with all related organizations.

About IPC Standards

IPC standards and publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. Existence of such IPC standards and publications **shall not** in any respect preclude any entity from manufacturing or selling products not conforming to such IPC standards and publication, nor **shall** the existence of such IPC standards and publications preclude their voluntary use.

IPC standards and publications are approved by IPC committees without regard to whether the IPC standards or publications may involve patents on articles, materials or processes. By such action, IPC does not assume any liability to any patent owner, nor does IPC assume any obligation whatsoever to parties adopting an IPC standard or publication. Users are wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

IPC Position Statement on Specification Revision Change

The use and implementation of IPC standards and publications are voluntary and part of a relationship entered into by customer and supplier. When an IPC standard or publication is revised or amended, the use of the latest revision or amendment as part of an existing relationship is not automatic unless required by the contract. IPC recommends the use of the latest revision or amendment.

Standards Improvement Recommendations

IPC welcomes comments or improvements to any standard in its library. All comments will be provided to the appropriate committee.

If a change to technical content is requested, data to support the request is recommended. Technical comments to include new technologies or make changes to published requirements should be accompanied by technical data to support the request. This information will be used by the committee to resolve the comment.

To submit your comments, visit the IPC Status of Standardization page at www.ipc.org/status.



IPC-2294

Design Standard for Printed Electronics on Rigid Substrates

If a conflict occurs between the English language and translated versions of this document, the English version will take precedence.

Developed by the Printed Electronics on Rigid Printed Electronics Design Standard Task Group (D-61b) of the Printed Electronics Committee (D-60) of IPC

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

This Page Intentionally Left Blank

Acknowledgment

Any document involving a complex technology draws material from a vast number of sources across many continents. While the principal members of the Rigid Printed Electronics Design Standard Task Group (D-61b) of the Printed Electronics Committee (D-60) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the IPC extend their gratitude.

Rigid Printed Electronics Design Standard Task Group

Chair
Jeff Shubrooks
Raytheon Company

Printed Electronics Committee

Chair
Neil Bolding
MacDermid Alpha Electronics
Solutions
Vice Chair
Jeff Shubrooks
Raytheon Company

Technical Liaison of the IPC Board of Directors

Bob Neves
Microtek (Changzhou)
Laboratories

IPC recognizes this A-Team for their exceptional leadership and effort in the development of this standard.

Mission Impossible

Neil Bolding
MacDermid Alpha Automotive
Stephen Gonya
SUNY Binghamton University

Dana Korf
Nano Dimension
Tom Rovere
Lockheed Martin Mission Systems
& Training

Jeff Shubrooks
Raytheon Company

Rigid Printed Electronics Design Standard Task Group

Neil Bolding
MacDermid Alpha Automotive
Michael Carano
IPC
Zhiman Chen
ZHUZHOU CRRC TIMES
ELECTRIC CO. LTD
Julien Escobar
IRT Saint Exupéry
Stephen Gonya
SUNY Binghamton University
Josh Goolsby
Lockheed Martin Mission Systems
& Fire Control
Dana Korf
Nano Dimension
Christina Landon
NSWC Crane

David Locker
U.S. Army Aviation & Missile
Command
Karen McConnell
Northrop Grumman Corporation
Jonah McLaughlin
Lockheed Martin Corporation
Janusz Piotrowski
NIST
Corey Parks
Honeywell International
Tom Rovere
Lockheed Martin Mission Systems
& Training
Haridoss Sarma
GO 2 Scout 4 R&T
Barry Seff
MacDermid Alpha Electronics
Solutions

Jeff Shubrooks
Raytheon Company
Xing Tong
SAIC
Hector Valladares
Honeywell Aerospace

Currently in preview, click buy full version

This Page Intentionally Left Blank

Table of Contents

1 SCOPE	1	3.5.3.1 HiPot Testing.....	8
1.1 Purpose.....	1	3.5.3.2 Impedance Considerations.....	9
1.2 Classification.....	1	3.5.3.3 Interface Considerations.....	9
1.3 Measurement Units.....	1	3.5.3.4 In-Processes Testing.....	10
1.4 Definition of Requirements.....	1	3.5.3.5 Test Data (Source Data).....	10
1.5 Process Control Requirements.....	1	3.5.4 Printed Electronic Assembly Testability.....	10
1.6 Order of Precedence.....	1	3.5.5 Functional Testing (FCT).....	10
1.6.1 Conflict.....	2	3.5.6 Test Points and Connectors.....	10
1.6.2 Clause References.....	2	3.6 Layout Evaluation.....	10
1.6.3 Procurement Documentation.....	2	3.6.1 Layout Design.....	10
1.6.3.1 Selection for Procurement.....	2	3.6.1.1 Layout Concepts.....	10
1.6.4 Appendices.....	2	3.6.2 Feasibility Density Evaluation.....	10
1.7 Quality Conformance.....	2	4 MATERIALS	11
1.8 Abbreviations and Acronyms.....	2	4.1 Material Selection.....	11
1.9 Terms and Definitions.....	2	4.1.1 Substrate Material Options.....	11
1.9.1 Conductive Adhesive.....	2	4.1.1.1 Rigid Laminate.....	11
1.9.2 Substrate.....	2	4.1.1.2 Other Substrate Materials.....	12
1.10 Printed Electronics Types.....	2	4.1.2 Functional Material Options.....	12
1.11 Standard Printed Electronics Design (SPED) Classifications.....	2	4.2 Applications.....	12
1.11.1 Standard Printed Electronic Design (SPED) 1.....	3	4.2.1 Gap Bridging Applications.....	12
1.11.2 Standard Printed Electronic Design (SPED) 2.....	4	4.2.2 Via Hole Aspect Ratio / Material Deposit Aspect Ratio.....	13
1.11.3 Standard Printed Electronic Design (SPED) 3.....	4	4.2.3 Process Compatibility.....	13
1.11.4 Standard Printed Electronics Design (SPED) Example.....	4	4.2.4 Vertical Transition Angles.....	13
2 APPLICABLE DOCUMENTS	5	4.3 Materials Deposition Methods.....	14
2.1 IPC.....	5	4.4 Contact Resistance.....	14
2.2 ASTM.....	5	4.5 Ink-to-Ink Compatibility.....	14
2.3 NCSL International.....	5	4.6 Ink-to-Substrate Compatibility.....	14
3 GENERAL REQUIREMENTS	5	4.7 Ink Properties.....	14
3.1 Design Considerations.....	6	4.8 Dielectric Materials.....	15
3.2 Schematic/Logic Diagram.....	7	4.8.1 Dielectric Filaments.....	15
3.3 Density Evaluation.....	7	4.8.2 Dielectric Ink Materials.....	15
3.4 Parts List.....	7	4.9 Adhesives.....	15
3.5 Test Requirement Considerations.....	7	4.9.1 Liquid Adhesives.....	15
3.5.1 Test Strategy.....	7	4.9.2 Pressure-Sensitive Adhesives (PSAs).....	15
3.5.2 Bare Printed Electronic Testing.....	7	4.10 Conductive Materials.....	15
3.5.3 Test Methods.....	8	4.10.1 Conductive Inks Functioning by Percolation.....	15
		4.10.2 Conductive Inks Functioning by Sintering.....	16

4.10.3	Conductive Filaments (Wires, Coated Wires or Conductive Filaments).....	16	6.2	Conductive Material Requirements.....	21
4.10.4	Conductive Films, Foils and Grids.....	16	6.3	Electrical Clearance.....	21
4.10.5	Printed Conductive Seed Layers for Plating (Print and Plate).....	16	6.4	Impedance Controls.....	22
4.10.6	Conductive Interfaces and Out-of-Plane Interconnects	17	6.5	Printed Components	22
4.10.7	Isotropic Conductive Adhesives.....	17	6.5.1	Printed Resistors.....	22
4.10.8	Anisotropic Conductive Adhesives.....	17	6.5.2	Printed Capacitors	22
4.11	Operations Following Plating.....	17	6.5.3	Printed Inductors	22
4.12	Coatings.....	17	6.5.4	Printed Active Components.....	22
4.12.1	Carbon for Printed Ag	17	6.5.5	Printed Sensors.....	22
4.12.2	Conductive Coatings for Shielding	17	7	THERMAL MANAGEMENT.....	22
4.12.3	Organic Protective Coatings.....	17	7.1	Cooling Mechanisms.....	23
4.12.4	Conformal Coating, Spray Coats.....	17	7.1.1	Conduction	23
4.13	Cover Materials.....	17	7.1.2	Radiation	23
4.13.1	Coverlay	17	7.1.3	Convection	23
4.13.2	Coverfilm	17	7.1.4	Altitude Effects	23
4.13.3	Covercoat.....	18	7.2	Heat Dissipation Considerations	24
4.14	Other Printed Materials	18	8	COMPONENT PLACEMENT AND ASSEMBLY ISSUES.....	24
4.15	Marking and Legend	18	8.1	Locations for Surface-Mount Components	25
5	MECHANICAL AND PHYSICAL PROPERTIES.....	18	8.2	General Placement Requirements	25
5.1	Fabrication Requirements.....	18	8.2.1	Automatic Assembly	25
5.2	Product/Rigid Printed Electronic Configuration	18	8.2.1.1	Printed Substrate Size.....	25
5.2.1	Arrays	18	8.2.1.2	Component Placement.....	25
5.2.1.1	Borders and Spacing.....	18	8.2.1.3	Component Operating Conditions.....	26
5.2.1.2	Printed Board Size Length-to-Width Ratio.....	19	8.2.2	Orientation.....	26
5.2.2	Mechanical Support.....	19	8.2.3	Accessibility	26
5.2.3	Hole-to-Edge Distance	19	8.2.4	Design Envelope.....	26
5.3	Dimensioning System.....	19	8.2.5	Flush Mounting Over Conductive Areas.....	26
5.4	Printed Electronic Thickness Tolerance	19	8.2.6	Clearances	27
5.5	Bow and Twist.....	19	8.2.7	Physical Support.....	27
6	ELECTRICAL PROPERTIES.....	19	8.2.8	Other Concerns.....	27
6.1	Electrical Considerations.....	19	8.3	General Attachment Requirements.....	27
6.1.1	Electrical Performance	19	8.3.1	Thermal Processing Considerations	27
6.1.2	Power Distribution Considerations	20	8.3.2	Fastening Hardware.....	27
6.1.3	Circuit Type Considerations.....	20	8.3.3	Component Interconnection	27
6.1.3.1	Digital Circuits	20	8.3.4	Component Selection Considerations	28
6.1.3.2	Analog Circuits	21	8.3.4.1	Component Sizes.....	28
			8.3.4.2	Component Thickness.....	28
			8.3.4.3	Polarity Markings.....	28
			8.3.4.4	Reliability/Mounting Concerns	28
			8.3.4.5	Inspection	28

8.3.4.6 Embedded Devices 28

9 HOLES/INTERCONNECTIONS 28

9.1 Printed Land Requirements 28

9.2 Holes..... 28

9.2.1 Holes..... 28

9.2.1.1 Registration Tooling Holes..... 28

9.2.1.2 Mounting Holes..... 28

9.2.2 Printed Through-Holes 29

10 DOCUMENTATION 29

10.1 Special Tooling..... 29

10.2 Layout..... 29

10.2.1 Viewing 29

10.2.2 Accuracy and Scale 29

10.2.3 Model and Drawing Notes 30

10.2.4 3D Data Formats 30

10.3 Deviation Requirements..... 30

10.4 Phototool Considerations 30

10.4.1 Artwork Master Files..... 30

10.4.2 Coating Phototools 30

11 QUALITY ASSURANCE 30

11.1 Material Quality Assurance..... 30

11.2 Statistical Process Control (SPC)..... 30

11.3 Build and Manufacturing Controls..... 31

11.4 Conformance Test Coupons 31

11.4.1 Individual Coupon Design 31

11.4.2 Coupon Quantity and Location 31

11.4.3 Process Control Test Coupon 32

11.4.4 Tolerances and Reporting Data 32

11.4.5 Coupon Identification..... 32

11.5 Responsibility for Inspection..... 32

11.6 Test Equipment and Inspection Facilities..... 32

11.7 Preparation of Samples..... 32

11.8 Standard Laboratory Conditions 32

11.9 Qualification Inspection 32

11.10 Failures 32

11.11 User Sampling Plan..... 32

11.12 Noncompliance..... 32

11.13 Reduction of Quality Conformance Testing..... 33

11.14 Inspection Methodology..... 33

11.14.1 Process Verification Inspection 33

11.14.2 Visual Inspection 33

11.14.3 Magnification Aids 33

11.14.4 Acceptance and Test Activities..... 33

11.14.4.1 Other Nondestructive Tests 33

11.15 Storage Conditions 33

APPENDIX A 34

APPENDIX B 37

Figures

Figure 1-1 Standard Printed Electronic Design (SPED) 1 3

Figure 1-2 Standard Printed Electronic Design (SPED) 2 4

Figure 1-3 Standard Printed Electronics Design (SPED) 3 4

Figure 1-4 Example of Printed Electronic Using Every Standard Printed Electronic Design (SPED) Type in One Device..... 4

Figure 3-1 Rounded Probe and Pin Probe 10

Figure 4-1 Cross-Sectional View of a Representative Construction Identifying Material Types 11

Figure 4-2 Blind Via Filled Hole vs Coated Hole..... 13

Figure 4-3 Hole Aspect Ratio..... 13

Figure 4-4 Material Deposit Aspect Ratio 13

Figure 4-5 Printed Conductive Network and Microstructure for Polymer Thick Film (PTF) Inks (Top) and Metalorganic Inks (Bottom).. 16

Figure 5-1 Printed Electronics Nested in an Array 18

Figure 5-2 Example Spacing in Rigid Printed Electronics Arrays 18

Figure 8-1 Component Interconnections..... 27

Figure 8-2 Two Examples of Ramps..... 28

Figure 11-1 Systematic Path for Implementation of Statistical Process Control (SPC)..... 31

Figure A-1 In-Circuit Test (ICT) Pads 35

Figure A-2 Connectors/Tails..... 36

Figure A-3 Test Header Pins..... 36

Figure A-4 Example of Test Starting Points 36

Tables

Table A-1 Comparisons of Test and Inspection Methods..... 34

Currently in preview, click buy full version

This Page Intentionally Left Blank

Design Standard for Printed Electronics on Rigid Substrates

1 SCOPE

This standard establishes specific requirements for the design of printed electronic applications and their forms of component mounting and interconnecting structures on rigid substrates. Rigid substrates as applies to this standard are those that are not required to be flexed into a new shape for the purposes of assembly or operation. The rigid substrate can be conductive (e.g., rigid printed board or assembly), semiconductive or nonconductive.

1.1 Purpose The requirements contained herein are intended to establish design principles and recommendations that **shall** be used in conjunction with the detailed requirements of a specific printed electronic application to produce detailed designs for the printed electronic. This standard is not intended for use as a performance specification nor as an acceptance document.

1.2 Classification IPC standards recognize that electrical and electronic assemblies are subject to classifications by intended end-item use. Three general end-product classes have been established to reflect differences in manufacturability, complexity, functional performance requirements, and verification (inspection/test) frequency. It should be recognized that there may be overlaps of equipment between classes.

CLASS 1 General Electronic Products Includes products suitable for applications where the major requirement is function of the completed assembly.

CLASS 2 Dedicated Service Electronic Products Includes products where continued performance and extended life is required, and for which uninterrupted service is desired but not critical. Typically, the end-use environment would not cause failures.

CLASS 3 High Performance/Harsh Environment Electronic Products Includes products where continued high performance or performance-on-demand is critical, equipment downtime cannot be tolerated, end-use environment may be uncommonly harsh, and the equipment must function when required, such as life support or other critical systems.

1.3 Measurement Units All dimensions and tolerances in this specification are expressed in hard SI (metric) units and bracketed soft imperial [inch] units. Users of this specification are expected to use metric dimensions. All dimensions ≥ 1 mm [0.0394 in] will be expressed in millimeters and inches. All dimensions < 1 mm [0.0394 in] will be expressed in micrometers and microinches.

1.4 Definition of Requirements The words **shall** or **shall not** are used in the text of this document wherever there is a requirement for materials, preparation, process control or acceptance.

The word “should” reflects recommendations and is used to reflect general industry practices and procedures for guidance only.

Line drawings and illustrations are depicted herein to assist in the interpretation of the written requirements of this Standard. The text takes precedence over the figures.

1.5 Process Control Requirements The primary goal of process control is to continually reduce variation in the processes, products, or services to provide products or processes meeting or exceeding user requirements. Process control tools such as IPC-9191 or other user-approved system may be used as guidelines for implementing process control.

A documented process control system, if established, **shall** define process control and corrective action limits.

This may or may not be a statistical process control system. The use of statistical process control (SPC) is optional and should be based on factors such as design stability, lot size, production quantities and the needs of the manufacturer (see 11.2).

When a decision or requirement is to use a documented process control system, failure to implement process corrective action and/or the use of continually ineffective corrective actions **shall** be grounds for disapproval of the process and associated documentation.

1.6 Order of Precedence The contract **shall** take precedence over this standard, referenced standards and drawings.

In the event of conflict, the following order of precedence applies:

- 1) Procurement as agreed and documented between user and supplier.
- 2) Master drawing, design brief or tech pack reflecting the user’s detailed requirements.
- 3) When invoked by the customer or per contractual agreement, this standard.