

IPC-A-640

2017 - July

Acceptance Requirements for Optical Fiber, Optical Cable, and Hybrid Wiring Harness Assemblies

An international standard developed by IPC

Association Connecting Electronics Industries



The Principles of Standardization

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

Standards Should:

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

Standards Should Not:

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

Notice

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

IPC Position Statement on Specification Revision Change

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

Why is there a charge for this document?

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publication development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit www.ipc.org or call 847/597-2872.

Thank you for your continued support.



IPC-A-640


Acceptance Requirements for Optical Fiber, Optical Cable, and Hybrid Wiring Harness Assemblies

Developed by the Fiber Optic Cable Acceptability Task Group (7-31m) of
the Product Assurance Committee (7-30) of IPC

Users of this publication are encouraged to participate in the
development of future revisions.

Contact:

IPC
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105



FOREWORD

This standard provides information on the design and acceptance requirements for optical fiber, optical cable and hybrid wiring harness to the extent that they can be applied to the broad spectrum of optical cable and wiring harness design. It is therefore crucial that decisions concerning the choice of product classification, fiber technology, connectorization requirements, and performance and reliability requirements be made as early as possible.

As optical wiring and connector technology changes, specific requirements will be updated or new requirements added to the document set.

The IPC invites input on the effectiveness of the documentation and encourages User response through completion of "Suggestions for Improvement" forms located at the end of each document.

Acknowledgment

Any document involving a complex technology draws material from a vast number of sources across many continents. Shown below are the principal members of the Fiber Optic Cable Acceptability Task Group (7-31m) of the Product Assurance Committee (7-30). It is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the IPC extend their gratitude.

Product Assurance Committee	Fiber Optic Cable Acceptability Task Group	Technical Liaison of the IPC Board of Directors
Chair Robert W. Cooke NASA Johnson Space Center	Chair Robert W. Cooke NASA Johnson Space Center	Bob Neves Microtek Laboratories
Vice Chair Debbie Wade Advanced Rework Technology-A.R.T	Vice Chair Sean Stanley Keating Amphenol Limited (UK)	
Fiber Optic Cable Acceptability Task Group		
Adams Gerald S., KBRwyle	Constantino J. Gonzalez, ACME Training & Consulting	Robert Nalley, Amphenol Aerospace Operations
Richard Agard, Septa	Felix Gutierrez, Schweitzer Engineering Laboratories	Thien H. Nguyen, Amphenol Canada Corp
James S. Barnhart, BEST Inc.	Stephen M. Halbern	Callie Olague, Northrop Grumman Systems Corporation
Rachel Bauer, Rockwell Collins	Karin Hernandez, Flextronics	Gregg A. Owens, Millennium Space Systems
Gerald Leslie Bogert, Bechtel Plant Machinery, Inc.	David D. Hillman, Rockwell Collins	Agnieszka Ozarowski, BAE Systems
Bud Bowen, Winchester Electronics Division	Shelley A. Holt, L-3 Communications	Mel Parrish
Don C. Branscombe, STM - Service To Mankind	Greg Hurst, RSI, Inc.	Pamela Petcosky, Lockheed Martin Mission Systems & Training
Robert W. Cooke, NASA Johnson Space Center	Larry Johnson, Light Brigade	Jeannette Plante, NASA Goddard Space Flight Center
Darrin Dodson, Nokia	Kathy L. Johnston, Raytheon Missile Systems	Craig Portz, Fujitsu Network Communications
J. G. Donovan	Vernon Smith, Qualastat Electronics, Inc.	Richard Rumas, Honeywell Canada
William R. Draper, Moog Inc.	Sean Stanley Keating, Amphenol Limited (UK)	Jan Saris
Caroline Ehlinger, Rockwell Collins	Theodore J. Laser, L-3 Communications	Douglas R. Schueller, AbelConn, LLC
Jerome Farnan, Winchester Electronics	Zhe (Jacky) Liu, ZTE Corporation	Darrell Sensing, BAE Systems
Gerd Fischer, NASA Goddard Space Flight Center	Gregory S. Manning, Ares Corp.	Brian K. Smith, Rockwell Collins
John T. Fisher, HDP User Group International, Inc.	Kim Mason, NSWC Crane	Doug Sober, Essex Technologies Group Inc.
Robert P. Fornefeld, L-3 Communication	John Mastorides, Honeywell Aerospace	Josh S. Taylor, Ducommun LaBarge Technologies, Inc.
B.J. Franco, Honeywell Aerospace	James McGrath, Lockheed Martin Mission Systems & Training	John Tinker
Simon Franklin, Custom Interconnect Ltd.	Randy McNutt, Northrop Grumman Aerospace Systems	Anthony S. Townsend, Fiber Optics & Optical Devices
Stephen B. Fribbins, Fribbins Training Services	Norman D. Mier, BEST Inc.	Linda Tucker-Evoniuk, Independent Training and Consultation
Kurt T. Frost, Projects Unlimited Inc.	George Millman, Raytheon Missile Systems	
Mahendra S. Gandhi, Northrop Grumman Aerospace Systems	Frans Moelands, Oce-Technologies B.V.	

Natasha A. Turner, Custom Interconnect Ltd	Debbie Wade, Advanced Rework Technology-A.R.T	Josh Weaver, Ducommun LaBarge Technologies, Inc.
Hector A. Valladares, Honeywell Aerospace	Jennifer Wagner, Ducommun LaBarge Technologies, Inc.	Schuyler C. Williams, Lockheed Martin Missile & Fire Control
Debie M. Vorwald, Rockwell Collins	Keith D. Walker, Lockheed Martin Mission Systems & Training	Alan F. Young, Jet Propulsion Laboratory
Girish Wable, Jabil Circuit, Inc. (HQ)		

Special Recognition List

Richard Agard, Septa	Sean Keating, Amphenol Limited (UK)	Darrell Sensing, BAE Systems
Caroline Ehlinger, Rockwell Collins	Gregory Manning, Ares Corp.	Brian Smith, Rockwell Collins
B.J. Franco, Honeywell Aerospace	James McGrath, Lockheed Martin Mission Systems & Training	John Tinker
Symon Franklin, Custom Interconnect Ltd	Randy McNutt, Northrop Grumman Aerospace Systems	Hector Valladares, Honeywell Aerospace
Stephen Fribbins, Fribbins Training Services	Gregg Owens, Millennium Space Systems	Debie Vorwald, Rockwell Collins
Mahendra Gandhi, Northrop Grumman Aerospace Systems	Agnieszka Ozarowski, BAE Systems	Schuyler Williams, Lockheed Martin Missile & Fire Control
Kathy Johnston, Raytheon Missile Systems	Mel Parrish	Robert Cooper, NASA Johnson Space Center

Table of Contents

1 SCOPE	1	2.3 Federal	9
1.1 Purpose	1	2.4 Military Handbooks	9
1.2 Classification	1	2.5 Reference	9
1.3 Definition of Requirements	2	3 ASSEMBLY	11
1.3.1 Requirement Format (N/A/D)	2	3.1 Optical Fiber End Preparation	11
1.3.2 Requirements Flowdown	2	3.1.1 Procedures – Optical Fiber Processing	11
1.3.3 Notes/Italicized Text	2	3.2 Splicing	12
1.3.4 Commercial Off-The-Shelf (COTS)	3	3.2.1 Fusion Splicing	12
1.3.5 Existing or Previously Approved Designs	3	3.2.2 Mechanical Splicing	12
1.3.6 Line Drawings and Illustrations	3	3.2.3 Chemical Splicing	12
1.4 Measurement Units and Applications	3	3.2.4 Environmental Seals	12
1.5 Definition of Terms	3	3.2.5 Location	12
1.6 Engineering Documentation	3	3.2.6 Protection	12
1.7 Order of Precedence	3	3.2.7 Testing	12
1.7.1 Conflict	4	3.3 Optical Fiber Cable Assemblies	13
1.7.2 Clause References	4	3.4 Optical Fiber Assemblies	13
1.8 Appendices A – C	4	3.5 Cleanliness	13
1.9 Approval of Departures From Standards and Requirements	4	3.6 Inspection	13
1.10 Personnel Proficiency	4	3.7 Postassembly Test	13
1.11 Facilities	4	3.8 Posttest Inspection	13
1.11.1 Temperature	4	3.9 Documentation	14
1.11.2 Humidity	5	4 INSTALLATION	14
1.11.3 Process Control/Test	5	4.1 General Installation Requirements	14
1.11.4 Positive Pressure	5	4.1.1 Bundling (Fiber in the Wiring Harness)	14
1.11.5 Personnel Behavior	5	4.1.2 Conduits	14
1.11.6 Field Assembly Operations	5	4.1.3 Bend Radii	14
1.12 Foreign Object Debris (FOD) Control Plan	5	4.1.4 Axial Alignment	14
1.13 Safety	5	4.1.5 Tensile Load	14
1.13.1 Chemicals	5	4.1.6 Mating	14
1.13.2 Eye Safety – Energized Source Concern	6	4.1.7 Torqueing	14
1.14 Tools and Equipment	7	4.1.8 CTE Issues	14
1.14.1 Control	7	4.2 Routing	15
1.14.2 Calibration	7	4.3 Protection and Support	15
1.15 Electrostatic Discharge (ESD) Protection	8	5 CLEANING	15
1.16 Contamination	8	5.1 General Requirements	15
1.17 Rework/Repair	8	5.1.1 Solvents	16
1.18 Statistical Process Control (SPC)	8	5.1.2 Canned Air	16
2 APPLICABLE DOCUMENTS	8	5.1.3 Compressed Air/Dry Nitrogen/Other Gas Media	16
2.1 Aerospace	8	5.1.4 Wipes/Swabs	16
2.2 Commercial	8	5.2 Drying	17

6	DOCUMENTATION	17	APPENDIX A	Space/Military Applications Requirements	82
6.1	General	17	APPENDIX B	Test Methods for the Initial Testing and Qualification of Optical Fiber, Optical Cable and Associated Devices	83
6.2	Data	17	APPENDIX C	Verification and Validation Matrix	89
6.3	Connector Orientation (Clocking)	18			
6.4	Connector Pin-Out	18			
6.5	Dimensioning and Tolerance	18			
6.6	Documentation for Maintenance/Emergency Restoration	18			
7	TAILORING	19			
8	QUALITY ASSURANCE REQUIREMENTS – GENERAL AND VISUAL	19			
8.1	Product Class Conditions	19			
8.2	Inspection	19			
8.3	Responsibility for Inspections and Tests	20			
8.4	Classification of Inspections and Tests	20			
8.4.1	Parts, Materials and Process Controls	20			
8.4.2	Configuration Audit	20			
8.4.3	Acceptance and Qualification Testing	20			
8.4.4	Workmanship	21			
8.4.5	Visual Acceptance Criteria	26			
9	QUALITY ASSURANCE REQUIREMENTS – TEST	59			
9.1	Link Loss Budget	59			
9.2	Test Conditions	59			
9.2.1	Standard Test Conditions	59			
9.2.2	Extended Test Conditions	59			
9.3	Safety Precautions	59			
9.3.1	Laser Service Group Definitions	59			
9.3.2	Laser Safety Precautions	60			
9.3.3	Personnel Safety Precautions	60			
9.4	Acceptance and Qualification Testing	61			
9.4.1	Receiving and Inspection	61			
9.4.2	Acceptance Test	61			
9.4.3	Testing After Rework or Repair	61			
9.4.4	Test Discrepancy/Failure	61			
9.4.5	Qualification	61			
9.5	Inspection	62			
9.5.1	Visual (General)	62			
9.5.2	Cable Inspection	62			
9.5.3	Connector, Splice and Associated Hardware Inspection	62			
10	DEFINITIONS AND ACRONYMS	63			
11	TABLES	75			
APPENDICES	How To Use The Appendices	81			
				Figures	
			Figure 1-1	Optical Fiber Assemblies, Cables And Wiring Harnesses Connector, Splice and Transmitter	1
			Figure 1-2	International Laser Warning Label	6
			Figure 1-3	Example of a Laser Warning Label Designed for Use in a Fiber Optic Communications Systems (FOCS)	7
			Figure 3-1	Typical Fiber Optic Cable	11
			Figure 6-1	Connector Orientation (Clocking) and Mating Face View (Inset)	18
			Figure 8-1	End Face	24
			Figure 8-2	End Face	25
			Figure 8-3	End Face	25
			Figure 8-4	Connector/Cable Configuration	26
			Figure 8-5	Connector/Fiber Configuration	26
			Figure 8-6	Axial Alignment	27
			Figure 8-7	Cable Alignment/Bend Radius	27
			Figure 8-8	Fiber Alignment/Bend Radius	27
			Figure 8-9	Dust Cap	28
			Figure 8-10	Identification/Marker	28
			Figure 8-11	Scuff Marks	28
			Figure 8-12	Pistoning (Fiber)	29
			Figure 8-13	Routing	29
			Figure 8-14	Shrinkage (Outer Jacket)	29
			Figure 8-15	Multimode (Left) and Single-Mode (Right) Fiber Ends	30
			Figure 8-16	Edge Chips	30
			Figure 8-17	Hackle	31
			Figure 8-18	Scratches	31
			Figure 8-19	Crash – Shattered Fiber	32
			Figure 8-20	Crack (Surface)	32
			Figure 8-21	Crack (Subsurface)	33
			Figure 8-22	Necking	33
			Figure 8-23	Lip	34
			Figure 8-24	Spiral Cleave	34
			Figure 8-25	Breakdown/Roll-Off	35
			Figure 8-26	Concave Core	35
			Figure 8-27	Convex Core	36
			Figure 8-28	Improper Strip Length	36
			Figure 8-29	Kinking (Fiber)	37
			Figure 8-30	Light Leakage (Fiber)	37

