

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 3005 : 2014

(JCMA/JSA)

**Test methods for rubber or plastic
insulated wires and cables**

ICS 19.080;29.060.20

Reference number : **JIS C 3005 : 2014 (E)**

Date of Establishment: 1960-1-01

Date of Revision: 2014-03-20

Date of Public Notice in Official Gazette: 2014-03-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Electricity Technology

JIS C 3005:2014, First English edition published in 2015-09

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references.....	1
3 Classification of tests.....	2
4 Test method.....	2
4.1 Appearance.....	2
4.2 Wire length.....	2
4.3 Construction.....	3
4.4 Conductor resistance.....	5
4.5 Continuity.....	6
4.6 Dielectric withstand voltage.....	6
4.7 Insulation resistance.....	8
4.8 Capacitance.....	10
4.9 Dielectric loss tangent.....	11
4.10 Long-duration power frequency withstand voltage.....	11
4.11 Lightning impulse withstand voltage.....	11
4.12 Creepage withstand voltage.....	12
4.13 Tracking resistance.....	12
4.14 Resistance to surface leakage.....	13
4.15 Thermal discolouration of conductor.....	13
4.16 Tensile properties of insulation and sheath.....	13
4.17 Thermal aging.....	16
4.18 Oil resistance.....	17
4.19 Heat shock.....	18
4.20 Cold bend.....	19
4.21 Heat shrinkage.....	21
4.22 Low-temperature impact.....	21
4.23 Heat deformation.....	22
4.24 Ozone resistance.....	24
4.25 Degree of cross-linking.....	25
4.26 Flame retardance.....	26
4.27 Bending.....	27
4.28 Impact.....	29
4.29 Abrasion.....	30
4.30 Twisting.....	31
Annex A (informative) Measurement of spray rate for tracking resistance test.....	32

Annex B (informative) Ozone testing device and measurement of concentration	34
Annex C (informative) Allowable current of flat cord	37

Currently in preview, click buy full version

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japanese Electric Wire & Cable Makers' Association (JCMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently, **JIS C 3005**:2000 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Test methods for rubber or plastic insulated wires and cables

Introduction

This Japanese Industrial Standard was established in 1960 and has gone through nine revisions up to the present. The last revision was made in 2000, and the revision at this time is to respond to the diversification of materials, easiness of selecting testing devices, availability of reagents and so on.

No corresponding International Standard has been established at this point, but this Standard refers to **IEC 60227-2**, **IEC 60245-2**, **IEC 60332-1-1**, **IEC 60332-1-2**, **IEC 60332-1-3**, **IEC 60502-2** and **IEC 60811** series.

1 Scope

This Standard specifies general test methods for wires, cables and cords insulated or sheathed by various rubber materials or plastic materials (hereafter referred to as “wires”).

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 7184 *Profile projectors*

JIS B 7502 *Micrometer callipers*

JIS B 7503 *Mechanical dial gauge*

JIS B 7507 *Vernier, dial and digital callipers*

JIS B 7512 *Steel tape measures*

JIS B 7516 *Metal ruler*

JIS B 7522 *Textile tape measures*

JIS B 7721 *Tensile/compression testing machines—Verification and calibration of the force-measuring system*

JIS C 2001 *Testing methods of electrical copper and aluminium wires*

JIS K 6249 *Testing methods for uncured and cured silicone rubber*

JIS K 6251 *Rubber, vulcanized or thermoplastics—Determination of tensile stress-strain properties*

JIS K 6258 *Rubber, vulcanized or thermoplastic—Determination of the effect of liquids*

JIS K 7112 *Plastics—Methods of determining the density and relative density of non-cellular plastics*