

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 62133-1 : 2020

(BAJ/JSA)

Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications — Part 1: Nickel systems

ICS 29.220.30

Reference number : JIS C 62133-1 : 2020 (E)

PROTECTED BY COPYRIGHT

15 S

Date of Establishment: 2020-12-21

Date of Public Notice in Official Gazette: 2020-12-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for IEC area

Technical Committee on Electricity

JIS C 62133-1 : 2020, First English edition published in 2022-09

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2022

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/HN

Contents

| | Page |
|---|------|
| Introduction | 1 |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Parameter measurement tolerances | 4 |
| 5 General safety considerations | 5 |
| 5.1 General | 5 |
| 5.2 Insulation and wiring | 5 |
| 5.3 Venting | 5 |
| 5.4 Temperature, voltage and current management | 6 |
| 5.5 Terminal contacts | 6 |
| 5.6 Assembly of secondary cells into secondary batteries | 6 |
| 5.7 Quality plan | 6 |
| 6 Test items and sample size | 7 |
| 7 Specific requirements and tests | 7 |
| 7.1 Charging procedure for test purposes | 7 |
| 7.2 Intended use | 8 |
| 7.3 Reasonably foreseeable misuse | 10 |
| 8 Information for safety | 12 |
| 8.1 General | 12 |
| 8.2 Small secondary cell and battery safety information | 13 |
| 9 Marking | 14 |
| 9.1 Secondary cell marking | 14 |
| 9.2 Secondary battery marking | 14 |
| 9.3 Caution for ingestion of small secondary cells and batteries | 14 |
| 9.4 Other information | 15 |
| 10 Packaging | 15 |
| Annex A (informative) Recommendations to equipment manufacturers and battery assemblers | 16 |
| Annex B (informative) Recommendations to the end-users (consumers) | 18 |
| Annex C (informative) Packaging | 20 |
| Annex JA (informative) Comparison table between JIS and corresponding International Standard | 21 |

Foreword

This Japanese Industrial Standard has been established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal for establishment of Japanese Industrial Standard submitted by Battery Association of Japan (BAJ)/Japanese Standards Association (JSA) with a draft being attached, based on the provision of Article 12, paragraph (1) of the Industrial Standardization Act. This Standard partially replaces **JIS C 8712** : 2015, which has been withdrawn.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

JIS C 62133 series consists of the following 2 parts under the general title *Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications* :

Part 1: Nickel systems

Part 2: Lithium systems

Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications — Part 1 : Nickel systems

Introduction

This Japanese Industrial Standard has been prepared based on IEC 62133-1 : 2017, Edition 1, with some modifications of the technical contents for reflecting the local needs and situations in Japan.

The dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies requirements and tests for the safe operation of portable sealed secondary cells and batteries of nickel cadmium batteries and nickel-metal hydride batteries, under intended use and reasonably foreseeable misuse.

NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

IEC 62133-1 : 2017 *Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications — Part 1 : Nickel systems* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and JIS are IDT (identical), MOD (modified), and NEQ (not equivalent) according to ISO/IEC Guide 21-1.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS C 3705 *Secondary sealed nickel-cadmium cells and batteries for portable applications*

NOTE Corresponding International Standard : IEC 61951-1 *Secondary cells and batteries containing alkaline or other non-acid electrolytes — Secondary sealed cells and batteries for portable applications — Part 1 : Nickel-cadmium*

JIS C 8708 *Secondary sealed nickel-metal hydride cells and batteries for portable applications*

NOTE Corresponding International Standard : IEC 61951-2 *Secondary cells and*