

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 8156 : 2017

(JLMA/JSA)

**Self-ballasted LED-lamps for general
lighting services by voltage > 50 V—
Safety specifications**

ICS 29.140.99

Reference number : JIS C 8156 : 2017 (E)

Date of Establishment: 2011-02-21

Date of Revision: 2017-10-20

Date of Public Notice in Official Gazette: 2017-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for IEC area
Technical Committee on Electricity

JIS C 8156:2017, First English edition published in 2018-05

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 General requirements and general test requirements	4
5 Marking	5
5.1 Marking on product	5
5.2 Marking on packaging	5
5.3 Compliance of marking	6
6 Interchangeability	7
6.1 Cap interchangeability	7
6.2 Bending moment imparted by lamp at lampholder and lamp mass	7
7 Protection against accidental contact with live parts	8
8 Insulation resistance and electric strength	9
8.1 General	9
8.2 Insulation resistance	9
8.3 Electric strength	9
9 Mechanical strength of cap part	10
9.1 Requirements	10
9.2 Tests	10
9.3 Compliance criteria	13
9.4 Axial strength of Edison caps	13
10 Cap temperature rise	14
11 Resistance to heat	14
12 Resistance to flame and ignition	15
13 Fault conditions	16
13.1 General requirements	16
13.2 Test conditions	16
13.3 Compliance	17
14 Creepage distances and clearances	17
15 Abnormal operation	17
16 Test conditions for dimmable lamps	18

17	Photobiological safety	18
17.1	UV radiation	18
17.2	Blue light hazard	19
17.3	Infrared radiation	19
18	Ingress protection	19
18.1	Requirements	19
18.2	Tests	19
19	Information for luminaire design	19
Annex A (informative)	Information for luminaire design	20
Annex JA (informative)	Comparison table between JIS and corresponding International Standard	21

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Lighting Manufacturers Association (JLMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS C 8156**:2011 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for patent after opening to the public or utility model rights.

Self-ballasted LED-lamps for general lighting services by voltage > 50 V— Safety specifications

Introduction

This Japanese Industrial Standard has been prepared based on **IEC 62560:2011**, Edition 1 and Amendment 1 (2015), with some modifications of the technical contents. The contents of Amendment 1 has been incorporated into this Standard.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies the safety and interchangeability requirements, together with the test methods and conditions required to show compliance of LED-lamps with integrated means for stable operation (hereafter referred to as lamps), intended for domestic and similar general lighting purposes, having.

- a rated wattage up to 60 W;
- a rated voltage of > 50 V up to 250 V;
- caps according to Table 1.

The requirements of this Standard relate only to type testing.

NOTE 1 Where in this Standard the term “lamp(s)” is used, it is understood to stand for “self-ballasted LED lamp(s)”, except where it is obviously assigned to other types of lamps.

NOTE 2 This Standard includes photobiological safety.

NOTE 3 The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

IEC 62560:2011 *Self-ballasted LED-lamps for general lighting services by voltage > 50 V—Safety specifications* and Amendment 1:2015 (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards with the year indication, only the editions of the indicated year shall be applied and the revisions (including amendments) made thereafter shall not be applied. For those without the indication of the year, the most recent edition (including amendments) shall be applied.