

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 2228 : 2017

(JACA/JSA)

**Rubber lubricant of non-petroleum
base for motor vehicle brake
systems**

ICS 75.100

Reference number : **JIS K 2228 : 2017 (E)**

K 2228 : 2017

Date of Establishment: 1988-03-01

Date of Revision: 2017-07-29

Date of Public Notice in Official Gazette: 2017-01-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Road Vehicles

JIS K 2228:2017, First English edition published in 2017-09

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

PROTECTED BY COPYRIGHT

Contents

| | | Page |
|------|---|------|
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Classification | 2 |
| 5 | Quality | 2 |
| 6 | General items | 4 |
| 7 | Sampling | 5 |
| 8 | Standard atmospheric conditions for testing | 5 |
| 9 | Test methods | 5 |
| 9.1 | Kinematic viscosity | 5 |
| 9.2 | Pour point | 5 |
| 9.3 | pH value | 5 |
| 9.4 | Worked penetration | 5 |
| 9.5 | Dropping point | 5 |
| 9.6 | Evaporation | 5 |
| 9.7 | Oxidation stability | 5 |
| 9.8 | Foreign matters | 5 |
| 9.9 | Wetting | 6 |
| 9.10 | Rubber swelling property | 6 |
| 9.11 | Metal corrosion resistance | 9 |
| 9.12 | Shed storage | 14 |
| 9.13 | Stroking performance | 15 |
| 9.14 | Compatibility of brake fluid | 15 |
| 10 | Container | 16 |
| 11 | Inspection | 16 |
| 12 | Marking | 16 |
| 13 | Designation of products | 16 |

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Auto Chemical Industry Association (JACA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 2228:2009** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Rubber lubricant of non-petroleum base for motor vehicle brake systems

1 Scope

This Japanese Industrial Standard specifies non-petroleum base rubber lubricant (hereafter referred to as rubber lubricant), to be applied to the components of automobile brakes which use non-petroleum base brake fluids for transmission of working pressure. This Standard is not applicable to petroleum base or silicone base brake fluids.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 7502 *Micrometers*

JIS G 3141 *Cold-reduced carbon steel sheet and strip*

JIS G 3303 *Tinplate and blackplate*

JIS G 5501 *Grey iron castings*

JIS H 3100 *Copper and copper alloy sheets, plate and strips*

JIS H 4000 *Aluminium and aluminium alloy sheets, strips and plates*

JIS K 0050 *General rules for chemical analysis*

JIS K 2220 *Lubricating grease*

JIS K 2233 *Non-petroleum base motor vehicle brake fluids*

JIS K 2246 *Rust preventive oils*

JIS K 2251 *Crude petroleum and petroleum products—Sampling*

JIS K 2269 *Testing method for pour point and cloud point of crude oil and petroleum products*

JIS K 2283 *Crude petroleum and petroleum products—Determination of kinematic viscosity and calculation of viscosity index from kinematic viscosity*

JIS K 2502 *Testing method of lubricating oil for aircraft*

JIS K 6253-2 *Rubber, vulcanized or thermoplastic—Determination of hardness—Part 2: IRHD method (hardness between 10 IRHD and 100 IRHD)*

JIS K 6253-4 *Rubber, vulcanized or thermoplastic—Determination of hardness—Part 4: IRHD pocket meter method*

JIS K 8034 *Acetone (Reagent)*

JIS K 8102 *Ethanol (95) (Reagent)*

JIS K 8680 *Toluene (Reagent)*

JIS K 8848 *Hexane (Reagent)*

JIS R 6253 *Waterproof abrasive papers*