

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 8027 : 2014

(JRA/JSA)

Acetylacetone (Reagent)

ICS 71.040.30

Reference number : JIS K 8027 : 2014 (E)

PROTECTED BY COPYRIGHT

6 5

K 8027 : 2014

Date of Establishment: 1953-03-31

Date of Revision: 2014-03-20

Date of Public Notice in Official Gazette: 2014-03-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Chemical Analysis

JIS K 8027 : 2014, First English edition published in 2015-06

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/HN

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Types	1
4 Properties	1
4.1 Characteristics	1
4.2 Qualitative tests	2
5 Quality	2
6 Test methods	3
6.1 General	3
6.2 Purity (CH ₃ COCH ₂ COCH ₃) (GC)	3
6.3 Solubility in water	3
6.4 Solubility in ethanol	5
6.5 Density (20 °C)	5
6.6 Refractive index n_D^{20}	5
6.7 Water content	5
6.8 Non-volatile matter	6
7 Container	6
8 Marking	6

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japan Reagent Association (JRA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 8027:1995** is replaced with this Standard.

However, **JIS K 8027:1995** may be applied in the JIS mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until September 19, 2014.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Acetylacetone (Reagent)



Introduction

This Japanese Industrial Standard was established in 1953 and has gone through five revisions up to the present. The last revision was made in 1995, and the revision at this time is to respond to the technical advances of tests, researches and developments.

No corresponding International Standard has been established at this point.

1 Scope

This standard specifies acetylacetone¹⁾ to be used as reagent.

Note¹⁾ Chemical name : 2,4-pentanedione

2 Normative references

The following standards contain provisions which through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- JIS K 0050 *General rules for chemical analysis*
- JIS K 0061 *Test methods for density and relative density of chemical products*
- JIS K 0062 *Test methods for refractive index of chemical products*
- JIS K 0067 *Test methods for loss and residue of chemical products*
- JIS K 0068 *Test methods for water content of chemical products*
- JIS K 0114 *General rules for gas chromatography*
- JIS K 0117 *General rules for infrared spectrophotometric analysis*
- JIS K 8001 *General rule for test methods of reagents*
- JIS K 8102 *Ethanol (95) (Reagent)*
- JIS K 8130 *Sodium chloride (Reagent)*
- JIS K 8541 *Nitric acid (Reagent)*
- JIS K 8550 *Silver nitrate (Reagent)*

3 Types

It shall be reagent of best quality grade.

4 Properties

4.1 Characteristics