

# JIS

JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS T 8157** : 2018

(JSAA/JSA)

**Powered air purifying respirator for  
particulate matter**

---

ICS 13.340.30

Reference number : **JIS T 8157 : 2018 (E)**

T 8157 : 2018

Date of Establishment: 1982-05-01

Date of Revision: 2018-04-25

Date of Public Notice in Official Gazette: 2018-04-25

Investigated by: Japanese Industrial Standards Committee  
Standards Board for ISO area  
Technical Committee on Safety

---

JIS T 8157:2018, First English edition published in 2019-02

Translated and published by: Japanese Standards Association  
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2019

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

PROTECTED BY COPYRIGHT

## Contents

		Page
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Types .....	2
4.1	Types of PAPR .....	2
4.2	Types of particle filters .....	3
5	Performances .....	3
5.1	Leakage rate .....	3
5.2	Filtering efficiency .....	3
5.3	Internal pressure of facepiece of facepiece-type PAPR .....	3
5.4	Minimum necessary air volume for loose-fitting-type PAPR .....	4
5.5	Noise level .....	4
5.6	Performance of facepiece-type PAPR under suspension of electric fan .....	4
5.7	Strengths of head harness mount part and head harness .....	5
5.8	Strengths of breathing hose mount part and breathing hose .....	5
6	Appearance and structures .....	5
6.1	Appearance .....	5
6.2	General matters of structure .....	5
6.3	Structures of PAPR classified according to shapes .....	6
6.4	Structures of respective parts .....	10
7	Materials .....	12
8	Tests .....	13
8.1	Leakage rate test .....	13
8.2	Filtering efficiency test .....	17
8.3	Internal pressure test on facepiece .....	20
8.4	Minimum necessary air volume for loose-fitting-type PAPR .....	21
8.5	Noise level measurement .....	22
8.6	Inhalation resistance test .....	23
8.7	Exhalation resistance test .....	24
8.8	Airtightness test of exhalation valve .....	25
8.9	Elevated level test of carbon dioxide concentration .....	26
8.10	Strength test for head harness mount part and head harness .....	28
8.11	Strength test for breathing hose mount part and breathing hose .....	28
9	Marking .....	29
9.1	PAPR .....	29
9.2	Particle filter .....	30

9.3	Package for PAPR .....	30
10	Instruction manual .....	30
10.1	PAPR .....	30
10.2	Particle filter.....	31
Annex A (informative)	Determination method of nominal service life .....	32

Currently in preview, click buy full version

## Foreword

This Japanese Industrial Standard has been revised by the Minister of Health, Labour and Welfare and the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Safety Appliances Association (JSAA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS T 8157:2009** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Ministers and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

# Powered air purifying respirator for particulate matter

## 1 Scope

This Japanese Industrial Standard specifies the powered air purifying respirators for particulate matter (hereafter referred to as PAPRs) used at the workplaces and other locations under the environment that may cause harmful effects on a human body due to the inhalation of particulate substances floating in air (hereafter referred to as the dust and the like).

This Standard is basically applicable to the conditions in which an electric fan of PAPR operates normally. The facepiece-type PAPR assumes the continuous use as a filtering device in the case where an electric fan is stopped due to the battery exhaustion and the wearer needs to move to the safe place, or an electric fan is intentionally stopped by the reason of the work.

**WARNING 1** Do not use PAPR under the oxygen deficiency environment.

**WARNING 2** Do not use PAPR in a place where a toxic gas or vapour, or volatile mist exists.

**WARNING 3** Do not use PAPR under the environment in which an explosion may occur, unless it is proved as the explosion-proof electrical apparatus.

**WARNING 4** Select PAPR correctly based on the type and concentration of the dust and the like.

Criteria for the selection of suitable respiratory protective devices are specified in **JIS T 8150**.

## 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS C 1509-1 *Electroacoustics—Sound level meters—Part 1: Specifications*

JIS T 8001 *Glossary of terms for respiratory protective devices*

JIS T 8150 *Guidance for selection, use and maintenance of respiratory protective devices*

## 3 Terms and definitions

For the purpose of this Standard, the terms and definitions given in **JIS T 8001**, and the following apply.

### 3.1

#### minimum necessary air volume

minimum air volume specified in this Standard to be sent to the hood or a face shield of loose-fitting-type PAPR