

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS T 9207 : 2021

(JASPA/JSA)

Portable ramps for wheelchairs

ICS 11.180

Reference number : JIS T 9207 : 2021 (E)

T 9207 : 2021

Date of Establishment: 2008-05-30

Date of Revision: 2021-12-20

Date of Public Notice in Official Gazette: 2021-12-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

JIS T 9207 : 2021, First English edition published in 2022-10

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2022

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HN

PROTECTED BY COPYRIGHT

Contents

	Page
1	Scope 1
2	Normative references 1
3	Terms and definitions 1
4	Names of parts 4
5	Classification 5
6	Requirements 6
6.1	Risk analysis 6
6.2	Ergonomics characteristics 6
6.3	Appearance 6
6.4	Construction 6
6.5	Dimensions 6
6.6	Anti-slip performance of travelling surface 7
6.7	Stationary performance 7
6.8	Deflection resistance 7
6.9	Durability 7
6.10	Load resistance 7
6.11	Performance of carrying handle 7
7	Test methods 7
7.1	Test condition 7
7.2	Preparation of specimen and order of tests 8
7.3	Visual and tactile test 8
7.4	Anti-slip test on travelling surface 8
7.5	Stationary performance test 10
7.6	Deflection resistance test 16
7.7	Durability test 17
7.8	Load resistance test 18
7.9	Test of performance of carrying handles 19
8	Inspection 20
	Marking 20
	Instruction manual 20
Annex A (normative)	Test block 23

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Assistive Products Association (JASPA)/Japanese Standards Association (JSA) with a draft being attached, based on the provision of Article 12, paragraph (1) of the Industrial Standardization Act applied mutatis mutandis pursuant to the provision of Article 16 of the said Act. This edition replaces the previous edition (**JIS T 9207** : 2015), which has been technically revised.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

Portable ramps for wheelchairs

1 Scope

This Japanese Industrial Standard specifies the requirements for portable ramps (hereafter referred to as ramps) to be installed where steps, a level difference or a gap exists to permit the passage of a manual or electric wheelchair (hereafter referred to as wheelchairs) by supporting the weight at both ends. This Standard is not applicable to ramps fixed by claws etc.

2 Normative references

Part or all of the provisions of the following standards, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS G 4305 *Cold-rolled stainless steel plate, sheet and strip*

JIS K 6253-3 *Rubber, vulcanized or thermoplastic — Determination of hardness — Part 3 : Durometer method*

JIS R 6253 *Waterproof abrasive papers*

JIS T 0102 *Glossary of terms used in assistive products for persons with disabilities*

JIS T 14971 *Medical devices — Application of risk management to medical devices*

JIS Z 8051 *Safety aspects — Guidelines for their inclusion in standards*

JIS Z 8401 *Rounding of numbers*

JIS Z 8703 *Standard atmospheric conditions for testing*

3 Terms and definitions

For the purpose of this Standard, the following terms and definitions, and those given in JIS T 0102 apply.

3.1

travelling surface

entire surface of that side of a ramp, including the top and bottom edges, on which the wheels of a wheelchair travel

3.2

supporting base

base on which the top and bottom edges of the ramp is placed

3.3