

Pressurized Water Cleaning of Concrete and Cementitious Materials— Thorough Cleaning

©2022 Association for Materials Protection and Performance (AMPP). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise) without the prior written permission of AMPP.

Pressurized Water Cleaning of Concrete and Cementitious Materials— Thorough Cleaning

This AMPP standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he or she has adopted the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this standard. Nothing contained in this AMPP standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by Letters Patent, or as indemnifying or protecting anyone against liability for infringement of Letters Patent. This standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this standard in specific instances. AMPP assumes no responsibility for the interpretation or use of this standard by other parties and accepts responsibility for only those official AMPP interpretations issued by AMPP in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this AMPP standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this standard prior to its use. This AMPP standard may not necessarily address all potential health and safety problems or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this standard. Users of this AMPP standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities, if necessary, to achieve compliance with any existing applicable regulatory requirements prior to the use of this standard.

CAUTIONARY NOTICE: AMPP standards are subject to periodic review and may be revised or withdrawn at any time in accordance with AMPP technical committee procedures. AMPP requires that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of initial publication and subsequently from the date of each reaffirmation or revision. The user is cautioned to obtain the latest edition. Purchasers of AMPP standards may receive current information on all standards and other AMPP/NACE/SSPC publications by contacting AMPP Customer Support, 15835 Park Ten Place, Houston, Texas 77084-5145 (Tel: +1 281-228-6200, email: customersupport@ampp.org).

Document History

2022-01-26: Developed by legacy SSPC C.7.3 Surface Preparation of Concrete

AMPP values your input. To provide feedback on this standard, please contact: standards@ampp.org

AMPP SP21548-2022

©2022 Association for Materials Protection and Performance (AMPP). All rights reserved.

Pressurized Water Cleaning of Concrete and Cementitious Materials— Thorough Cleaning

Foreword, Scope, Rationale.....	4
Referenced Standards.....	5
Section 1 General	5
Section 2 Definitions	5
Section 3 Additional Technical Considerations	6
Section 4 Cleaning Methods and Operation	6
Section 5 Surface Preparation Water.....	7
Section 6 Procedures Following Pressurized Water Cleaning.....	7
Other Referenced Documents.....	7
Appendix A Notes.....	8
A1 Substrate Soundness.....	8
A2 Concrete Surface Profile (CSP).....	8
A3 Corrosion of Reinforcing Steel	8
A4 Masonry	8
A5 Jobsite Mockups	9
A6 Water Pressure	9
A7 Damage to Concrete.....	9
A8 Coating Application	9
A9 Quality of Water	9
A10 Surface Imperfections	10

Foreword

This standard is intended for use by coating or lining specifiers, applicators, inspectors, or others who require the use of pressurized water cleaning technology to achieve a defined level of visual cleanliness of concrete surfaces. This standard contains requirements for Thorough Cleaning. Requirements for Light Cleaning are addressed in a separate standard. The differences between Thorough and Light Cleaning levels are summarized below:

Cleaning Level	Material Removed	Condition of Surface Voids (Following Cleaning)
Thorough Cleaning by Pressurized Water	all coatings and other visible deposits of contamination	surface voids are thoroughly opened
Light Cleaning by Pressurized Water	tightly adherent coatings and deposits of contamination may remain on surface	surface voids do not need to be opened

Scope

This standard includes procedures for using pressurized water to open surface voids and remove visible surface contaminants and existing coatings from concrete surfaces. It contains requirements for the cleaning process, for the end condition of a thoroughly cleaned concrete surface, and for verification of the end condition. The standard does not address removal of water-insoluble contamination; assessment of concrete soundness and strength; repair of the substrate and exposed reinforcing steel; or required surface profile (see [Paragraphs A1, A2, and A3](#) of Appendix A [nonmandatory]). SSPC-SP 13/NACE No. 6 contains additional information on these topics.

Rationale

Prior to publication of this standard, the concrete coating industry lacked standards that define the end condition of concrete surfaces cleaned using pressurized water.

In AMPP standards, the terms *shall* and *must* are used to state requirements and are considered mandatory. The term *should* is used to state something that is recommended, but is not considered mandatory. The term *may* is used to state something considered optional.