



Approved as an American National Standard
ANSI Approval Date: December 14, 2017

ANSI/NEMA 61800-9-1-2017

Adjustable Speed Electrical Power Drive Systems

Part 9-1: Ecodesign for power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi-analytic model (SAM)

Published by

National Electrical Manufacturers Association

1300 North 17th Street, Suite 900
Rosslyn, Virginia 22209

www.nema.org

© 2013 National Electrical Manufacturers Association. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

These materials are subject to copyright claims of IEC and NEMA. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of NEMA. All requests pertaining to the ANSI/NEMA 61800-9-1-2017 standard should be submitted to NEMA.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no warranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guideline.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

Currently in preview, click buy full version

CONTENTS

FOREWORD	iii
INTRODUCTION	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	2
3.1 Terms and definitions	2
3.2 Symbols	4
4 Requirements for the development of energy efficiency standards for extended products	5
4.1 General	6
4.2 Responsibility of the extended product standard or technical committee	7
4.3 Elements to achieve the extended product approach	8
5 Requirements for the semi analytic model (SAM) of the extended product	9
6 Requirements for the semi analytic model (SAM) of the motor system	10
6.1 General	10
6.2 Operating points of the PDS	10
6.3 Requirements if the motor system contains no CDM	11
7 Merging the semi analytic models (SAMs) to the extended product approach	12
7.1 General	12
7.2 Speed versus torque loss points of a motor system	13
7.3 How to determine intermediate speed versus torque loss points of a motor system	13
7.3.1 General	13
7.3.2 Loss determination by maximum losses of neighbored loss points	14
7.3.3 Loss determination by two-dimensional interpolation of losses of neighbored loss points	14
Annex A (informative) Example how to apply the SAM in the EPA for pump systems with a required speed versus torque loss points using the PDS	16
Annex B (informative) Calculation of the energy consumption based on the duty profile	18
Annex C (informative) Loss, torque and power vs. speed profiles, operating points over time	19
C.1 General	19
C.2 Basic torque and power vs. speed profiles	19
C.3 Operating points over time	20
C.4 Definition of the operating points over time	21
C.4.1 General	21
C.4.2 Calculation of the energy consumption based on the operating points over time	21
C.4.3 Example of loss calculation for different operating points over time	22
Bibliography	25

Figure 1 – Illustration of core requirements of energy efficiency standardization..... v

Figure 2 – Illustration of the extended product with embedded motor system..... 3

Figure 3 – Stakeholders and responsibilities for determination of the energy efficiency indicator for an extended product 7

Figure 4 – Illustration of the operating points (shaft speed, torque) for the determination of relative losses of the power drive system (PDS) 11

Figure 5 – Speed versus torque relative power loss operating points to determine the motor starter or switchgear losses 11

Figure 6 – Responsibilities and workflow to derive the energy efficiency index (EEI) of an extended product..... 3

Figure 7 – Four segments of deviating operating points of a PDS 4

Figure 8 – Two-dimensional interpolation for deviating operating points 15

Figure A.1 – Three points of relative losses and shaded area of interest for the pump manufactures while defining their EEI (energy efficiency index)..... 16

Figure A.2 – Example how the SAMs of the PDS and the pump system shall intersect to the resulting efficiency index of a pump system 17

Figure C.1 – Typical basic torque and power vs. speed profiles 20

Figure C.2 – Example of operating points over time 21

Table 1 – Illustration how to combine essential elements of the efficiency contributions 9

Table C.1 – Operating points over time for the investigated examples 22

Table C.2 – Losses in the specified operating points for configuration 1 23

Table C.3 – Losses in the specified operating points for configuration 2 23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

**Part 9-1: Ecodesign for power drive systems, motor starters,
power electronics and their driven applications –
General requirements for setting energy efficiency
standards for power driven equipment using the extended
product approach (EPA) and semi analytic model (SAM)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible to their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-9-1 has been prepared by subcommittee 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee 22: Power electronic systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/348/FDIS	22G/351/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61800 series, published under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Note: The user's attention is called to the possibility that compliance with this standard could require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of any such claim(s) or of any patent rights in connection therewith. If a patent holder has filed a statement of willingness to grant a license under these rights on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain such a license, then details may be obtained from the Secretary.

INTRODUCTION

IEC SC 22G includes the standardization task force for dealing with energy efficiency of motor systems. It has close collaboration with several other technical committees (for example, IEC TC 2, IEC SC 121A).

IEC SC 22G maintains responsibility for all relevant aspects in the field of energy efficiency and ecodesign requirements for power electronics, switchgear, control gear and power drive systems and their industrial applications.

The core requirements of energy efficiency standardization are illustrated in Figure 1. The work has been agreed to provide the reasonable target as a best compromise.




Figure 1 – Illustration of core requirements of energy efficiency standardization

IEC 61800 (all parts) does not deal with mechanical engineering components.

NOTE Geared motors (motors with directly adapted gearboxes) are treated like power drive systems (converter plus motor). See IEC 60034-30 for classification of the losses of a geared motor. The efficiency classes of gearboxes as individual components are under consideration.

IEC 61800-9-1 is a subpart of the IEC 61800 series, which has the following structure:

- Part 1: General requirements – Rating specifications for low voltage adjustable speed d.c. power drive systems
- Part 2: General requirements – Rating specifications for low voltage adjustable speed a.c. power drive systems
- Part 3: EMC requirements and specific test methods
- Part 4: General requirements – Rating specifications for a.c. power drive systems above 1 000 V a.c. and not exceeding 35 kV
- Part 5: Safety requirements

- *Part 6: Guide for determination of types of load duty and corresponding current ratings*
- *Part 7: Generic interface and use of profiles for power drive systems*
- *Part 8: Specification of voltage on the power interface*
- *Part 9: Ecodesign for power drive systems, motor starters, power electronics and their driven applications*

Each part is further subdivided into several subparts, published either as International Standards or as Technical Specifications or Technical Reports, some of which have already been published. Other will be published with the part number followed by a dash and a second number identifying the subdivision (for example, IEC 61800-9-2).

This subpart of IEC 61800-9 is an International Standard for characterizing the energy efficiency of motor systems when supplied by a motor starter or by a variable voltage/frequency converter. The goal of this part of IEC 61800-9 is to establish a clear and simple system for the comparison of the energy performance of motor systems that can help manufacturers to improve their products, to give users the necessary transparency and information and to provide a robust reference base for regulators and minimum energy performance standards.

The IEC 61800-9 series (Ecodesign for power drive systems, motor starters, power electronics and their driven applications) will consist of the following subparts:

- *Part 9-1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi-analytic model (SAM)*
- *Part 9-2: Energy efficiency indicators for power drive systems and motor starters*

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

Part 9-1: Ecodesign of power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)

1 Scope

This part of IEC 61800 specifies the general methodology to energy efficiency standardization for any extended product by using the guidance of the extended product approach (EPA).

It enables product committees for driven equipment connected to motor systems (so called extended products) to interface with the relative power losses of the connected motor system (e.g. power drive system) in order to calculate the system energy efficiency for the whole application.

This is based on specified calculation models for speed/load profiles, the duty profiles and relative power losses of appropriate torque versus speed operating points.

This document specifies the methodology of determination of losses of the extended product and its sub-parts.

This document is applicable to motor systems operated by a motor starter or by a converter (power drive systems).

This document does not specify requirements for environmental impact declarations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-1-11, *International Electrotechnical Vocabulary – Part 161: Electromagnetic compatibility*

IEC 60034-2-1:2014, *Rotating electrical machines – Part 2-1: Standard methods for determining losses and efficiency from tests (excluding machines for traction vehicles)*

IEC TS 60034-2-3, *Rotating electrical machines – Part 2-3: Specific test methods for determining losses and efficiency of converter-fed AC induction motors*