

NEMA PRP 2-2014 (R2019)

Guidelines for
Solvent-Cementing
Joints for PVC
Rigid Nonmetallic
Conduit, Duct,
and Fittings



NEMA Publication PRP 2-2014 (R2019)

*Guidelines for Solvent-Cementing Joints for
PVC Rigid Nonmetallic Conduit, Duct, and Fittings*

Published by:

National Electrical Manufacturers Association

1300 North 17th Street, Suite 900

Falls Church, Virginia 22209

www.nema.org

© 2020 National Electrical Manufacturers Association. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by a consensus among persons engaged in its development at the time it was approved. Consensus does not necessarily mean there was unanimous agreement among every person participating in the development process.

The National Electrical Manufacturers Association (NEMA) Standards and guideline publications, of which the document herein is one, are developed through a voluntary Standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. Although NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the documents, nor does it independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its Standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any particular purpose(s) or need(s). NEMA does not undertake to guarantee the performance of any individual manufacturer's or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely, on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstance. Information and other Standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

Foreword

The purpose of these guidelines is to describe the procedures and recommended practices for solvent-cementing joints in PVC conduit, duct, and fittings.

This guideline is in no way intended to assume or replace any responsibilities of engineers, customer representatives, owners, or other persons in establishing engineering design practices and procedures best suited to individual job conditions.

User needs have been considered during the development of this standard.

The NEMA Polymer Raceway Products Section through its Members works closely with the American Society for Testing and Materials, appropriate government agencies, and other organizations in the periodic review and revision of its Standards for any changes necessary to keep them up to date with evolving technology. Proposed or recommended revisions should be submitted to:

NEMA Technical Operations Department
National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, Virginia 22209

These guidelines were developed and approved by the NEMA Polymer Raceway Section. Approval does not necessarily imply that all Members of the Section voted for its approval. At the time of approval, the Polymer Raceway Section consisted of the following Members:

ABB, Inc.—www.abb.com—Memphis, TN
Anamet Electrical, Inc.—www.anacondasealtite.com—Mattoon, IL
Atkore International—www.atkore.com—Harvey, IL
Champion Fiberglass, Inc.—www.championfiberglass.com—Spring, TX
Electric-Flex Company—www.electriflex.com—Roselle, IL
FRE Composites—www.frecomposites.com—St. Andre-d'Argenteuil, PQ, Canada
Hubbell Incorporated—www.hubbell.com—Shelton, CT
IPEX USA, LLC.—www.ipexinc.com—Mississauga, ON, Canada
Legrand North America—www.legrand.us—West Hartford, CT
Panduit Corporation—www.panduit.com—Tinley Park, IL
Phoenix Contact—www.phoenixcontact.com—Middletown, PA
Southern Pipe, Inc.—www.southern-pipe.com—New London, NC
Southwire Company—www.southwire.com—Carrollton, GA
Underground Devices, Inc.—www.udevices.com—Northbrook, IL
United Fiberglass of America—www.unitedfiberglass.com—Springfield, OH

<This page left blank intentionally.>

Currently in preview, click buy full version

CONTENTS

Foreword	i
To Prime or Not to Prime	1
Selection of Solvent Cement.....	1
Cutting Conduit or Duct.....	1
Cleaning	2
Application Procedure	2
Assembly Precautions.....	3
Atmospheric Considerations	3

Currently in preview, click buy full version