

NEMA SM 1-2017

Guide to General-Purpose Synchronous Motors without Excited Rotor Windings



Currently in preview, click buy full version

NEMA Standards Publication SM 1-2017

Guide to General-Purpose Synchronous Motors without Excited Rotor Windings

Published by:

National Electrical Manufacturers Association
1300 North 7th Street, Suite 900
Rosslyn, Virginia 22209

www.nema.org

© 2017 National Electrical Manufacturers Association. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and PanAmerican copyright conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

CONTENTS

Foreword.....	xi
Section I General Standards Applying to All Machines	
Part 1 Referenced Standards and Definitions.....	1
1.1 Scope.....	1
1.2 Referenced Standards.....	1
Definitions	5
Classification According to Size.....	5
1.3 Machine	5
1.4 Small (Fractional) Machine.....	5
1.5 Medium (Integral) Machine.....	5
1.6 Large Machine.....	5
Classification According to Application	6
1.7 General-Purpose Motor.....	6
1.8 Industrial Small Motor.....	6
1.9 Definite-Purpose Motor.....	6
1.10 Special-Purpose Motor.....	6
Classification According to Electrical Type	6
1.11 General.....	6
1.11.1 Electric Motor.....	6
1.12 Electric Machines	6
1.12.1 Synchronous Motor	6
1.12.2 Permanent Magnet Synchronous Motor.....	6
1.12.3 Line-Start Permanent Magnet Synchronous Motor (LSPM).....	7
1.13 Design Letters of Line-Start Permanent Magnet Synchronous Medium Motors.....	7
1.13.1 Design MA.....	7
1.13.2 Design MB.....	7
Classification According to Environmental Protection and Methods of Cooling.....	7
1.14 Open Machine (IP00, IC01).....	7
1.14.1 Drip-Proof Machine (IP12, IC01).....	7
1.14.2 Splash-Proof Machine (IP13, IC01).....	7
1.14.3 Semi-Guarded Machine (IC01)	7
1.14.4 Guarded Machine (IC01).....	8
1.14.5 Drip-Proof Guarded Machine (IC01)	10
1.14.6 Open Independently Ventilated Machine (IC06)	10
1.14.7 Open Pipe-Ventilated Machine.....	10
1.15 Weather-Protected Machine.....	10
1.15.1 Type I (IC01).....	10
1.15.2 Type II (IC01).....	10
1.16 Totally Enclosed Machine.....	10
1.16.1 Totally Enclosed Nonventilated Machine (IC410)	10
1.16.2 Totally Enclosed Fan-Cooled Machine.....	10
1.16.3 Totally Enclosed Fan-Cooled Guarded Machine (IC411)	11
1.16.4 Totally Enclosed Pipe-Ventilated Machine (IP44)	11
1.16.5 Totally Enclosed Water-Cooled Machine (IP54)	11
1.16.6 Water-Proof Machine (IP55).....	11
1.16.7 Totally Enclosed Air-to-Water-Cooled Machine (IP54)	11
1.16.8 Totally Enclosed Air-to-Air-Cooled Machine (IP54).....	11
1.16.9 Totally Enclosed Air-Over Machine (IP54, IC417)	11
1.16.10 Explosion-Proof Machine.....	12
1.16.11 Dust-Ignition-Proof Machine	12
1.17 Machine with Moisture-Resistant, Encapsulated, or Sealed Windings.....	12
1.17.1 Machine with Moisture-Resistant Windings.....	12

1.17.2	Machine with Encapsulated Windings.....	12
1.17.3	Machine with Sealed Windings	12
Classification According to Variability of Speed		12
1.18	Constant-Speed Motor	12
1.19	Adjustable-Speed Motor	13
1.20	Base Speed of an Adjustable-Speed Motor	13
Rating, Performance, and Test.....		13
1.21	Rating of a Machine.....	13
1.21.1	Continuous Rating	13
1.21.2	Short-Time Rating	13
1.22	Efficiency	13
1.22.1	General.....	13
1.23	Service Factor.....	13
1.24	EMF Definitions	13
1.24.1	Back EMF	13
1.24.2	Voltage Constant.....	13
1.25	Full-Load Torque	14
1.26	Cogging Torque.....	14
1.27	Torque Ripple	14
1.28	Locked-Rotor Torque (Static Torque).....	14
1.29	Pull-up Torque	14
1.30	Pull-out Torque	14
1.31	Pull-in Torque	14
1.32	Locked-Rotor Current.....	14
1.33	No-Load Current.....	14
1.34	Demagnetization Current.....	14
1.35	Temperature Tests	15
1.36	Ambient Temperature.....	15
1.37	High-Potential Tests	15
1.38	Radial Magnetic Pull and Axial Centering Force.....	15
1.38.1	Radial Magnetic Pull.....	15
1.38.2	Axial Centering Force.....	15
1.39	Equivalent Circuits.....	15
1.39.1	Polyphase Line-Start Permanent Magnet Machine.....	15
1.39.2	Polyphase Permanent Magnet Machine	15
1.39.3	Definitions (See Figure 1-4).....	16
1.40	Electromagnetic Compatibility (EMC).....	17
1.40.1	Electrical Noise	17
1.41	Electrical Noise Immunity	17
1.42	Electromagnetic Interference (EMI).....	17
Complete Machine and Parts		17
1.43	Face- and Flange-Mounting	17
1.43.1	Type C Face	17
1.43.2	Type D Flange	17
1.43.3	Type P Flange	17
Classification of Insulation Systems.....		17
1.44	Insulation System	17
1.44.1	Coil Insulation with Its Accessories	17
1.44.2	Connection and Winding Support Insulation	18
1.44.3	Associated Structural Parts	18
1.45	Classification of Insulation Systems	18
Miscellaneous		19
1.46	Nameplate Marking	19
1.46.1	Nameplate	19
1.46.2	Additional Nameplate Markings.....	19

1.47	Code Letter	19
1.48	Thermal Protector	19
1.49	Thermally Protected	20
1.50	Over Temperature Protection	20
1.51	Constant Flux	20
1.52	Deviation Factor	20
1.53	Marking Abbreviations for Machines	20
General Standards Applying to Polyphase Permanent Magnet Synchronous Alternating-Current Motors		
Part 2 Terminal Markings		
General		
2.1	Location of Terminal Markings	1
2.2	Terminal Markings	1
2.3	Numerals on Terminals of Polyphase Permanent Magnet Synchronous Motors	2
2.3.1	Polyphase Permanent Magnet Synchronous Motors	2
2.3.2	Definition of Phase Sequence	2
2.3.3	Phase Sequence	2
2.3.4	Direction of Rotation	2
Polyphase Permanent Magnet Synchronous Alternating-Current Motors		
2.4	General Principles for Terminal Markings for Polyphase Permanent Magnet Synchronous Alternating-Current Motors	3
2.4.1	Method of Marking	3
2.5	Terminal Markings for Three-Phase Single-Speed Permanent Magnet Synchronous Alternating-Current Motors	4
2.5.1	First	4
2.5.2	Second	4
2.5.3	Third	4
2.5.4	Fourth	4
2.5.5	Fifth	5
2.5.6	Sixth	5
2.6	Terminal Markings for y- and Delta-Connected Dual-Voltage Motors	5
Auxiliary Devices		
2.7	Terminal Markings	8
2.7.1	General	8
2.7.2	Auxiliary Terminal Marking Rules	8
2.7.3	Examples of Marking	9
2.7.4	Auxiliary Devices Within Motor	11
2.7.5	Auxiliary Devices External to Motor	11
2.7.6	Marking of Rigidly Mounted Terminals	12
General Standards Applying to All Machines		
Part 3 Dimensions, Tolerances, and Mounting		
3.1	Letter Symbols for Dimension Sheets	1
3.2	System for Designating Frames	10
3.2.1	Frame Numbers	10
3.2.2	Frame Letters	12
3.3	Motor Mounting and Terminal Housing Location	13
3.4	Dimensions—AC Machines	15
3.4.1	Dimensions for Alternating-Current Foot-Mounted Machines with Single Straight-Shaft Extension	15
3.4.2	Shaft Extensions and Key Dimensions for Alternating-Current Foot-Mounted Machines with Single Tapered or Double Straight/Tapered Shaft Extension	17
3.4.3	Shaft Extension Diameters and Key Dimensions for Alternating-Current Motors Built in Frames Larger than the 449T Frame	19
3.4.4	Dimensions for Type C Face-Mounting Foot or Footless Alternating-Current Motors	19

3.4.5	Dimensions for Type FC Face-Mounting for Accessories on End Opposite Drive End of Alternating-Current Motors.....	20
3.4.6	Dimensions for Type D Flange-Mounted Footed or Footless Alternating-Current Motors	22
3.5	Tolerance Limits in Dimensions.....	23
3.6	Knockout and Clearance Hole Diameter for Machine Terminal Boxes.....	23
3.7	Tolerances on Shaft Extension Diameters and Keyseats	23
3.7.1	Shaft Extension Diameter.....	23
3.7.2	Keyseat Width	23
3.7.3	Bottom of Keyseat to Shaft Surface	24
3.7.4	Parallelism of Keyseats to Shaft Centerline	24
3.7.5	Lateral Displacement of Keyseats.....	24
3.7.6	Diameters and Keyseat Dimensions	24
3.7.7	Shaft Runout.....	24
3.7.8	Shaft Extension Key(s).....	27
3.8	Ring Groove Shaft Keyseats for Vertical Shaft Motors	27
3.9	Method of Measurement of Shaft Runout and of Eccentricity and Face Runout of Mounting Surfaces.....	27
3.9.1	Shaft Runout.....	27
3.9.2	Eccentricity and Face Runout of Mounting Surfaces	27
3.10	Tolerances for Type C Face-Mounting and Type D Flange-Mounting Motors.....	27
3.11	Tolerances for Type P Flange-Mounted Motors.....	28
3.12	Mounting Bolts or Studs	28
3.13	Method to Check Coplanarity of Feet of Fully Assembled Motors	29
3.14	Method of Measurement of Shaft Extension Parallelism to Foot Plane.....	29
3.15	Measurement of Bearing Temperature	29
3.16	Terminal Connections for Small Motors	30
3.16.1	Terminal Leads.....	30
3.16.2	Blade Terminals.....	30
3.17	Motor Terminal Housings	30
3.17.1	Small and Medium Motors	30
3.17.2	Dimensions.....	30

General Standards Applying to Polyphase Permanent Magnet Synchronous Alternating-Current Motors

Part 4	Mechanical Vibration—Measurement, Evaluation, and Limits.....	1
4.1	Scope.....	1
4.2	Object	1
4.3	References	1
4.4	Measurement Quantity	1
4.4.1	Bearing Housing Vibration.....	1
4.4.2	Relative Shaft Vibration	1
4.5	Measuring Equipment.....	1
4.6	Motor Mounting.....	1
4.6.1	General.....	1
4.6.2	Resilient Mounting	2
4.6.3	Rigid Mounting.....	2
4.6.4	Active Environment Determination	3
4.7	Conditions of Measurement.....	3
4.7.1	Shaft Key	3
4.7.2	Measurement Points for Vibration	3
4.7.3	Operating Conditions.....	4
4.7.4	Vibration Transducer Mounting	6
4.8	Limits of Bearing Housing Vibration	6
4.8.1	General	6

4.8.2	Axial Vibration.....	7
4.9	Limits of Relative Shaft Vibration	8
4.9.1	General.....	8
4.9.2	Shaft Vibration Limits.....	8
General Standards Applying to Polyphase Permanent Magnet Synchronous Alternating-Current Motors		
Part 5 Sound Power Limits and Measurement Procedures..... 1		
5.1	Scope.....	1
5.2	General.....	1
5.3	References	1
5.4	Methods of Measurement.....	1
5.5	Test Conditions.....	2
5.5.1	Machine Mounting	2
5.5.2	Test Operating Conditions.....	2
5.6	Sound Power Level	2
5.7	Determination of Sound Pressure Level.....	3
Section II Small (Fractional) and Medium (Integral) Permanent Magnet Machines		
Part 6 Ratings—AC Small and Medium Permanent Magnet Motors..... 1		
6.1	Scope.....	1
6.2	Voltages.....	1
6.3	Frequencies	1
6.3.1	Alternating-Current Motors	1
6.4	Horsepower and Speed Ratings	2
6.4.1	Small Permanent Magnet Motors.....	2
6.4.2	Polyphase Medium Permanent Magnet Motors.....	2
6.5	Time Ratings for Polyphase Permanent Magnet Motors	3
6.6	Code Letters (for Locked-Rotor kVA).....	3
6.6.1	Nameplate Marking	3
6.6.2	Letter Designation	4
6.6.3	Single-Speed Motors	4
6.6.4	Broad- or Dual-Voltage Motors.....	4
6.6.5	Dual-Frequency Motors.....	4
6.6.6	Part-Winding-Start Motors	4
6.7	Nameplate Temperature Ratings for Permanent Magnet Small Motors	4
6.8	Nameplate Marking for Permanent Magnet Small Motors	5
6.8.1	Alternating-Current Polyphase Permanent Magnet Motors, Except Those Included in 6.8.2 and 6.8.3.....	5
6.8.2	Permanent Magnet Motors Rated Less than 1/20 Horsepower.....	5
6.8.3	Motors Intended for Assembly in a Device Having Its Own Markings	6
6.8.4	Motors for Dual Voltage.....	6
6.9	Nameplate Marking for Medium Polyphase Permanent Magnet Motors	6
6.9.1	Medium Polyphase Permanent Magnet Motors	7
Small (Fractional) and Medium (Integral) Motors		
Part 7 Tests and Performance		
7.0	Scope.....	1
7.1	High-Potential Test—Safety Precautions and Test Procedure	1
7.2	High-Potential Test Voltages for Permanent Magnet Motors.....	1
7.3	High-Potential Production Testing of Small Motors.....	2
7.3.1	Dielectric Test Equipment.....	2
7.3.2	Evaluation of Insulation Systems by a Dielectric Test.....	2
7.4	Repetitive Surge Test for Small and Medium Motors.....	2
7.5	Mechanical Vibration	3
7.6	Bearing Losses—Vertical Pump Motors.....	3
7.7	Test Methods	3

7.8	Performance Characteristics	3
7.9	Locked-Rotor Current of Three-Phase Small and Medium Motors	3
	7.9.1 60-Hertz Design MB Motors at 230 Volts	3
	7.9.2 50-Hertz Design MB Motors at 380 Volts	4
7.10	Instantaneous Peak Value of Inrush Current	6
7.11	Locked-Rotor Torque of Single-Speed Polyphase Small and Medium Motors with Continuous Ratings.....	6
7.12	Pull-in Torque of Single-Speed Polyphase Small and Medium Motors with Continuous Ratings.....	6
7.13	Accelerating Torque of Single-Speed Polyphase Small and Medium Motors with Continuous Ratings.....	6
7.14	Pull-out Torque of Single-Speed Polyphase Medium Motors with Continuous Ratings	6
7.15	Temperature Rise	7
	7.15.1 Small Motors—Motor Nameplates Marked with Insulation System Designation and Ambient Temperature	7
	7.15.2 Medium Polyphase Motors	7
	7.15.3 Temperature Rise for Ambients Higher than 40°C.....	8
	7.15.4 Temperature Rise for Air-Cooled Machines in Ambients Lower than 40°C but Not Below 0°C*	8
7.16	Variation from Rated Voltage and Rated Frequency	9
	7.16.1 Running	9
	7.16.2 Starting	9
7.17	Voltage Unbalance	10
7.18	Variation from Rated Speed	10
7.19	Nameplate Amperes—Medium Motors	10
7.20	Occasional Excess Current	10
7.21	Stall Time.....	10
7.22	Performance of Medium Motors with Dual Voltage Rating	10
7.23	Service Factor.....	10
7.24	Open Type Motors.....	10
7.25	Overspeeds for Motors	11
	7.25.1 Motors Rated 60 Hz and Below	11
	7.25.2 Motors Rated 60 Hz Operated at Speeds Above 60 Hz Synchronous Speed.....	11
7.26	Machine Sound—Medium Motors	12
7.27	Number of Starts	13
	7.27.1 Normal Starting Conditions.....	13
	7.27.2 Other than Normal Starting Conditions	13
	7.27.3 Consideration for Additional Starts	13
7.28	Routine Tests for Polyphase Medium Permanent Magnet Synchronous Motors	14
	7.28.1 Method of Testing.....	14
	7.28.2 Typical Tests on Completely Assembled Motors	14
	7.28.3 Typical Tests on Motors Not Completely Assembled.....	14
7.29	Thermal Protection of Medium Motors	14
	7.29.1 Winding Temperature.....	14
7.30	Over Temperature Protection of Medium Motors Not Meeting the Definition of “Thermally Protected”	15
	7.30.1 Type 1—Winding Running and Locked-Rotor Over Temperature Protection.....	16
	7.30.2 Type 2—Winding Running Over Temperature Protection.....	16
	7.30.3 Type 3—Winding Over Temperature Protection, Nonspecific Type	16
7.31	Efficiency	16
	7.31.1 Determination of Motor Efficiency and Losses.....	16
	7.31.2 Efficiency of Polyphase Medium Motors with Continuous Ratings	17
7.32	Efficiency Levels of Energy-Efficient Polyphase Random Wound Motors Rated 600 Volts or Less at 60 Hz.....	18
7.33	Efficiency Level of Premium Efficiency Electric Motors.....	18

7.33.1	60-Hz Motors Rated 600 Volts or Less (Random Wound).....	18
7.33.2	60-Hz Motors Rated Medium Voltage, 5,000 Volts or Less (Form Wound).....	18
7.33.3	50-Hz Motors Rated 600 Volts or Less (Random Wound).....	18
7.34	Machine with Encapsulated or Sealed Windings—Conformance Tests	24
7.35	Machine with Moisture-Resistant Windings—Conformance Test	25
Part 8 Application Data—AC Permanent Magnet Small and Medium Machines		27
8.0	Scope.....	27
8.1	Proper Selection of Apparatus.....	27
8.2	Usual Service Conditions	27
8.2.1	Environmental Conditions.....	27
8.2.2	Operating Conditions	28
8.3	Unusual Service Conditions	28
8.4	Permanent Magnet Generated Voltage.....	28
8.5	Temperature Rise.....	28
8.5.1	Ambient Temperature at Altitudes for Rated Temperature Rise	29
8.5.2	Motors with Service Factor	29
8.5.3	Temperature Rise at Sea Level.....	29
8.5.4	Preferred Values of Altitude for Rating Motors.....	29
8.6	Short-Time Rated Electrical Machines	29
8.7	Direction of Rotation	29
8.8	Application of Pulleys, Sheaves, Sprockets, and Gears on Motor Shafts.....	30
8.8.1	Mounting.....	30
8.8.2	Minimum Pitch Diameter for Drives Other than V-Belt	30
8.8.3	Maximum Speed of Drive Components.....	30
8.9	Through-Bolt Mounting.....	30
8.10	Rodent Protection.....	31
8.11	Effects of Variation of Voltage and Frequency Upon the Performance of Permanent Magnet Synchronous Motors.....	31
8.11.1	General.....	31
8.11.2	Effects of Variation in Voltage on Temperature	31
8.11.3	Effects of Variation in Voltage on Power Factor.....	31
8.11.4	Effects of Variation in Voltage on Starting Torques	31
8.11.5	Effects of Variation in Frequency	32
8.11.6	Effects of Variation in Both Voltage and Frequency.....	32
8.11.7	Effects on Special-Purpose or Small Motors.....	32
8.12	Machines Operating on an Ungrounded System	32
8.13	Effects of Voltages over 600 Volts on the Performance of Low Voltage Motors.....	32
8.14	Operation of General Purpose Alternating-Current Polyphase, 2-, 4-, 6-, and 8-Pole, 60-Hertz Medium Permanent Magnet Synchronous Motors Operated on 50 Hertz	32
8.14.1	Speed	33
8.14.2	Torques.....	33
8.14.3	Locked-Rotor Current.....	33
8.14.4	Service Factor	33
8.14.5	Temperature Rise.....	33
8.15	Operation of 230-Volt Permanent Magnet Synchronous Motors on 208-Volt Systems	33
8.15.1	General.....	33
8.15.2	Nameplate Marking of “Usable @ 200 V”.....	33
8.15.3	Effects on Performance of Motor.....	33
8.16	Effects of Unbalanced Voltages on Motor Performance	34
8.16.1	Effects on Performance—General	34
8.16.2	Unbalance Defined.....	35
8.16.3	Torques.....	35
8.16.4	Currents.....	35
8.17	Effects of Power Supply Harmonic Content on Motor Performance	35

8.17.1	Efficiency	35
8.17.2	Derating for Harmonic Content.....	35
8.18	Application of Alternating-Current Motors with Service Factors.....	36
8.18.1	General.....	36
8.18.2	Temperature Rise—Medium Alternating-Current Motors.....	37
8.18.3	Temperature Rise—Small Alternating-Current Motors	37
8.19	Coupling End-Play and Rotor Float for Horizontal Alternating-Current Motors.....	37
8.19.1	Preferred Ratings for Motors with Ball Bearings	37
8.19.2	Drawing and Shaft Markings	37
8.20	Application of Medium Alternating-Current Permanent Magnet Synchronous Machines with Sealed Windings.....	37
8.20.1	Usual Service Conditions	37
8.20.2	Unusual Service Conditions	38
8.20.3	Hazardous Locations.....	38
8.21	Application of V-Belt Sheaves to Alternating-Current Motors Having Antifriction Bearings....	38
8.21.1	Dimensions	38
8.21.2	Radial Overhung Load Limitations	38
8.22	Aseismatic Capability	38
8.23	Power Factor of Three-Phase Permanent Magnet Synchronous Medium Motors with Continuous Ratings	40
8.23.1	Determination of Power Factor from Nameplate Data	40
8.23.2	Determination of Capacitor Rating for Correcting Power Factor to Desired Value... 41	41
8.23.3	Determination of Corrected Power Factor for Specified Capacitor Rating.....	41
8.23.4	Application of Power Factor Correction Capacitors on Power Systems	41
8.23.5	Application of Power Factor Correction Capacitors on Motors Operated from Electronic Power Supply.....	41
8.24	Bus Transfer or Reclosing	41
8.25	Effects of Load on Motor Efficiency	42
8.26	Reed Frequency of Vertical Machines	42

Section III Large Motors—Alternating-Current Permanent Magnet Motors

Part 9 General Requirements, Test and Performance, and Compressor Factors for Large

Alternating-Current Permanent Magnet Motors.....	1	
9.1	Scope.....	1
9.2	Basis of Rating	1
9.3	Motor Power and Speed Ratings	1
9.4	Voltage Ratings	2
9.4.1	Voltage Ratings	2
9.4.2	Preferred Motor Power and Voltage Rating	2
9.5	Frequencies.....	2
9.6	Service Factor.....	3
9.6.1	Service Factor of 1.0	3
9.6.2	Service Factor of 1.15	3
9.6.3	Application of Motors with a Service Factor of 1.15	3
Tests and Performance.....	3	
9.7	Temperature Rise.....	3
9.7.1	Machines with a 1.0 Service Factor at Rated Load.....	4
9.7.2	Machines with a 1.15 Service Factor at Service Factor Load.....	4
9.7.3	Temperature Rise for Ambients Higher than 40°C.....	4
9.7.4	Temperature Rise for Altitudes Greater than 3,300 Feet (1,000 Meters)	5
9.7.5	Temperature Rise for Air-Cooled Motors for Ambients Lower than 40°C but Not Below 0°C*	5
9.8	Code Letters (for Locked-Rotor kVA)	6
9.9	Torque	6
9.9.1	Standard Torque.....	6

9.9.2	Motor Torques When Customer Specifies a Custom Load Curve	7
9.10	Load Wk^2 for Permanent Magnet Alternating-Current Polyphase Motors.....	7
9.11	Number of Starts	7
9.11.1	Starting Capability	7
9.11.2	Additional Starts	7
9.11.3	Information Plate	7
9.12	Overspeeds	7
9.13	Variations from Rated Voltage and Rated Frequency.....	9
9.13.1	Running	9
9.13.2	Starting	9
9.14	Tests	9
9.14.1	Test Methods.....	9
9.14.2	Routine Tests on Motors Completely Assembled in the Factory	10
9.14.3	Routine Tests on Motors Not Completely Assembled in the Factory.....	10
9.15	High-Potential Test	10
9.15.1	Safety Precautions and Test Procedure.....	10
9.15.2	Test Voltage—Primary Windings	10
9.16	Motor with Sealed Windings—Conformance Tests.....	10
9.16.1	Test for Stator That Can Be Submerged.....	10
9.16.2	Test for Stator That Cannot Be Submerged.....	11
9.17	Motor Sound	11
9.18	Report of Test Form for Permanent Magnet AC Motors	11
9.19	Efficiency	11
9.19.1	Determination of Motor Efficiency	11
9.19.A	Efficiency of Permanent Magnet Alternating-Current Large Motors with Continuous Ratings.....	11
9.19.B	Efficiency Levels of 60-Hz Energy-Efficient Polyphase Random Wound Large Motors	11
9.19.C	Efficiency Levels of Premium Efficiency Large Electric Motors	12
9.20	Reserved for Future Use	18
9.21	Reserved for Future Use	18
9.22	Mechanical Vibration	18
9.23	Reed Frequency of Vertical Motors	19
9.24	Effects of Unbalanced Voltages on the Performance of Permanent Magnet Alternating-Current Motors.....	19
9.24.1	Effect on Performance—General	20
9.24.2	Voltage Unbalance Defined.....	20
9.24.3	Torques.....	20
9.24.4	Currents.....	20
9.25	Effects of Power Supply Harmonic Content on Motor Performance	20
9.25.1	Efficiency	20
9.25.2	Derating for Harmonic Content.....	20
9.25.3	Harmonic Voltage Factor (HVF) Defined.....	21
9.25.4	Power Factor Correction.....	21
	Manufacturing.....	22
9.26	Nameplate Marking	22
9.26.1	Alternating-Current Permanent Magnet Motors	22
9.27	Motor Terminal Housings and Boxes	22
9.27.1	Box Dimensions.....	22
9.27.2	Accessory Lead Terminations	22
9.27.3	Lead Terminations of Accessories Operating at 50 Volts or Less	22
9.28	Embedded Temperature Detectors	23
	Application Data	24
9.29	Service Conditions.....	24
9.29.1	General.....	24

9.29.2	Usual Service Conditions	25
9.29.3	Unusual Service Conditions	25
9.29.4	Permanent Magnet Generated Voltage.....	25
9.30	End-Play and Rotor Float for Coupled Sleeve Bearing Horizontal Permanent Magnet Alternating-Current Motors	26
9.30.1	General.....	26
9.30.2	Limits	26
9.30.3	Marking Requirements	26
9.31	Pulsating Stator Current in Permanent Magnet Alternating-Current Motors.....	26
9.31.1	Torque Pulsations During Starting of Permanent Magnet Motors	26
9.32	Aseismic Capability	27
9.32.1	General.....	27
9.32.2	Frequency Response Spectrum.....	27
9.32.3	Units for Capability Requirements.....	27
9.32.4	Recommended Peak Acceleration Limits.....	27
9.33	Belt, Chain, and Gear Drive.....	28
9.34	Bus Transfer or Reclosing.....	28
9.35	Power Factor Correction.....	28
9.36	Surge Capabilities of AC Windings with Form-Wound Coils.....	29
9.36.1	General.....	29
9.36.2	Surge Sources.....	29
9.36.3	Factors Influencing Magnitude and Rise Time	29
9.36.4	Surge Protection.....	29
9.36.5	Surge Withstand Capability for Standard Motors	29
9.36.6	Special Surge Withstand Capability	29
9.36.7	Testing	29
9.36.8	Test Voltage Values	30
9.37	Motors Operating on an Ungrounded System.....	30
9.38	Occasional Excess Current	30
9.38.1	Calculation of Natural Frequency of Permanent Magnet Motor Direct-Connected to Reciprocating Machinery	30
9.38.2	Undamped Natural Frequency	30
9.38.3	Synchronizing Torque Coefficient, P_r	31
9.38.4	Factors Influencing P_r	31
9.39	Compressor Factors	31

Foreword

This guide has been developed by the Motor and Generator Section and approved for publication as a standard of the National Electrical Manufacturers Association. It is intended to assist users in the proper selection and application of motors and generators. All persons having experience in the selection, use, or manufacture of electric motors and generators are encouraged to submit recommendations that will improve the usefulness of this guide. Inquiries, comments, and proposed or recommended revisions should be submitted to the Motor and Generator Section by contacting:

Senior Technical Director, Operations
National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, VA 22209

The best judgment of the Motor and Generator Section on the performance and construction of motors and generators is represented in this guide. It is based upon sound engineering principles, research, and records of test and field experience. Also involved is an appreciation of the problems of manufacture, installation, and use derived from consultation with and information obtained from manufacturers, users, inspection authorities, and others having specialized experience. For machines intended for general applications, information as to user needs was determined by the individual companies through normal commercial contact with users.

Practical information concerning performance, safety, test, construction, and manufacture of motors within the product scopes defined in the applicable section or sections of this publication is provided in this guide.

In the preparation of this guide, consideration has been given to the work of other organizations whose standards are in any way related to motors and generators. Credit is hereby given to all those standards organizations that may have been helpful in the preparation of this volume.

The standards or guidelines presented in a NEMA standards publication are considered technically sound at the time they are approved for publication. They are not a substitute for a product seller's or user's own judgment with respect to the particular product referenced in the standard or guideline, and NEMA does not undertake to guaranty the performance of any individual manufacturer's products by virtue of this standard or guide. Thus, NEMA expressly disclaims any responsibility for damages arising from the use, application, or reliance by others on the information contained in these standards or guidelines.

This standards publication was developed by the Motor and Generator Section. Section approval of the standard does not necessarily imply that all section members voted for its approval or participated in its development. At the time it was approved, the Motor and Generator Section was composed of the following members:

ABB Group—Fort Smith, AR
Bluffton Motor Works—Bluffton, IN
Brook Crompton North America—Toronto, ON
Cummins, Inc.—Minneapolis, MN
GE Industrial Solutions—Plainville, CT
Nidec Motor Corporation—Saint Louis, MO
NovaTorque, Inc.—Fremont, CA
Ram Industries—Leesport, PA

Regal-Beloit Corporation—Beloit, WI, composed of:
 Electra-Gear—Union Grove, WI
 Leeson Electric—Grafton, WI
 Lincoln Motors—Cleveland, OH
 Marathon Electric Manufacturing Corporation—Wausau, WI
Schneider Electric—Palatine, IL
SEW-Eurodrive, Inc.—Lyman, SC
Siemens Industry, Inc.—Norcross, GA
Sterling Electric, Inc.—Indianapolis, IN
TECO-Westinghouse Motor Co.—Round Rock, TX
Toshiba International Corporation—Houston, TX
WEG Electric Motor Corp.—Duluth, GA

Section I
General Standards Applying to All Machines
Part 1
Referenced Standards and Definitions

1.1 Scope

This guide covers general-purpose synchronous motors without excited rotor windings, including polyphase alternating-current permanent magnet motors rated 500 horsepower and less, designed in standard ratings with standard operating characteristics and mechanical construction for use under usual service conditions without restriction to a particular application or type of application, and incorporating all of the following:

- a. Across the line starting
- b. Permanent magnets in the rotor
- c. Open or enclosed construction
- d. Rated continuous duty
- e. Class B or higher rated insulation system with a temperature rise at rated load not exceeding that specified in 7.15 for Class B insulation.

1.2 Referenced Standards

The following publications are adopted in whole or in part as indicated, by reference in this standards publication.

American National Standards Institute (ANSI)

25 West 43rd Street
New York, NY 10036

ANSI B92.1-1996	<i>Involute Splines and Inspection</i>
ANSI C84.1-2016	<i>Electric Power Systems and Equipment— Voltage Ratings (60 Hz)</i>
ANSI S12.12-1992 (R2017)	<i>Engineering Method for the Determination of Sound Power Levels of Noise Sources Using Sound Intensity</i>
ANSI S12.35-1990 (R2001)	<i>Precision Methods for the Determination of Sound Power Levels of Noise Sources in Anechoic and Hemi-Anechoic Rooms</i>
ANSI S12.51-2012 (R2017)	<i>Acoustics—Determination of sound power levels and sound energy levels of noise sources using sound pressure—Precision methods for reverberation test rooms</i>
ANSI S12.53-1-2011 (R2016)	<i>Acoustics—Determination of sound power levels of noise sources—Engineering methods for small, movable sources in reverberant fields—Part 1: Comparison method for hard-walled test rooms</i>
ANSI S12.53-2-1999 (R2004)	<i>Acoustics—Determination of sound power levels of noise sources—Engineering methods for small, movable sources in reverberant fields—Part 2: Methods for special reverberation test rooms</i>