

# **ODORIZATION MANUAL**

Prepared by  
**Odorization Manual Revision Group (OMRG)**  
**Operations Section**

Revised  
April 2017



American Gas Association



Currently in preview, click buy full version



American Gas Association

# **Odorization Manual**

**Revised  
April 2017**

**Copyright © 2017 American Gas Association  
All Rights Reserved**

Prepared by

**ODORIZATION MANUAL REVISION GROUP (OMRG)**

Operations Section  
American Gas Association  
400 North Capitol Street, N.W., 4<sup>th</sup> Floor  
Washington, DC 20001  
U.S.A.

Catalog No. XQ1702

Currently in preview, click buy full version

## DISCLAIMER AND COPYRIGHTS

The American Gas Association's (AGA) Operations and Engineering Section provides a forum for industry experts to bring their collective knowledge together to improve the state of the art in the areas of operating, engineering and technological aspects of producing, gathering, transporting, storing, distributing, measuring and utilizing natural gas.

Through its publications, of which this is one, AGA provides for the exchange of information within the natural gas industry and scientific, trade and governmental organizations. Many AGA publications are prepared or sponsored by an AGA Operations and Engineering Section technical committee. While AGA may administer the process, neither AGA nor the technical committee independently tests, evaluates or verifies the accuracy of any information or the soundness of any judgments contained therein.

AGA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of or reliance on AGA publications. AGA makes no quality or warranty as to the accuracy and completeness of any information published therein. The information contained therein is provided on an "as is" basis and AGA makes no representations or warranties including any expressed or implied warranty of merchantability or fitness for a particular purpose. Nothing contained in this document should be viewed as an endorsement or disapproval of any particular manufacturer or product.

In issuing and making this document available, AGA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is AGA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AGA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does AGA list, certify, test or inspect products, designs or installations for compliance with this document. Any certification or other statement of compliance is solely the responsibility of the certifier or maker of the statement.

AGA does not take any position with respect to the validity of any patent rights asserted in connection with any items that are mentioned in or are the subject of AGA publications, and AGA disclaims liability for the infringement of any patent resulting from the use of or reliance on its publications. Users of these publications are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Users of this publication should consult applicable federal, state and local laws and regulations. AGA does not, through its publications, intend to urge action that is not in compliance with applicable laws, and its publications may not be construed as doing so. Information concerning safety and health risks, proper installation or use, performance or fitness or suitability for any purpose with respect to particular products or materials should be obtained from the User's employer, the manufacturer or supplier of the raw material used.

Changes to this document may become necessary from time to time. If changes are believed appropriate by any person or entity, such suggested changes should be communicated to AGA in writing and sent to: **Operations & Engineering Section, American Gas Association, 400 North Capitol Street, NW, 4<sup>th</sup> Floor, Washington, DC 20001, U.S.A.** **Suggested changes must include: contact information, including name, address and any corporate affiliation; full name of the document; suggested revisions to the text of the document; the rationale for the suggested revisions; and permission to use the suggested revisions in an amended publication of the document.**

**Copyright © 2017, American Gas Association, All Rights Reserved.**

Currently in preview, click buy full versi

## FOREWORD

The use of odorant as the primary method of warning of gas leaks has been highly successful and has contributed significantly to making natural gas a safe fuel for the public to use. The issues addressed here are intended to help individual operators to potentially improve an already valuable and reliable method of ensuring safety.

This document is intended for consideration by operators and should be read in the context of all of the statutes, rules, regulations and tariffs that pertain to the highly regulated natural gas industry. Under no circumstances should this document be interpreted to be the standard of care to be followed by operators. In some instances, particularly concerning gathering, processing operations and farm tap systems, other rules, tariffs and regulations apply. Many gas transmission and distribution companies have tariffs that are approved by state and federal regulatory authorities and that may vary their duties and responsibilities. Nothing in this document should be considered to vary or alter those tariff provisions.

Please note that each operator serves a unique and defined geographic area. System infrastructures vary based on many factors, such as pipeline materials and condition and operating practices. Each operator will need to evaluate the profiled practices in light of system variables. Not all practices in this document will be applicable to all operators due to the unique sets of characteristics of their specific systems. Each operator needs to evaluate actions in light of system variables. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional to determine the exercise of reasonable care in any given circumstance.

Currently in preview, click buy full version

## ACKNOWLEDGEMENT

The Odorization Manual was revised by a Task Group of the American Gas Association with members from gas distribution companies, research organizations and consulting firms. AGA greatly appreciates the dedication to safety and generous knowledge sharing of the diverse aspects of gas odorization demonstrated by each of the contributors named below:

**Rosemarie Halchuk** with Xcel Energy served as the chair of the Task Group, which was organized into teams by chapter.

**Chapter Team** leads coordinated the revision of chapters from the second edition and the development of new chapters for this revision, and AGA recognizes them below:

Chapter 1	Winston Meyer	CenterPoint Energy
Chapter 2	Olivier Griperay	Arkema, Inc.
Chapter 3	Chester Wentz	UGI Utilities, Inc.
Chapter 3 & 4	Gerry Turner	Ameren Illinois
Chapter 5	Stephen Greco	National Grid
	Melissa Spinelli	National Grid
Chapter 6	Steve Chancey	Heath Consultants
Chapter 7	David Bull	ViaData LP
Chapter 8 (new)	Kurt Adams	Consumers Energy Company
Chapter 9 (new)	John Anderson	Emerson Process Management
Glossary (new)	Claire Walker	Formerly with Xcel Energy

**Chapter Team members** provided invaluable efforts to the revision, often for more than one chapter and during phone and in-person meetings, and AGA recognizes them below:

Gary Stercay	AG Resources
Thomas Tucker	Bayou Engineering
William Stephens	Black Hills Energy
Marvin White	Chevron Phillips Chemical Co.
Barbara Rojas	Consolidated Analytical Systems
Marina Darlino Carducci	DTE Energy
Patrick Urso	DTE Energy
Zeynephan Mustafa	Enbridge Gas Distribution
Scott LaPlante	Eversource Energy
Karen Crippen	Gas Technology Institute
Juraj Strmen	Midland Resource Recovery
Ed Flynn	Mulcare Pipeline Solutions
Peter Ford	New Mexico Gas Co.
Daphne D'Zurko	NYSEARCH, Northeast Gas Association
Carol Burke	Pacific Gas and Electric Company
Jeffrey Ham	Philadelphia Gas Works
Bryan Niebergall	Questar Gas Co.
Eric Heiss	SEMCO Energy
Ivan Zelada	Sempra Energy
Glen Wilson	Southwest Gas Corporation

Daniel Blata Union Gas Limited  
Andrew Phibbs Union Gas Limited  
Jonathan Pfister Unitil Corp.  
Kris Kimmel YZ Systems  
Alex Lenz Formerly with BGE An Exelon Company  
Steve Romero Formerly with Colorado Springs Utilities  
Robert Wilson Formerly with National Grid

AGA thanks each of the Task Group members for the many hours and efforts, both individual and collaborative, devoted to timely completion of the revised manual.

Christina Sames  
Vice President  
Operations and Engineering

Ali Quraishi  
Director  
Operations & Engineering

## TABLE OF CONTENTS

INTRODUCTION .....	1
SCOPE .....	3
CHAPTER 1 .....	4
ODORIZATION REGULATIONS .....	4
1.1 FEDERAL CODE AND REGULATIONS.....	4
1.2 STATE AND PROVINCIAL/TERRITORIAL REGULATIONS .....	5
1.3 REQUIREMENTS OF 49 CFR §192.625.....	5
1.3.1 Odorant Detectability.....	5
1.3.2 Odorants .....	6
1.3.3 Odorization Equipment.....	6
1.3.4 Verification .....	6
1.3.5 Transmission System Exemptions .....	7
1.4 CLASS LOCATION – 49 CFR §192.5.....	7
1.5 PUBLIC AWARENESS – 49 CFR §192.616.....	11
1.6 OPERATOR QUALIFICATIONS – 49 CFR §192.801-809 .....	13
1.7 PROCEDURAL MANUAL FOR OPERATIONS, MAINTENANCE AND EMERGENCIES – 49 CFR §192.605 and §192.603 .....	14
Appendix 1A-1 Example of a Public Safety Awareness Message .....	15
CHAPTER 2 .....	16
CHEMICAL AND PHYSICAL PROPERTIES OF ODORANTS.....	16
2.1 ODORANT COMPOUNDS.....	16
2.1.1 Alkyl Mercaptans.....	17
2.1.2 Alkyl Sulfides.....	18
2.2 ODORANT BLENDS.....	20
2.2.1 Mercaptan Blends .....	21
2.2.2 Mercaptan-Sulfide Blends .....	22
2.2.3 Sulfide Blend.....	23
2A-1.1 Properties of Odorant Compounds .....	24
2A-1.2 Properties of Odorant Blends .....	25
CHAPTER 3 .....	26

ODORIZATION EQUIPMENT AND SYSTEM DESIGN ..... 26

  3.1 PIPELINE OPERATING PARAMETERS ..... 26

  3.2 SITE SELECTION..... 26

    3.2.1 Accessibility..... 27

    3.2.2 Location ..... 27

    3.2.3 Electrical Classification ..... 27

    3.2.4 Population Density ..... 28

    3.2.5 Utilities ..... 28

    3.2.6 Building Codes ..... 28

    3.2.7 Security ..... 28

    3.2.8 Site-Specific Shutdown Plan ..... 29

  3.3 ODORIZERS..... 29

    3.3.1 Liquid-Injection Odorizers ..... 29

    3.3.2 Vaporization Odorizers..... 29

  3.4 TANK DESIGN AND SELECTION..... 30

    3.4.1 Tank Design Specifications..... 30

    3.4.2 Tank Orientation..... 31

    3.4.3 Tank Blanket Gas..... 31

    3.4.4 Tank-Level Indication ..... 31

    3.4.5 Tank Connections and Ports and Labeling ..... 32

    3.4.6 Tank Location..... 32

    3.4.7 Secondary Containment..... 32

    3.4.8 Over-Pressure Protection..... 33

  3.5 BUILDINGS..... 33

  3.6 ABOVE- AND BELOW-GRADE INSTALLATIONS ..... 34

  3.7 DEPRESSURIZATION OF EQUIPMENT ..... 35

  3.8 MATERIALS OF CONSTRUCTION..... 36

    3.8.1 Material Selection..... 36

    3.8.2 Pipeline Connection Design ..... 36

  3.9 AUTOMATED ODORIZER: CONTROL AND MEASUREMENT SYSTEMS..... 37

    3.9.1 Proportional to Flow ..... 38

3.9.2 Proportional to Time .....	38
3.9.3 Odorant Metering Devices .....	39
3.9.4 Alarms and Notifications .....	39
3.9.5 Remote Control .....	40
3.9.6 Gas Quality Considerations .....	40
3.9.7 Odorization Systems Requiring Power and Electronics .....	40
Appendix 3A-1 EXAMPLE ODORIZER SPECIFICATION WORKSHEET .....	41
Appendix 3A-2 ODORIZATION EQUIPMENT .....	42
3A-2.1 Liquid Injection Odorizers .....	42
3A-2.1.1 Manual Drip (Figures 3A-2.1 and 3A-2.2) .....	42
3A-2.1.2. Automated Drip Odorizers .....	44
3A-2.2 Vaporization Odorizers .....	51
3A-2.2.1 Wick Odorizers (Figure 3A-2.7) .....	51
3A-2.2.2 Bypass Absorption Odorizer (Figure 3A-2.8) .....	53
3A-2.2.3 Automated Bypass Absorption Odorizer .....	54
3A-2.2.4 Combination Bypass Absorption & Wick Odorizer (Figure 3A-2.9) .....	55
CHAPTER 4 .....	57
OPERATION AND MAINTENANCE OF ODORIZATION STATIONS .....	57
4.1 Written Procedures .....	57
4.2 Employee Training .....	57
4.3 Odorized Systems with Multiple Odorizers .....	58
4.4 Startup Considerations .....	58
4.5 Odorant Delivery and Transfer .....	59
4.6 Operations and Maintenance .....	60
Appendix 4A-1 GUIDELINES FOR TANK-TO-TANK TRANSFER OF LIQUID ODORANT ....	62
CHAPTER 5 .....	64
SAFETY AND ENVIRONMENTAL CONCERNS .....	64
5.1 GENERAL SAFETY INFORMATION .....	64

Gas odorants are classified by DOT as Class 3 Flammable Liquids. This classification is defined as any liquid having a flash point below 100°F (38°C). Odorants are included in National Fire Protection Association NFPA 30: Flammable and Combustible Liquids Code. Enforceable under OSHA and many state and local regulations, NFPA 30 provides

safeguards to reduce the hazards associated with the storage, handling, and use of flammable and combustible liquids.....	64
5.2 CONTINGENCY PLAN FOR FIRES.....	65
5.3 CONTINGENCY PLAN FOR SPILLS .....	66
5.3.1 Nature and Consequences of Odorant Spills .....	66
5.3.2 Spill Prevention, Control and Countermeasure Plan (SPCC).....	67
5.3.3 Training for Emergency Response.....	69
5.4 GUIDANCE MEASURES FOR OCCUPATIONAL EXPOSURES.....	70
5.4.1 Precautionary Measures .....	70
5.3.2 First Aid.....	71
5.5 MATERIAL HANDLING .....	71
5.5.1 Alternatives for DOT Drums .....	71
5.5.2 Transportation of Odorant .....	71
5.5.3 Storage of Odorant.....	73
5.7 REPORTING REQUIREMENTS .....	75
APPENDIX 5A-1 EXAMPLE CALCULATION OF ODORANT VOLUME FOR 440 LB MAXIMUM SHIPPING LIMIT .....	76
Chapter 6.....	77
Monitoring of Odor Intensity and Odorant Concentration .....	77
6.1 OLFACTORY METHODS FOR ODOR INTENSITY .....	78
6.1.1 Odor-Intensity Level Test Instruments .....	79
6.1.2 Odor-Intensity Level Test Methods .....	80
6.1.3 Evaluation of Odor-Intensity Test Results .....	81
6.1.4 Other Olfactory Tests .....	82
6.2 CHEMICAL TESTS FOR ODORANT CONCENTRATION.....	82
6.2.1 Hand-Held Devices and Instruments.....	83
6.2.2 Instruments for Sulfur Speciation (Gas Chromatographs).....	83
6.2.3 Total Sulfur without Speciation.....	83
6.3 Odor Assurance Monitoring Program.....	84
6.3.1 Lower Explosive Limit (LEL).....	84
6.3.2 Test Locations for Periodic Sampling.....	84

6.3.3 Frequency of Periodic Sampling .....	85
6.3.4 Review of Test Locations and Frequency .....	85
6.3.5 Odor Test Personnel .....	85
6.3.6 Odorant Concentration Testing .....	86
6.3.7 Record Keeping .....	86
6.4 ODOR TESTING OF UNPROCESSED BIOGAS .....	87
6.5 ODOR TROUBLESHOOTING.....	87
6.6 Monitoring During Purging .....	88
Appendix 6A-1 CHEMICAL ANALYSIS OF ODORANT CONCENTRATION .....	90
6A-1.1 LENGTH-OF-STAIN DETECTOR TUBES .....	90
6A-1.2 ELECTROCHEMICAL ODORANT SENSORS .....	91
6A-1.3 INSTRUMENTS FOR SULFUR SPECIATION (GAS CHROMATOGRAPHS) .....	91
6A-1.4 ELECTROLYTIC TITRATION.....	93
6A-1.5 HYDROGENOLYSIS AND RATEOMETRIC COLORIMETRY .....	94
6A-1.6 ULTRAVIOLET FLUORESCENCE .....	94
Appendix 6A-2 Le Chatelier’s Mixing Rule for LEL of a Gas Mixture (Ref 5-8).....	95
Appendix 6A-3 Unit Conversions for Sulfur Compounds .....	96
6A-3.1 Calculation Method to Convert GC Analysis Results to lb <sub>m</sub> /MMscf.....	96
6A-3.2 Table of Conversion Factors for 1 ppmv Sulfur Compounds .....	98
CHAPTER 7 .....	99
ODORANT STABILITY AND OLFACTORY RESPONSE.....	99
7.1 THE GASSY SMELL.....	99
7.2 ODOR FADE (Ref 9-13).....	99
7.2.1 Chemical Reactions .....	100
7.2.2 Adsorption .....	100
7.2.3 Absorption .....	101
7.2.4 Desorption.....	101
7.3 ODORANTS AND PIPELINE MATERIALS.....	101
7.3.1 Steel Pipe.....	101
7.3.2 Cast Iron Pipe .....	103
7.3.3 Odorants and Plastic Pipe.....	103

7.3.4 Pipeline Conditions .....	103
7.4 SOIL ADSORPTION (Ref 15 and 16) .....	105
7.5 ODOR MASKING .....	105
7.6 GAS QUALITY .....	108
7.6.1 Peak Shaving .....	109
7.6.2 Biogas and Renewable Natural Gas (Biomethane) .....	109
7.7 OLFACTORY SENSITIVITY AND FATIGUE .....	110
7.8 ODOR TROUBLESHOOTING AND CORRECTIVE ACTIONS .....	110
7.9 CHANGE OF ODORANT BLEND .....	113
Appendix 7A-1 SUGGESTED GUIDELINES FOR ODORANT BLEND CHANGE .....	114
CHAPTER 8 .....	115
PIPELINE CONDITIONING .....	115
8.1 PROJECT PLANNING AND SYSTEM PREPARATION .....	115
8.2 AMOUNT OF ODORANT REQUIRED .....	116
8.3 CONDITIONING METHODS .....	116
8.3.1 Static Method (Figure 8.1) .....	116
8.3.2 Flowing Method (Figure 8.2) .....	118
8.4 EQUIPMENT .....	120
8.4.1 Odorant Injection Device .....	120
8.4.2 Flow Measurement .....	121
8.4.3 Pressure Vessels (See Chapter 5 for more details.) .....	122
8.4.4 Additional Equipment .....	122
8.4.5 Additional Supplies .....	122
8.5 PERMITS .....	123
8.6 NOTIFICATIONS .....	123
8.6.1 Internal Notifications .....	123
8.6.2 External Notifications .....	124
8.6.3 Information to Convey .....	124
8.6.4 Timeframe for Notifications .....	124
8.7 POST-CONDITIONING MONITORING .....	125
CHAPTER 9 .....	126

ODORIZATION TRAINING TOPICS .....	126
9.1 TRAINING PROGRAM.....	126
9.2 WHY WE ODORIZE.....	126
9.3 WHERE WE FIND ODORIZATION AND ODORIZATION TERMS (GLOSSARY).....	127
9.4 SAFETY AND ENVIRONMENTAL CONSIDERATIONS (CHAPTER 6).....	127
9.5 EXTERNAL AND PUBLIC AWARENESS TRAINING (CHAPTER 1).....	127
9.6 ODORIZATION REGULATIONS (CHAPTER 1).....	127
9.7 CHEMICAL & PHYSICAL PROPERTIES OF ODORANTS (CHAPTER 2).....	128
9.8 ODORIZATION EQUIPMENT AND STATIONS (CHAPTER 4).....	128
9.9 MONITORING METHODS FOR ODOR INTENSITY AND ODORANT CONCENTRATION (CHAPTER 5) .....	128
9.10 ODORANT STABILITY AND OLFACTORY RESPONSE (CHAPTER 7) .....	129
9.11 PIPELINE CONDITIONING (CHAPTER 8).....	129
9.12 TROUBLESHOOTING .....	129
9.13 TRAINING FOR PROJECT ENGINEERS IN ODORANT SYSTEM DESIGN (CHAPTER 3).....	130
GLOSSARY.....	131
REFERENCES.....	136
I. CHAPTER REFERENCES.....	136
II. CODES AND STANDARDS .....	138
SUPPLEMENTAL MATERIALS.....	141
S.1 EXAMPLE QUESTIONNAIRE FOR ODORIZATION PROGRAM AUDITS.....	141
S.2 MODIFIABLE EXAMPLE QUESTIONNAIRE AND FILES .....	148
S.3 ADDITIONAL REFERENCE DOCUMENTS.....	149
FORM TO PROPOSE CHANGES.....	151



## INTRODUCTION

This manual is a revision of the 2000 edition of the Odorization Manual published by the American Gas Association. It is intended to provide general guidelines for the odorization of natural gas distribution and transmission systems. The revised manual is the culmination of collaborative efforts of many experts on odorization of natural gas. It is intended to provide potential improvements on an already safe and reliable practice.

Extensive revision and expansion of the previous edition include practical operating guidelines for the design, construction and operation of odorization systems, odor and odorant monitoring techniques and instrumentation, as well as a summary of recent research in the chemistry and olfaction science of natural gas odorants. This document is intended for both new and seasoned professionals in the natural gas industry and its supporting organizations, such as contractors, appliance installers, public officials, emergency responders, etc.

The history of odorization dates back to the late 19<sup>th</sup> and early 20<sup>th</sup> century when fuel gases manufactured from coal were used for street lighting and eventually for house lighting, cooking and heating. Some of these “coal gases” were characterized by distinctive unpleasant odors from residues of coal gasification, but others, like “blue water gas,” had little to no odor. Manufactured gas contained high concentrations of carbon monoxide, and the safety risk of a gas leak due to potential CO poisoning was often greater than the flammability risk. Thus, the addition of warning-agent additives was needed, and research for effective odorants was carried out both in Europe and in the U.S. Some of the original work involved compounds that smelled like coal gas since its odor was historically known as a warning agent by the public. The discovery of oil and natural gas in the 1920s led to the development of the pipeline industry in North America and to the introduction of natural gas as another odorless but cleaner burning fuel.



Today’s legislated standards for gas odorization date back to a school disaster in New London, Texas, on March 18, 1937. The school was initially supplied with pipeline quality natural gas for heating and cooking. However, the school changed its gas supplies to unprocessed, or “residue,” gas from local production fields available at lower cost than the typical pipeline natural gas. Unodorized residue gas leaked into the school from an improperly installed line and was not detected. The gas was accidentally ignited by an electric sander in the school shop.

The resulting explosion destroyed the school and caused approximately 300 deaths, mostly school children, and hundreds of injuries. The disaster devastated the small town that had prospered from the local oil boom and received world-wide attention. Within four months, the Texas Railroad Commission enacted odorization requirements for natural gas distribution. Similar regulations were later passed in other states and at the federal level.