

RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036 USA

FUTURE FLIGHT DATA COLLECTION COMMITTEE FINAL REPORT

Prepared by:
Future Flight Data Collection Committee
December 4, 2001

© 2001 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036 USA

Telephone: 202-833-9339
Fax: 202-833-9434
Internet: www.rtca.org

Please call RTCA for price and ordering information.

Currently in preview, click buy full version

FOREWORD

This report was prepared by the Future Flight Data Collection Committee and approved by the RTCA Policy Board on December 4, 2001.

RTCA, Incorporated, is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

Currently in preview, click buy full version

EXECUTIVE SUMMARY

New communication, navigation, and surveillance technologies currently being developed, along with new cockpit-interface systems, give evidence that new and better concepts for flight data collection are possible. Concurrently, the operating environment of the National Airspace System is undergoing renovation made possible by these new technologies. It is an ideal time to take a step back and look to the future to see what is possible in the area of on-board flight data collection. Methods and concepts for flight data collection and analysis will need to keep pace with the advanced space-based technology for navigation and data-link communications.

Flight data information technology needs to focus on quickly and accurately determining the factors that cause accidents/incidents and, more importantly, providing a means to avoid those accidents/incidents. The continued use of programs similar to the Flight Operations Quality Assurance (FOQA) and Maintenance Operations Quality Assurance (MOQA) initiatives will permit daily data analysis to address flight operations and maintenance issues proactively.

To organize this effort, the RTCA was selected as the most appropriate venue and under their guidance the Future Flight Data Collection Committee (FFDCC) was established. The committee's objective was to define operational concepts for acquiring, storing, and managing data concerning the state of the aircraft, operation of the aircraft, and air/ground and air/air communications. The committee examined "out of the box" solutions and established a concept that would fit into an evolving operational environment and build on the principles established in current FOQA programs. This approach will serve to identify recorded data requirements to the industry in advance so the technology can be incorporated early in a new design, minimizing event-driven rulemaking.

In addition to the original chartered activities, the FAA requested that as part of the Committee work they evaluate the merits of the NTSB recommendations regarding the use of imagery in the cockpit.

Data and voice recording were first implemented as accident investigation tools designed to provide permanent account of the facts, conditions, and circumstances leading to an accident. Traditionally, information recorded on the aircraft was limited to the mandatory requirements recommended by investigative authorities and enforced by the regulatory authorities; the type and amount of data recorded were considerably restrained by cost and technological feasibility. As individual investigations highlighted deficiencies in the data and the need for more detailed information, additional parameter requirements were mandated. This reactive approach resulted in a piecemeal development, forcing air carriers to continually retrofit their aircraft to accommodate the rule changes. This process continues to be inefficient, time-consuming, and costly to the aviation industry.

The following five primary groups of data users were identified: accident investigation authorities, manufacturers, operators and labor, Air Traffic Control (ATC), and regulators. The Committee also identified three categories of data needs: Data Content; Data Design, Maintenance & Access; and Regulatory-Based. The needs under Data Content include the ability to: record "all available data;" record aircraft environment, including cockpit, cabin, cargo hold, and external; and record all messages to and from the aircraft that affect the operation of the aircraft. The Data Design, Maintenance and Access needs include: a flexible, efficient, economic way to record both mandatory and voluntary data sets in a crash-protected system; a method to assure prompt deciphering of data and continued maintenance of data map; optimization of access to stored data; and minimizing and documenting data latency for mandatory parametric data. The Regulatory-Based needs include: an abbreviated means to certify modification of recorded flight data; a greater regulatory flexibility with respect to the MEL for the FDR; a means to compare and share recorded data and information among users for safety, FOQA, and trending; a method of validating recorded data and algorithms for use in design improvements, continued airworthiness, and operational decisions; and proactive periodic review of data needs.

Advances in recording technology have made it possible to easily record large amounts of data at a reduced cost. If identified and applied in the early stages of aircraft design, they can be implemented in the

development stage with minor impact on aircraft systems. More complex sensors can provide information relative to the environment surrounding the aircraft. In the future, most if not all, recorder systems will use digital recording techniques that essentially store the recorded data in an encoded form. A total recording system that may include ground, air and ancillary equipment and an integrated systems approach is appropriate.

Recording devices were originally placed on airplanes to aid and improve accident investigation and safety. Historically, air carriers and labor understood that resultant data/information would not be used for any other purpose. However, it is the view of labor and operators that numerous examples exist of abuse by the legal community, media, and regulatory authorities who gain access to supposedly protected recorded data. Labor and operators believe that the use of this information in criminal prosecution and civil litigation worldwide is inappropriate and a misuse. In a similar manner, misuse is perceived when CVR recordings are obtained by the media and played for the public, or dramatic reenactments are presented based on transcripts.

There were differing views on the value of imaging among members of the Committee. Image recording was identified as a technologically feasible method for collecting information not otherwise recorded. In the view of labor and operators, the advantages of image recording have not been shown to outweigh the disadvantages. Accident investigators strongly believe in the value of image recording for accident investigation purposes. Discussions focused on image recording security, privacy, and confidentiality protections that must be in place prior to any regulatory action mandating image recording.

The final report contains seven recommendations that summarize the important issues and changes that need to be considered in the area of flight data collection over the next 15 years. Additionally the report contains a timeline of relevant airborne recorder legislation actions, both domestic and international, and recommendations concerning suggested recorder changes.

This report was drafted prior to the tragic events of September 11, 2001. It is noted that some of the issues currently being considered as a result of those tragic events, are similar to issues discussed within this report. The work of this committee did not focus on the collection of data related to intentional criminal acts, however the technical content of this report may be an aid in resolving some of these issues. Catastrophic criminal actions were considered beyond the Terms of Reference; if consideration were given to convening a group, a separate new charter would be appropriate. Action on some of the recommendations may be accelerated concerning the events of September 11th.

RECOMMENDATIONS

1. Rather than continuing the historical practice of re-writing DFDR parameter requirements, the Committee recommends that current requirements and additional information, present on digital data buses and used in the operation of future aircraft and their systems, be recorded in a crash-survivable system.
2. Since 1992, U.S. laws protecting CVR recording release in the case of domestic accidents have been effective. Unfortunately, the same is not true internationally. The Committee recommends that effective international protections against misuse of CVR recordings from U.S. operators be developed.
3. Image recording was identified as a technologically feasible method for collecting information not otherwise recorded. The Committee recommends that issues regarding security, privacy and confidentiality be resolved, and acceptable protections be put in place prior to any action mandating image recording.
4. Several data design, maintenance, access, and validity issues have been identified that impact the ability to quickly and accurately use recorder information for accident investigation and prevention purposes. The Committee recommends that methods be developed to dynamically store data map information in the recorder, to cost effectively transfer data from the recorder media to analysis systems, and to reduce and document data latency for all systems.

5. The Committee identified several existing conditions that hamper the use of a single set of recorded data for both voluntary programs and accident investigation. Although policy exists that would allow an applicant to develop user modifiable software, this is not widely understood and/or applied in the community. Similarly, MEL repair windows as presently applied discourage frequent validation of the DFDR functionality. The Committee recommends that regulators and the aviation community address these issues, as appropriate, to develop guidance material and provide regulatory relief.
6. There is no standard to be used in exchanging recorded data and aggregate information (trends, events, Meta-Data, etc.) that have been collected. The Committee recommends that common naming conventions and standard definitions be developed for data exchange.
7. The Committee recommends that a group should convene periodically to determine if additional recording needs exist.

Currently in preview, click buy full version

Currently in preview, click buy full version

This page intentionally left blank.

TABLE OF CONTENTS

1	BACKGROUND	1
2	ESTABLISHMENT OF FUTURE FLIGHT DATA COLLECTION COMMITTEE.....	3
3	THE WORKING GROUPS	5
4	SCHEDULE AND WORK.....	7
5	SCOPE, LIMITATIONS & FUTURE CONSIDERATIONS	9
6	TIMELINE OF EXISTING REQUIREMENTS & RECOMMENDATIONS	11
7	DATA USERS	13
7.1	Accident Investigation Authorities	13
7.2	Manufacturers	13
7.3	Operators and Labor	13
7.4	Air Traffic Control.....	13
7.5	Regulators	14
8	CONSIDERATIONS FOR DEFINING DATA TO BE RECORDED	15
8.1	State of the Aircraft	15
8.1.1	Recorder System & Mission	15
8.1.2	Aircraft Dynamics.....	15
8.1.3	Aircraft Configuration & Flight Control Surfaces	15
8.1.4	Propulsion & APU	15
8.1.5	Aircraft Systems	15
8.2	Cockpit Activity.....	16
8.2.1	Flight Control Inputs	16
8.2.2	Cockpit Environment	16
8.2.3	Auto-Flight Configuration	16
8.3	Environment	16
8.3.1	Atmospheric Conditions	16
8.3.2	Cabin & Cargo Environment	16
8.4	Communications	16
8.4.1	Air-to-Ground	16
8.4.2	Air-to-Air	17
9	RECORDING NEEDS	19
9.1	Data Content	19
9.2	Data Design, Maintenance, & Access	19
9.2.1	Record Both Mandatory and Voluntary Data Sets in a Crash-Protected System.....	19
9.2.2	Prompt Deciphering of Data and Continued Maintenance of Data Map	20
9.2.3	Optimize Access To Stored Data	20
9.2.4	Minimize and Document Data Latency for Mandatory Parametric Data	20

9.3	Regulatory-Based	20
9.3.1	Abbreviated Means To Certify Modification of Recorded Flight Data	20
9.3.2	Greater Regulatory Flexibility With Respect to the MEL for the FDR	21
9.3.3	Means To Compare and Share Recorded Data and Information Among Users for Safety, FOQA, and Trending	21
9.3.4	Method of Validating Recorded Data and Algorithms for Use In Design Improvements, Continued Airworthiness, and Operational Decisions	21
10	FUTURE RECORDING TECHNOLOGIES AND TRENDS.....	23
10.1	Data Sources	23
10.2	Data Acquisition and Storage	23
10.3	Data Transmission	24
10.4	Data Analysis.....	24
11	DATA USE AND PROTECTION.....	27
12	COCKPIT ENVIRONMENT, AUDIO, AND IMAGE RECORDING.....	29
13	RECOMMENDATIONS	31
	MEMBERSHIP	33

APPENDICES

Appendix A	—NTSB/FAA LETTER.....	A-1
Appendix B	—FUTURE FLIGHT DATA COLLECTION COMMITTEE TERMS OF REFERENCE	B-1
Appendix C	—WORKING GROUP 1, DATA NEEDS WORKING GROUP, FINAL REPORT TO PLENARY	C-1
C.1	Background	C-1
C.2	Establishment of Future Flight Data Collection Committee	C-1
C.3	Establishment of Working Group 1	C-2
C.4	Logistics	C-2
C.5	Scope, Limitations & Future Considerations.....	C-3
C.6	Timeline of Existing Requirements & Recommendations.....	C-3
C.7	Data Users	C-3
C.7.1	Accident Investigation Authorities	C-4
C.7.2	Manufacturers	C-4
C.7.3	Operators	C-4
C.7.4	ATC.....	C-4
C.7.5	Regulators	C-5
C.8	Considerations for Defining Data to be Recorded.....	C-5
C.8.1	State of the Aircraft	C-5
C.8.1.1	Recorder System & Mission.....	C-5
C.8.1.2	Aircraft Dynamics	C-5

C.8.1.3	Aircraft Configuration & Flight Control Surfaces	C-5
C.8.1.4	Propulsion & APU	C-5
C.8.1.5	Aircraft Systems	C-6
C.8.2	Cockpit Activity	C-6
C.8.2.1	Flight Control Inputs	C-6
C.8.2.2	Cockpit Environment	C-6
C.8.2.3	Auto-Flight Configuration	C-6
C.8.3	Environments	C-6
C.8.3.1	Atmospheric Conditions	C-6
C.8.3.2	Cabin & Cargo Environment	C-6
C.8.4	Communications	C-7
C.8.4.1	Air-to-Ground	C-7
C.8.4.2	Air-to-Air	C-7
C.9	NEEDS	C-7
C.9.1	Data Content	C-7
C.9.1.1	NEED: Record All Available Data	C-7
C.9.1.2	NEED: Record Aircraft Environment Including: Cockpit, Cabin, Cargo Hold, External	C-8
C.9.1.3	NEED: Record All Messages To and From Aircraft That Affect Operation of the Aircraft	C-8
C.9.2	Data Design, Maintenance, & Access	C-8
C.9.2.1	NEED: Flexible, Efficient, Economic Way To Record Both Mandatory and Voluntary Data Sets In a Crash-Protected System	C-8
C.9.2.2	NEED: Method To Assure Prompt Deciphering of Data and Continued Maintenance of Data Map	C-9
C.9.2.3	NEED: Optimize Access To Stored Data	C-9
C.9.2.4	NEED: Minimize and Document Data Latency For Mandatory Parametric Data	C-10
C.9.3	Regulatory-Based	C-10
C.9.3.1	NEED: Abbreviated Means To Certify Modification of Recorded Flight Data	C-11
C.9.3.2	NEED: Greater Regulatory Flexibility With Respect To the MEL For the FDR	C-11
C.9.3.3	NEED: Means To Compare and Share Recorded Data and Information Among Users For Safety, FOQA, and Trending	C-11
C.9.3.4	NEED: Method of Validating Recorded Data and Algorithms For Use In Design Improvements, Continued Airworthiness, and Operational Decisions	C-12
C.9.3.5	NEED: Proactive Periodic Review Of Data Needs	C-12
C.10	Conclusion	C-12
	Attachment C-1—Regulatory Timeline	C-15
	Appendix D—WORKING GROUP 2, DATA USE AND PRIVACY	D-1
D.1	Applicable Technologies for Consideration	D-1
D.1.1	Data Sources	D-1
D.1.1.1	Image	D-1
D.1.1.1.1	Electronic Cameras	D-2
D.1.1.1.2	Multi Spectral Image Sensor Technology	D-2
D.1.1.1.3	Lens Technology	D-2
D.1.1.2	Pressure	D-2
D.1.1.3	Aromatic and Chemical	D-3
D.1.1.4	Strain Gages	D-3
D.1.1.5	Vibration	D-3
D.1.1.6	Icing	D-3

D.1.1.7	Water Vapor	D-3
D.1.1.8	Weather & Turbulence	D-3
D.1.1.9	Bio-Medical	D-3
D.1.1.10	Thermal.	D-3
D.1.1.11	EMI.	D-3
D.1.1.12	Sound	D-3
D.1.1.13	Navigation	D-3
D.1.1.14	Traffic Surveillance	D-3
D.1.1.15	Propulsion.	D-4
D.1.1.16	Flight Ops	D-4
D.1.1.17	Displays	D-4
D.1.2	Data Acquisition & Storage.	D-5
D.1.2.1	Data Processing	D-5
D.1.2.1.1	Compression	D-5
D.1.2.1.2	Encryption	D-5
D.1.2.2	Processors and Storage Devices	D-6
D.1.2.3	On-board Data Recording.	D-7
D.1.2.4	Traditional Recording.	D-7
D.1.2.5	Traditional Recording Extensions	D-7
D.1.2.6	Non-Traditional Recording Implementations.	D-8
D.1.2.7	Event Recording.	D-8
D.1.2.8	Smart Recording.	D-8
D.1.2.9	Recording Time Synchronization.	D-8
D.1.2.9.1	Current Practices	D-8
D.1.2.9.2	Current Standards for FDR/CVR Time Synchronization	D-9
D.1.2.9.3	Future Recording Capabilities.	D-9
D.1.2.9.4	References: U.S. Naval Observatory Master Clock	D-10
D.1.2.9.5	GPS System Time	D-10
D.1.3	System Elements	D-10
D.1.3.1	Packaging and Installation	D-10
D.1.3.2	Size and Weight	D-11
D.1.3.3	Survivability	D-12
D.1.3.4	Deployable Cockpit Voice and Flight Data Recorders	D-12
D.1.3.5	One-box Concept	D-14
D.1.4	Data Bus.	D-15
D.1.4.1	Latency	D-15
D.1.4.1.1	Background	D-15
D.1.4.2	Discussion.	D-16
D.1.4.3	Bandwidth.	D-16
D.1.4.4	Integrity	D-17
D.1.4.5	Data Transmission	D-17
D.1.4.5.1	Classic Data Link Technology	D-17
D.1.4.5.2	High Speed Data Downlink for Accident and Incident Investigation.	D-18
D.1.4.5.3	Infrastructure	D-18
D.1.4.5.4	Costs	D-18
D.1.4.5.5	Technical Issues	D-19
D.1.4.6	DMA/FDMA	D-19
D.1.5	Data Analysis.	D-20
D.1.5.1	Immersive Technology	D-20
D.1.5.2	Flight Data Playback	D-20
D.1.5.3	Data Standards	D-20
D.1.5.4	Data Format Documentation	D-21

D.1.5.5	Data Interchange Standards	D-22
D.1.6	Regulations	D-22
D.1.6.1	FAA AIR/AFS integration	D-22
D.1.6.2	QAR/DFDR integration	D-22
D.1.6.3	DFDR maintenance	D-22
Attachment D-1	—Event Flight Data Recorder	D-23
Attachment D-2	—Smart Flight Data Recorder	D-25
Appendix E	—WORKING GROUP 3, DATA OWNERSHIP AND PROTECTION	E-1
Appendix F	—REPORT ON DEPLOYABLE COCKPIT VOICE AND FLIGHT DATA RECORDERS	F-1
F.1	Purpose	F-1
F.1.1	FAA position on deployable recorders	F-1
F.2	Introduction	F-1
F.2.1	Deployable Cockpit Voice and Flight Data Recorders	F-1
F.2.2	History of Deployable ELTs / Recorders in Aviation	F-3
F.2.3	Use on Fixed Wing and Rotary Wing Installations	F-3
F.2.3.1	Deployable Systems on Fixed Wing Aircraft	F-4
F.2.3.2	Deployable Systems on Rotary Wing Aircraft	F-4
F.3	Technical Approach for Deployable Recorders	F-4
F.3.1	Design Objectives	F-5
F.3.2	Activation	F-6
F.3.3	Deployment	F-6
F.3.4	Recorder Recovery	F-7
F.4	Deployable Recorders in the Context of Emerging Regulatory Requirements	F-7
F.4.1	Upcoming Changes To Commercial Flight Recorder Standards	F-7
F.4.2	Dual Combination Cockpit Voice and Flight Data Recorder Concept	F-8
F.4.3	Integrated Deployable and Fixed Combination Recorder Systems	F-9
F.4.4	Operational Comparison of Fixed ELTs to Deployable ELTs	F-10
F.4.4.1	Performance History of Fixed ELTs NASA Study 4330	F-10
F.4.4.2	Performance History of Deployable Recorders and ELTs	F-10
F.5	Operational Experience of Deployable Recorders	F-11
F.5.1	U.S. DoD	F-11
F.5.2	Canadian Department of National Defense	F-12
F.6	International Regulatory Agency Activity Regarding Deployable Recorders and / or Emergency Locator Transmitters	F-12
F.6.1	UK CAA CAP (393 Air Navigation: The Order and the Regulations)	F-12
F.6.2	EUROCAE Working Group 50 Activity	F-13
F.6.3	Impact on International Regulatory Requirements	F-13
F.6.4	Other Regulatory Authority Investigations Of Deployable Recorders	F-14
F.7	Potential Value-Added by Deployable Recorders	F-14
F.7.1	Improved Incident Alerting	F-14
F.7.2	More Accurate Locating of Downed Aircraft	F-15
F.7.3	Faster Rescuing of Passengers and Crew	F-15
F.7.4	Increased Potential for Saving Lives	F-15
F.7.5	Minimizing the time to locate / retrieve an Accident Data Recorder	F-15
F.7.6	Increased Air Traffic Incidents and Investigation Cost	F-16

F.7.7	Opening of Polar Aircraft Routes	F-16
F.8	References	F-17
F.8.1	Other References	F-17
F.9	Acronyms	F-18
	Attachment F-1—“Before and After” DFIR (Deployable Flight Incident Recorders)	F-19
	Appendix G—GLOSSARY OF TERMS	G-1

TABLE OF FIGURES

<u>Figure D-1</u>	Fixed Cockpit Voice Recorder After Crash Test	D-12
<u>Figure D-2</u>	Cutaway View of a Fixed Cockpit Voice Recorder (CVR)	D-13
<u>Figure D-3</u>	Deployable Beacon Airfoil Unit (F/A-18 DFIRS Contains Flight Recorder and ELT)	D-13
<u>Figure D-4</u>	Cutaway View of a Deployable Cockpit Voice and Flight Data Recorder (EAS3000)	D-14
<u>Figure D-5</u>	Time Needed to Record Sensor Signal.	D-15
<u>Figure D-6</u>	Event Flight Data Recorder	D-27
<u>Figure D-7</u>	Smart Flight Data Recorder	D-28
<u>Figure F-1</u>	Fixed Cockpit Voice Recorder After a Crash Test.	F-1
<u>Figure F-2</u>	Cutaway View of a Fixed Cockpit Voice Recorder (CVR)	F-2
<u>Figure F-3</u>	Deployable Beacon Airfoil Unit (F/A-18 DFIRS Contains Flight Recorder and ELT).	F-2
<u>Figure F-4</u>	Cutaway View of a Deployable Beacon Airfoil Unit (EH101 EAS3000)	F-3
<u>Figure F-5</u>	Fixed-Wing Aircraft Installations.	F-4
<u>Figure F-6</u>	Rotary-Wing Aircraft Installations.	F-4
<u>Figure F-7</u>	Illustration of Deployable Recorder Activation Sequence.	F-6
<u>Figure F-8</u>	Typical Deployable Installation on a Fixed-Wing Aircraft	F-6
<u>Figure F-9</u>	Deployable Beacon During Deployment	F-7
<u>Figure F-10</u>	Upcoming Changes to CVR/FDR Standards	F-8
<u>Figure F-11</u>	Dual Combined Recorder Concept Diagram	F-9
<u>Figure F-12</u>	Integrated Deployable and Fixed Combined Recorder Concept Diagram	F-10
<u>Figure F-13</u>	Incidents Reported to DRS FS&C from 1967 to Present.	F-10
<u>Figure F-14</u>	Applicability of Current Recorder Standards to Deployable Systems.	F-13
<u>Figure F-15</u>	Location Accuracy of Emergency Locator Transmitter Frequencies.	F-15
<u>Figure F-16</u>	Recent Ocean Incident Recorder Incidents	F-16

TABLE OF TABLES

<u>Table D-1</u>	Survival Qualification Conditions.	D-7
------------------	--	-----

BACKGROUND

Data and voice recording were first implemented on aircraft to provide investigators with a permanent account of the facts, conditions, and circumstances leading to an accident. The information recorded on the aircraft was limited to the mandatory requirements recommended by investigative authorities and enforced by the regulatory authorities; the type and amount of data recorded were considerably restrained by cost and technological feasibility. Since the data was used infrequently, problems with the recording system were not always identified until after an event, when the data had become essential. With more advanced aircraft, investigations became more complex and investigators relied heavily on the data. As individual investigations highlighted deficiencies in the data and the need for more detailed information, additional parameter requirements were mandated. This reactive approach resulted in a piecemeal development, forcing air carriers to continually retrofit their aircraft to accommodate the rule changes. This process continues to be inefficient, time-consuming, and costly to the aviation industry.

Over the years, the methods and uses of data recording on aircraft have changed dramatically. Advances in technology have made it possible to easily record large amounts of data at a reduced cost. These changes have made it feasible for operators and manufacturers to now use and benefit from the recorded data. Many new aircraft are currently recording hundreds of parameters more than the minimum required. These reasons made it important to determine the needs that would satisfy not only the accident investigation community but also other consumers of the data. By identifying the recording needs of all involved parties as early as possible, these needs can be met by future system designs to benefit the entire aviation community.

This report was drafted prior to the tragic events of September 11, 2001. It is noted that some of the issues currently being considered as a result of those tragic events, are similar to issues discussed within this report. The work of this committee did not focus on the collection of data related to intentional criminal acts, however the technical content of this report may be an aid in resolving some of these issues. Catastrophic criminal actions were considered beyond the Terms of Reference; if consideration were given to convening a group, a separate new charter would be appropriate. Action on some of the recommendations may be accelerated considering the events of September 11.