

RTCA, Inc.  
1828 L Street, NW, Suite 805  
Washington, DC 20036-5133 USA

**Minimum Operational Performance Standards  
(MOPS) for Air Traffic Control Radar Beacon  
System (ATCRBS) Airborne Equipment**

RTCA DO-144A  
Supersedes RTCA DO-144  
October 2, 2008

Prepared by: SC-209  
© 2008 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-0339

Facsimile: 202-833-9434

Internet: [www.rtca.org](http://www.rtca.org)

Please visit the RTCA Online Store for document pricing and ordering information.

## FOREWORD

These Minimum Operational Performance Standards (MOPS) were prepared by RTCA Special Committee 209 (SC-209) and approved by the RTCA Program Management Committee (PMC) on October 2, 2008. This document represents the consolidated performance requirements from two sources; RTCA/DO-144, "*Minimum Operational Characteristics for Airborne ATC Transponder Systems*," dated March 12, 1970, plus Change 1 to DO-144, posted as RTCA Paper No. 232-70/EC-643, dated November 5, 1970, and the performance standards referred to in paragraph (a)(1) of Federal Aviation Administration (FAA) Technical Standard Order (TSO) -C74c, dated February 20, 1973.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include, but are not limited to:

- Coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- Analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- Developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of Minimum Operational Performance Standards (MOPS) for electronic systems and equipment that support aviation; and
- Assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization (ICAO) and the International Telecommunication Union (ITU) and other appropriate international organizations can be based.

The recommendations of RTCA are often used as the basis for government and private sector decisions as well as the foundation for new FAA Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the United States Government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

## TABLE OF CONTENTS

<b>1</b>	<b>PURPOSE AND SCOPE</b>	<b>1</b>
1.1	Introduction	1
1.1.1	International Standards	1
1.1.2	Preparation of Minimum Operational Performance Standards for Airborne Systems	2
1.2	The ATCRBS Secondary Surveillance Radar (SSR) Environment	2
1.3	Assumptions	3
1.4	Equipped Classes	3
1.5	Test Procedures	3
1.5.1	Environmental Tests	3
1.5.2	Detailed Test Procedures	4
1.5.3	Installed System Tests	4
1.6	Definition of Terms	4
<b>2</b>	<b>ATCRBS TRANSPONDER EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES</b>	<b>7</b>
2.1	General Requirements	7
2.1.1	Airworthiness	7
2.1.2	General Performance	7
2.1.3	Federal Communications Commission Rules	7
2.1.4	Fire Protection	7
2.1.5	Operation of Controls	7
2.1.6	Accessibility of Controls	7
2.1.7	Flight Crew Control Functions	8
2.1.8	Optional Functions/Interfaces	8
2.1.9	Effects of Test	8
2.1.10	Interrogation Characteristics	8
2.2	Equipment Performance – Standard Conditions	11
2.2.1	Definition of Standard Conditions	11
2.2.2	Receiver Characteristics	11
2.2.3	Transmitter Characteristics	13
2.2.4	Reply Pulse Characteristics (Signals in Space)	14
2.2.5	Decoding Performance	16
2.2.6	Desensitization and Recovery Characteristics	18
2.2.7	Undesired Replies	19
2.2.8	Transponder Self Test and Monitor	19
2.2.9	Response to Mutual Suppression Pulses	20
2.2.10	Data Handling and Interfaces	20
2.2.11	Antenna	21
2.2.12	Power Interruption	21
2.2.13	Diversity	22
2.3	Equipment Performance – Environmental Conditions	24
2.3.1	Environmental Test Conditions	24
2.4	Equipment Test Procedures	28
2.4.1	Definitions of Terms and Conditions of Test (§2.2.1)	28
2.4.2	Verification of Receiver Characteristics (§2.2.2)	29
2.4.3	Verification of Transmitter Characteristics (§2.2.3)	32

2.4.4	Verification of Reply Pulse Characteristics (Signals in Space) (§2.2.4)	34
2.4.5	Verification of Decoding Performance (§2.2.5)	37
2.4.6	Verification of Desensitization and Recovery Characteristics (§2.2.6)	41
2.4.7	Verification of Undesired Replies (§2.2.7)	42
2.4.8	Verification of Transponder Self-Test and Monitor (§2.2.8)	43
2.4.9	Verification of Response to Mutual Suppression Pulses (§2.2.9)	44
2.4.10	Verification of Data Handling and Interfaces (§2.2.10)	45
2.4.11	Verification of Antennas (§2.2.11)	46
2.4.12	Verification of Power Interruption (§2.2.12)	46
2.4.13	Verification of Diversity (§2.2.13)	47
<b>3</b>	<b>INSTALLED EQUIPMENT PERFORMANCE</b>	<b>50</b>
3.1	Equipment Installation	50
3.1.1	Equipment Accessibility	50
3.1.2	Inadvertent Turn Off	50
3.1.3	Displays	50
3.1.4	Aircraft Power Source	50
3.1.5	Transmission Line(s)	51
3.1.6	Antenna Location	51
3.1.7	Mutual Suppression	51
3.2	Conditions of Test	52
3.2.1	Power Input	52
3.2.2	Interference Effects	52
3.2.3	Environment	52
3.2.4	Adjustment of Equipment	52
3.2.5	Warm-up Period	52
3.2.6	Radiation Pattern	52
3.3	Test Procedures for Installed Equipment Performance	53
3.3.1	Conformity Inspection	53
3.3.2	Bench Tests	53
3.3.3	Reply Frequency	53
3.3.4	Framing Pulse Spacing	53
3.3.5	Reply Codes	54
3.3.6	Pressure Altitude Transmissions	54
3.3.7	Altitude Reporting Tests	55
3.3.8	Reply Pulse Width	55
3.3.9	Receiver Sensitivity	55
3.3.10	Transmitter Power Output	56
3.3.11	Diversity Antenna Installations	56
3.4	Flight Test Procedures	56
3.4.1	Ground Pre Flight Tests	56
3.4.2	Operational Flight Tests	58
<b>4</b>	<b>EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS</b>	<b>60</b>
4.1	Required Operational Performance Requirements	60
4.1.1	Power Inputs	60
4.1.2	Equipment Operating Modes	60
4.1.3	Continue with Other Operational Requirements as Necessary	60
4.2	Test Procedures for Operational Performance Requirements	60
4.2.1	Power Input	60
4.2.2	Equipment Operating Modes	60

**MEMBERSHIP..... 61**

**APPENDIX A..... 63**

**List of Tables**

Table 2-1: Pulse Shapes..... 10  
Table 2-2: Pulse Pattern..... 10  
Table 2-3: Information Pulses..... 15  
Table 2-4: Code Nomenclature..... 20  
Table 2-5: Environmental Test Groups ..... 26  
Table 2-6: Performance Test Requirements During Environmental Tests..... 27  
Table 3-1: Mode A Reply Pulses ..... 54

**List of Figures**

Figure 2-1: Pulse Envelope Conventions..... 9  
Figure 2-2: General Pulse Patterns for PAM Interrogations ..... 11  
Figure 2-3: ATCRBS Reply Pulse Pattern ..... 14

Currently in preview, click buy full version

This Page Intentionally Left Blank.

## 1 PURPOSE AND SCOPE

### 1.1 Introduction

This document sets forth Minimum Operational Performance Standards (MOPS) for Air Traffic Control Radar Beacon System (ATCRBS) airborne equipment. Incorporated within these standards are system characteristics that will be useful to users of the system as well as designers, manufacturers and installers. These performance standards represent a consolidation of performance requirements from two sources; RTCA/DO-144, “*Minimum Operational Characteristics for Airborne ATC Transponder Systems*,” dated March 12, 1970, plus Change 1 to DO-144, posted as RTCA Paper No. 222-10/EC-643, dated November 5, 1970, and the performance standards referred to in paragraph (a)(1) of Federal Aviation Administration (FAA) Technical Standard Order (TSO)-C74c, dated February 20, 1973.

Compliance with these MOPS is required to achieve at least that minimum performance, on which control and separation of aircraft is based, and to insure against derogation of service to other users of aviation navigation and communication services. These MOPS are applicable to all users of airborne ATC transponder systems who are required by regulation to participate in the ATC system, or who voluntarily choose to do so.

**Note:** *The use of “shall” in the body of this document indicates a requirement. The use of “should” indicates a characteristic that is highly recommended, but is not required.*

It is recognized that any regulatory application of these standards is the responsibility of appropriate government agencies.

Because the measured values of equipment performance characteristics may be a function of the measurement method, standard test conditions and methods of test are recommended in this document.

This document considers an equipment configuration consisting of: transponder, control panel, antenna and interconnecting cables. It should not be inferred that all ATCRBS airborne equipment will necessarily include all of the foregoing components as separate units; this will depend on the design configuration chosen by the manufacturer.

If the equipment implementation includes a computer software package, the guidelines contained in the most current issue of RTCA/DO-178, Software Considerations in Airborne Systems and Equipment Certification, should be considered.

#### 1.1.1 International Standards

The performance standards of this document also reflect current International Civil Aviation Organization (ICAO) Annex 10, Volume IV, Amendment 82, Chapter 3 requirements for airborne systems having only Mode A and Mode C capabilities.