

RTCA  
1828 L Street, NW, Suite 805  
Washington, DC 20036

**Minimum Operational Performance Standards for Airborne ILS Glide Slope  
Receiving Equipment Operating within the Radio Frequency  
Range of 328.6-335.4 Megahertz**

RTCA DO-192  
July 18, 1986

Prepared by:  
SC-153

Copies of this document may be obtained from

RTCA, Incorporated  
1828 L Street, NW, Suite 805  
Washington, D.C. 20036-5133 U.S.A.

Telephone: 202-833-9339  
Facsimile: 202-833-9434

Internet: [www.rtca.org](http://www.rtca.org)

Please contact RTCA for price and ordering information.

## F O R E W O R D

This document was prepared by Special Committee 153 of the Radio Technical Commission for Aeronautics. It was approved by RTCA on July 18, 1986, and supersedes RTCA/DO-132A, "Performance Standards Airborne ILS Glide Slope Receiving Equipment," November 2, 1978.

RTCA is an association of aeronautical organizations of the United States from both government and industry. Dedicated to the advancement of aeronautics, RTCA seeks sound technical solutions to problems involving the application of electronics and telecommunications to aeronautical operations. Its objective is the resolution of such problems by mutual agreement of its member organizations.

The findings of RTCA are in the nature of recommendations to all organizations concerned. Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the Federal government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

In preparation of these standards RTCA SC-153 took into consideration comments received on behalf of the European Organisation for Civil Aviation Electronics (EUROCAE) WG-5.

THIS PAGE INTENTIONALLY LEFT BLANK

# T A B L E O F C O N T E N T S

	<u>Page</u>
FOREWORD .....	i
TABLE OF CONTENTS .....	iii
1.0 PURPOSE AND SCOPE .....	1
1.1 Introduction .....	1
1.2 System Overview .....	2
1.3 Operational Applications .....	2
1.4 Operational Goals .....	2
1.4.1 Sensitivity .....	2
1.4.2 Receiver Selectivity .....	3
1.4.3 Spurious Response and Intermodulation .....	3
1.4.4 Warnings .....	3
1.4.5 Interface with Other Aircraft Systems .....	3
1.5 Assumptions .....	3
1.6 Test Procedures .....	3
1.7 Definitions of Terms .....	5
2.0 ILS GLIDE SLOPE EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES .....	7
2.1 General Requirements .....	7
2.1.1 Airworthiness .....	7
2.1.2 Intended Function .....	7
2.1.3 Federal Communications Commission Rules .....	7
2.1.4 Fire Protection .....	7
2.1.5 Operation of Controls .....	7
2.1.6 Accessibility of Controls .....	7
2.1.7 Frequency Display .....	8
2.1.8 Effects of Test .....	8
2.2 Minimum Performance Standards Under Standard Test Conditions .....	8
2.2.1 Centering Accuracy .....	8
2.2.2 On-Channel Signals .....	8
2.2.2.1 AGC .....	8
2.2.2.2 Bandwidth .....	8
2.2.3 Interfering Signals .....	8
2.2.3.1 Adjacent Channel and In Band Signals .....	8
2.2.3.2 Receiver Performance With Two Carriers .....	9

	<u>Page</u>
2.2.4 Course Deviation Indication .....	10
2.2.4.1 Electrical Course Deviation Output .....	11
2.2.4.2 Deflection Stability with Modulation Frequency .....	12
2.2.5 Warnings .....	12
2.2.6 Spurious Response .....	12
2.2.7 Emission of Radio Frequency Energy .....	12
2.2.8 Antenna Efficiency .....	13
2.2.9 Antenna Polarization .....	13
2.2.10 Antenna VSWR .....	13
2.3 Equipment Performance - Environmental Conditions .....	15
2.3.1 Temperature and Altitude Tests .....	15
2.3.1.1 Low Temperature Test .....	15
2.3.1.2 High Temperature Test .....	16
2.3.1.3 Altitude Tests .....	16
2.3.1.4 Decompression Test .....	16
2.3.1.5 Overpressure Test .....	16
2.3.2 Temperature Variation Test .....	17
2.3.3 Humidity Test .....	17
2.3.4 Shock Tests .....	17
2.3.4.1 Operational Shocks .....	17
2.3.4.2 Crash Safety Shocks .....	17
2.3.5 Vibration Tests .....	18
2.3.6 Explosion Test .....	18
2.3.7 Waterproofness Test .....	18
2.3.7.1 Drip Proof Test .....	18
2.3.7.2 Spray Proof Test .....	18
2.3.8 Fluids Susceptibility Tests .....	18
2.3.8.1 Spray Test .....	19
2.3.8.2 Immersion Test .....	19
2.3.9 Sand and Dust Test .....	19
2.3.10 Fungus Resistance Test .....	19
2.3.11 Salt Spray Test .....	20
2.3.12 Magnetic Effect Test .....	20
2.3.13 Power Input Tests .....	20
2.3.13.1 Normal Operating Conditions .....	20
2.3.13.2 Abnormal Operating Conditions .....	20

	<u>Page</u>
2.3.14 Voltage Spike Conducted Test .....	20
2.3.14.1 Category A Requirements .....	20
2.3.14.2 Category B Requirements .....	21
2.3.15 Audio Frequency Conducted Susceptibility Test .....	21
2.3.16 Induced Signal Susceptibility Test .....	21
2.3.17 Radio Frequency Susceptibility Test (Radiated and Conducted) .....	21
2.3.18 Emission of Radio Frequency Energy Test .....	22
2.4 Equipment Test Procedures .....	23
2.4.1 Definitions of Terms and Conditions of Tests .....	23
2.4.2 Description of Test Equipment .....	24
2.4.3 Detailed Test Procedures .....	25
2.4.3.1 Centering Accuracy .....	25
2.4.3.2 Receiver Performance with Two Carriers .....	27
2.4.3.3 AGC Characteristic .....	28
2.4.3.4 Interfering Signals .....	28
2.4.3.5 Course Deviation Indication .....	28
2.4.3.6 Warnings .....	30
2.4.3.7 Spurious Response .....	30
2.4.3.8 Emission of Radio Frequency Energy .....	30
2.4.3.9 Antenna Efficiency .....	31
2.4.3.10 Antenna Polarization .....	31
2.4.3.11 Antenna VSWR .....	32
3.0 INSTALLED EQUIPMENT PERFORMANCE .....	35
3.1 Equipment Installation .....	35
3.1.1 Equipment Accessibility .....	35
3.1.2 Aircraft Environment .....	35
3.1.3 Display Visibility .....	35
3.1.4 Antenna Location Considerations .....	35
3.1.5 Failure Protection .....	35
3.1.6 Inadvertent Turnoff .....	35
3.1.7 Aircraft Power Source .....	35
3.2 Installed Equipment Performance Requirements .....	36
3.2.1 Interference Effects .....	36
3.3 Conditions of Test .....	36
3.3.1 Power Input .....	36
3.3.2 Associated Equipment or Systems .....	36

	<u>Page</u>
3.3.3 Environment .....	36
3.3.4 Adjustment of Equipment .....	36
3.4 Test Procedures for Installed Equipment Performance .....	37
3.4.1 Ground Test Procedures .....	37
3.4.1.1 Conformity Inspection .....	37
3.4.1.2 Equipment Function .....	37
3.4.1.3 Interference Effects .....	37
3.4.1.4 Power Supply Fluctuations .....	37
3.4.1.5 Equipment Accessibility .....	38
3.4.2 Flight Test Procedures .....	38
3.4.2.1 Displayed Data Readability .....	38
3.4.2.2 Interference Effects .....	38
4.0 EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS .....	39
4.1 Required Operational Performance Requirements .....	39
4.1.1 Power Input .....	39
4.1.2 Equipment Operating Modes .....	39
4.2 Test Procedures for Operational Performance Requirements .....	39
4.2.1 Power Input .....	39
4.2.2 Equipment Operating Modes .....	39
MEMBERSHIP .....	41
APPENDIX A Statistical Procedure for Determination of ILS Receiver Course Error	
APPENDIX B Receiver RF Input Voltage (Hard and Easy Microvolts)	

## 1.0 PURPOSE AND SCOPE

### 1.1 Introduction

This document contains minimum operational performance standards for airborne glide slope receiving equipment. These standards specify system characteristics that should be useful to designers, manufacturers, installers and users of the equipment.

Compliance with these standards is recommended as one means of assuring that the equipment will perform its intended function satisfactorily under all conditions normally encountered in routine operations.

Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

Section 1.0 provides information needed to understand the rationale for equipment characteristics and requirements stated in the remaining sections. It describes typical equipment applications and operational goals and establishes the basis for the standards stated in Sections 2.0 through 4.0. Definitions and assumptions essential to proper understanding of this document are also provided in Section 1.0.

Section 2.0 contains the minimum performance standards for the equipment. These standards specify the required performance under standard and environmental conditions. Also included are recommended bench test procedures necessary to demonstrate equipment compliance with the stated minimum requirements.

Section 3.0 describes the performance required of the installed equipment. Tests for the installed equipment are included when performance cannot be adequately determined through bench testing.

Section 4.0 describes the operational performance characteristics for equipment installations and defines conditions that will assure the equipment user that operations can be conducted safely and reliably in the expected operational environment.

This document considers an equipment configuration consisting of: Antenna system(s), transmission lines, radio receiver, converter and a course deviation indication display. Additional functions and components that refer to expanded equipment capabilities are identified as optional features.

The word "system" as used in this document refers to the ILS glide slope system. It includes all portions of both the ILS glide slope ground transmitter and the glide slope airborne equipment.

The word "equipment" as used in this document includes all components and units necessary for the system to properly perform its intended function. For example, the "equipment" may include an