

RTCA, Incorporated
1140 Connecticut Avenue, Northwest, Suite 1020
Washington, D. C. 20036 U.S.A.

**MINIMUM OPERATIONAL PERFORMANCE STANDARDS
FOR AIRBORNE AUTOMATIC DEPENDENT SURVEILLANCE
(ADS) EQUIPMENT**

Copyright ©RTCA, Inc. 1992
RTCA DO-212
October 26,1992

Prepared by:
SC-170

Copies of this document may be obtained from

RTCA, Incorporated
1140 Connecticut Avenue, N. W., Suite 1020
Washington, D. C. 20036-4001 U.S.A

Telephone: 202-833-9339
Facsimile: 202-833-9434

Please call RTCA for price and ordering information.

FOREWORD

This document was prepared by RTCA Special Committee 170 (SC-170). It was approved by RTCA on October 26, 1992.

RTCA, Inc., is an association of aeronautical organizations of the United States from both government and industry. Dedicated to the advancement of aeronautics, RTCA seeks sound technical solutions to problems involving the application of electronics and telecommunications to aeronautical operations. Its objective is the resolution of such problems by mutual agreement of its member organizations. The findings of RTCA are in the nature of recommendations to all organizations concerned. Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U. S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	i
TABLE OF CONTENTS	iii
1.0 PURPOSE AND SCOPE	1
1.1 Introduction	1
1.2 Operational Goals	2
1.3 Operational Applications	2
1.4 ADS System Overview	2
1.4.1 Principle of Operation	2
1.4.2 Components of the ADS System	3
1.4.2.1 Airborne Components of the ADS System	3
1.4.2.2 Ground-Based Components of the ADS System	4
1.5 Application of the OSI Model	5
1.6 Relationship to the ATN	5
1.7 Assumptions	5
1.8 Performance Verification Procedures	6
1.8.1 Environmental Tests	6
1.8.2 Functional Performance Verification Procedures	6
1.8.3 Installed Tests	6
2.0 PERFORMANCE REQUIREMENTS AND VERIFICATION PROCEDURES	7
2.1 General Requirements	7
2.1.1 Airworthiness	7
2.1.2 Intended Function	7
2.1.3 Fire Resistance	7
2.1.4 Operation of Controls	7
2.1.5 Accessibility of Controls	7
2.1.6 Control/Display Readability	7
2.1.7 Effects of Test	8
2.2 Equipment Performance — Standard Conditions	8
2.2.1 ADSF Operation	8
2.2.1.1 Application Interface	9

	<u>Page</u>	
2.2.1.1.1	Connection	9
2.2.1.2	Processing of Uplinks	10
2.2.1.2.1	Periodic Contract Request	14
2.2.1.2.2	Event Contract Request	16
2.2.1.2.3	Cancel Contract Request	18
2.2.1.2.4	Cancel All Contracts and Terminate Connection Request	18
2.2.1.2.5	Cancel Emergency Mode Request	19
2.2.1.3	ADSF Interfaces	19
2.2.1.3.1	Flight Crew Interface	19
2.2.1.3.2	Context Management Interface	20
2.2.1.4	Message Generation	20
2.2.1.4.1	Acknowledgement Message	27
2.2.1.4.2	Negative Acknowledgement Message	27
2.2.1.4.3	Non-compliance Notification Message	28
2.2.1.5	Abnormal Connection Termination	30
2.2.2	OSI Model Services	31
2.2.2.1	Physical Layer	31
2.2.2.2	Data Link Layer	31
2.2.2.3	Network Layer	31
2.2.2.4	Transport Layer	34
2.2.2.4.1	Timers and Associated Variables	34
2.2.2.4.2	Negotiations	34
2.2.2.4.3	Connection Request (CR) TPDU	35
2.2.2.5	Session Layer	35
2.2.2.6	Presentation Layer	35
2.2.2.7	Application Layer	35
2.2.3	System Time Requirements	35
2.3	Equipment Performance — Environmental Conditions	36
2.3.1	Temperature and Altitude Tests (DO-160C, Section 4.0)	37
2.3.1.1	Low Operating Temperature Test	37
2.3.1.2	High Short-Time Operating Temperature Test	37

	<u>Page</u>	
2.3.1.3	High Operating Temperature Test	38
2.3.1.4	In-Flight Loss of Cooling Test (When Required)	38
2.3.1.5	Altitude Test	38
2.3.1.6	Decompression Test (When Required)	38
2.3.1.7	Overpressure Test (When Required)	39
2.3.2	Temperature Variation Test (DO-160C, Section 5.0)	39
2.3.3	Humidity Test (DO-160C, Section 6.0)	39
2.3.4	Shock Tests (DO-160C, Section 7.0)	40
2.3.4.1	Operational Shocks	40
2.3.4.2	Crash Safety Shocks	40
2.3.5	Vibration Test (DO-160C, Section 8.0)	40
2.3.6	Explosion Proofness Test (DO-160C, Section 9.0) (When Required)	40
2.3.7	Waterproofness Tests (DO-160C, Section 10.0)	41
2.3.7.1	Drip Proof Test (When Required)	41
2.3.7.2	Spray Proof Test (When Required)	41
2.3.7.3	Continuous Stream Proof Test (When Required)	41
2.3.8	Fluids Susceptibility Tests (DO-160C, Section 11.0)	42
2.3.8.1	Spray Test (When Required)	42
2.3.8.2	Immersion Test (When Required)	42
2.3.9	Sand and Dust Test (DO-160C, Section 12.0) (When Required)	43
2.3.10	Fungus Resistance Test (DO-160C, Section 13.0) (When Required)	43
2.3.11	Salt Spray Test (DO-160C, Section 14.0) (When Required)	43
2.3.12	Magnetic Effect Test (DO-160C, Section 15.0)	44
2.3.13	Power Input Tests (DO-160C, Section 16.0)	44
2.3.13.1	Normal Operating Conditions	44
2.3.13.2	Abnormal Operating Conditions	44
2.3.14	Voltage Spike Conducted Test (DO-160C, Section 17.0)	45
2.3.14.1	Category A Requirements (If Applicable)	45
2.3.14.2	Category B Requirements (If Applicable)	45
2.3.15	Audio Frequency Conducted Susceptibility Test (DO-160C, Section 18.0)	45
2.3.16	Induced Signal Susceptibility Test (DO-160C, Section 19.0)	46
2.3.17	Radio Frequency Susceptibility Test (Radiated and Conducted) (DO-160C, Section 20.0) (When Required)	46

	<u>Page</u>
2.3.18 Emission of Radio Frequency Energy Test (DO-160C, Section 21.0) (When Required)	46
2.3.19 Lightning Induced Transient Susceptibility (DO-160C, Section 22.0) (When Required)	46
2.3.20 Lightning Direct Effects (DO-160C, Section 23.0)	46
2.3.21 Icing (DO-160C, Section 24.0)	47
2.4 Equipment Test Procedures	47
2.4.1 Definitions of Terms and Conditions of Tests	47
2.4.2 Dynamic Test Procedures	48
2.4.2.1 Test Philosophy	48
2.4.2.2 Test Objectives	48
2.4.2.3 Test Procedures	48
2.4.2.3.1 Initialization (Power Up)	48
2.4.2.3.2 Establish Transport Connection	48
2.4.2.3.3 Connection Retry	49
2.4.2.3.4 Connection Management	49
2.4.2.3.5 Initial Report Delay	49
2.4.2.3.6 Report Transmission Delay	49
2.4.2.3.7 ADS Contractual Performance	49
2.4.3 Transport Protocol Tests	49
2.4.3.1 General	49
2.4.3.2 Specific	49
2.4.3.2.1 Purpose	49
2.4.3.2.2 Test Equipment	50
2.4.3.2.3 Test Assumptions	50
2.4.3.2.4 Verification Requirements Traceability Matrix	50
2.4.3.2.5 Test 1 — Negotiation of Connection	50
2.4.3.2.6 Test 2 — Response to Invalid Parameters in the CR TPDU	52
2.4.3.2.7 Test 3 — Timer and Counter Values	53
2.4.4 ADS Application Tests	54
2.4.4.1 ADS Functional Tests — General	54
2.4.4.1.1 Conducting the Tests	54
2.4.4.1.2 Periodic Report Tests	59
2.4.4.1.3 Event Report Tests	59
2.4.4.1.4 Operation of Test Equipment	59

	<u>Page</u>
2.4.4.1.5 Notation Convention	59
2.4.4.2 Basic ADS Reporting Test (Test 1)	60
2.4.4.2.1 Purpose	60
2.4.4.2.2 Procedure	60
2.4.4.3 Multiple Contract / Nak & Non-Compliance Protocol Test (Test 2)	61
2.4.4.3.1 Purpose	61
2.4.4.3.2 Procedure	61
2.4.4.4 Periodic Contract Test (Test 3)	62
2.4.4.4.1 Purpose	62
2.4.4.4.2 Procedure	62
2.4.4.5 Event Reporting Test (Test 4)	66
2.4.4.5.1 Purpose	66
2.4.4.5.2 Procedure	66
2.4.4.6 Emergency Reporting (Test 5)	66
2.4.4.6.1 Purpose	66
2.4.4.6.2 Procedure	66
2.4.4.7 Parameter Values Test (Test 6)	67
2.4.4.7.1 Purpose	67
2.4.4.7.2 Procedure	67
2.4.4.8 Timing Test (Test 7)	67
2.4.4.8.1 Purpose	67
2.4.4.8.2 Procedure	67
3.0 INSTALLED EQUIPMENT PERFORMANCE	71
3.1 Equipment Installation	71
3.1.1 Accessibility	71
3.1.2 Display Visibility	71
3.1.3 Inadvertent Turn-Off	71
3.2 Installed Equipment Performance Requirements	71

	<u>Page</u>
3.2.1 Aircraft Environment	71
3.2.2 Dynamic Response	71
3.2.3 Failure Protection	71
3.2.3.1 Interference Effects	72
3.3 Conditions of Test	72
3.3.1 Power Input	72
3.3.2 Associated Equipment or Systems	72
3.3.3 Environment	72
3.3.4 Adjustment of Equipment	72
3.3.5 Warm-Up Period	72
3.4 Test Procedures for Installed Equipment Performance	72
3.4.1 Ground Test Procedures	73
3.4.1.1 Conformity Inspection	73
3.4.1.2 Equipment Function	73
3.4.1.3 Interference Effects	73
3.4.1.4 Power Supply Fluctuations	73
3.4.1.5 Equipment Accessibility	73
3.4.2 Flight Test Procedures	73
3.4.2.1 Displayed Data Readability	73
3.4.2.2 Interference Effects	74
4.0 TERMS AND ACRONYMS	75
5.0 REFERENCES	77
MEMBERSHIP	79
APPENDIX A SUGGESTED TIMER VALUES	

1.0 PURPOSE AND SCOPE

1.1 Introduction

This document contains minimum operational performance standards for airborne equipment required for the automatic dependent surveillance (ADS) function (ADSF). The supporting hardware can be a stand-alone ADS unit (ADSU) or alternatively, the ADS function may be installed within other on-board equipment.

Compliance with these standards is recommended as one means of ensuring that the equipment will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of the appropriate governmental agencies.

Portions of the communications environment are described in RTCA/DO-205, *Design Guidelines and Recommended Standards to Support Open Systems Interconnection for Aeronautical Mobile Digital Communications. Part 1 — Internetworking*. The ADSF is considered to be an application within the context of the Open Systems Interconnection (OSI) reference model and relies on two supporting elements: the hardware and the communication system.

Since the equipment implementation includes a computer software package, RTCA/DO-178B, *Software Considerations in Airborne Systems and Equipment Certification*, is applicable.

When determining the level of software requirements, as defined in RTCA/DO-178B, the equipment manufacturer should consider the criticality appropriate for the installation certification, equipment failure analysis, and the fault monitoring being accomplished.

Since the measured values of equipment performance characteristics may be a function of the measurement method, standard test conditions and methods of test are recommended in this document.

Section 1.0 of this document provides information and assumptions needed to understand the rationale for equipment characteristics and requirements stated in the remaining sections. It describes typical equipment applications and operational goals, and forms the basis for the standards stated in Sections 2.0 and 3.0.

Section 2.0 contains the minimum operational performance standards for the equipment. These standards define required performance under standard operating conditions and stressed physical environmental conditions. Also included are recommended bench test procedures necessary to demonstrate equipment compliance with the stated minimum requirements. This includes, but is not limited to, the ADS application and OSI communication software.