

Guidance for Initial Implementation of Cockpit Display of Traffic Information

**RTCA DO-243
February 19, 1998**

**Prepared by:
SC-186**

RTCA, Incorporated
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036

**Guidance for Initial Implementation of
Cockpit Display of Traffic Information**

February 19, 1998
RTCA/DO-243

Prepared by SC-186
© 1998, RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036-4001 USA

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please call RTCA for price and ordering information.

Currently in preview, click buy full version

Foreword

This report was prepared by Special Committee 186 (SC-186) and approved by the RTCA Program Management Committee (PMC) on February 19, 1998.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- C coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- C analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- C developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- C assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

Currently in preview, click buy full version

Currently in preview, click buy full version

Table of Contents

1. Purpose and Scope.....	1
1.1 Introduction.....	1
1.2 Purpose and Scope	1
1.3 Operational Goals	2
1.4 Assumptions.....	2
1.5 Relationship of CDTI to Surveillance and Applications	3
2. Equipment Performance Characteristics.....	5
2.1 Functions and Equipment Characteristics - Graphical Displays	5
2.1.1 General Characteristics	5
2.1.1.1 Minimum Display Features and Target Information	9
2.1.1.1.1 Own Aircraft Symbol.....	9
2.1.1.1.2 Target Aircraft Symbol.....	9
2.1.1.1.3 Target Aircraft Altitude	9
2.1.1.1.4 Display Range	9
2.1.1.2 Application Dependent Display Features and Target Information	10
2.1.1.2.1 Call Sign.....	10
2.1.1.2.2 Closure Rate.....	10
2.1.1.2.3 Ground Speed.....	10
2.1.1.2.4 Ground Track Indication.....	10
2.1.1.2.5 Target Selection.....	10
2.1.1.2.6 Target Highlighting.....	11
2.1.1.2.7 Extended Display Range	11
2.1.1.2.8 Range Reference.....	11
2.1.1.2.9 Vertical Rate Indication.....	11
2.1.1.2.10 Traffic Alerting	12
2.1.2 Display Formats	12
2.1.3 Shared Display Considerations	10
2.1.4 Control of Display Functions.....	11
2.1.4.1 Lighting Control.....	13
2.1.4.2 Display Clutter.....	13
2.1.4.3 Sequences	11
2.1.5 CDTI Status and Failure Indications.....	11
2.2 Guidance for CDTI Implemented on Other Display Types.....	12
2.2.1 Speech Displays	14
2.2.1.1 Display Controls and Indicators.....	14
2.2.1.2 Traffic Alerting Annunciation	14
2.2.1.3 Priority of Target Annunciations	12
2.2.2 Text Displays	12
2.2.2.1 Controls	12
2.2.2.2 Priority of Target Display.....	13
2.3 Sample Displays	15
3. Guidance on Surveillance Data Processing	16

3.1	Characteristics of Surveillance Data Sources.....	17
3.1.1	ADS-B	17
3.1.2	Traffic Information Service	20
3.1.3	Traffic Information Service - Broadcast	20
3.1.4	TCAS.....	18
3.1.5	Differences Among Surveillance Sources.....	18
3.2	Data Fusion.....	20
3.3	Other Surveillance Processing Considerations	24
	Membership List.....	25

APPENDICES

Appendix A - Acronyms

Appendix B - Bibliography and References

Appendix C - Evaluation Summary for CDTI Enhanced Visual Approaches

TABLE OF FIGURES

Figure 1-1	Functional Relationship of CDTI, Applications and Surveillance Sources.....	4
Figure 2-1	Ground Track Vectors	15
Figure 2-2	Ground Track Vector, Target Ground Speed and Call Sign	16
Figure 2-3	Closure Rate and Call Sign.....	17
Figure C-1	Mean Spacing for Traffic at Runway Threshold by Speed Cue	C-3

TABLE OF TABLES

Table 2-1	Summary of Potentially Required Display Features and Target Information	6
Table 2-2	Summary of Minimum Source Accuracy and Display Resolution Recommendations....	8
Table 3-1	Comparison of Information from Different Surveillance Sources	22
Table C-1	Core Feature Set for Support of Enhanced Visual Approaches.....	C-1
Table C-2	Average Subjective Ranking for Speed (most useful) to 3 (least useful)	C-2

Currently in preview, click buy full version

Currently in preview, click buy full version

1. Purpose and Scope

1.1 Introduction

Cockpit Display of Traffic Information (CDTI) is the function of presenting surveillance information about the surrounding traffic to the flight crew. The information presented includes the relative position of other aircraft in the vicinity with respect to own aircraft. Traffic information for the CDTI may be obtained from one or more sources, including, but not limited to, broadcast automatic dependent surveillance (ADS-B), traffic information service (TIS), and traffic alert and collision avoidance system (TCAS). To display traffic information, the CDTI may use a dedicated display device or a shared multi-function display (MFD) device. Even though a visual, graphical presentation of the traffic on a heads-down display will be most common in the near term, other types of presentation (e.g., aural, graphical head-up) are also possible, as long as information is conveyed effectively. The specific information presented may vary based on the intended operational use of the information.

Note: While general guidance is given herein concerning the format and content of the information to be presented on cockpit displays, specific requirements concerning placement, presentation and integration of CDTI data on multifunction displays are not addressed. In addition to this document, implementers are encouraged to use the display guidance and practices recommended by the Society of Automotive Engineers (SAE) Group 10 (GP-10) (See references, Appendix B.)

In the near term, the traffic display implemented as part of the present TCAS system may be enhanced by providing additional data, including identification of other aircraft. Aircraft that are not equipped with TCAS may be equipped with CDTI using ADS-B and/or TIS data.

Appendix A contains acronyms and the Bibliography is provided in Appendix B. Appendix C contains an evaluation summary for CDTI enhanced visual approaches. The definitions of terms used throughout this document conform to the definitions provided in the ADS-B MASPS.

1.2 Purpose and Scope

To implement CDTI features, manufacturers need an authoritative reference document. The CDTI MOPS, when completed, will fulfill this need. The CDTI MOPS is not expected to be developed and approved in time to satisfy near-term manufacturer needs in the design and development process. This document provides manufacturers a set of guidelines in the design and development of an initial set of CDTI features. This Guidance Document is advisory in nature and its contents are expected to be a subset of the final CDTI MOPS. More complete requirements for CDTI functions will be provided in the CDTI MOPS, and that MOPS, when published, will replace this document.

In order to comply with certification standards, manufacturers will be required to demonstrate that 1) CDTI meets its intended functions, and 2) CDTI does not interfere with any other aircraft systems. This interim guidance provides a description of the intended functions of CDTI and as such may aid the certification process.

The ADS-B MASPS defines a broad range of CDTI operational uses, applicable to all domains. Due to the variety of their complexity, applications may be developed at different times. This document provides guidance for the implementation of features for a limited set of early applications. It provides examples of potential display formats and provides high-level guidance on the integration of surveillance inputs from multiple sources for use by a CDTI. Future displays