

RTCA, Inc.  
1140 Connecticut Avenue, NW, Suite 1020  
Washington, DC 20036-4001 USA

**Minimum Operational Performance Standards  
(MOPS) for Avionics Supporting Next Generation  
Satellite Systems (NGSS)**

RTCA DO-262  
December 14, 2000

Prepared by: SC-165  
© 2000 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-333-9439

Facsimile: 202-333-4434

Internet: [www.rtca.org](http://www.rtca.org)

Please visit the RTCA Online Store for document pricing and ordering information.

## FOREWORD

This report was prepared by Special Committee 165 (SC-165) and approved by the RTCA Program Management Committee (PMC) on December 14, 2000.

RTCA, Incorporated is not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunications Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

Currently in preview, click buy full version

## TABLE OF CONTENTS

1	PURPOSE AND SCOPE.....	1
1.1	Introduction.....	1
1.2	Document Overview.....	1
1.3	System Overview.....	3
1.3.1	System Elements and Functions.....	4
1.3.1.1	Aircraft Earth Station (AES).....	4
1.3.1.2	Ground Earth Station (GES).....	5
1.3.1.3	Network Control and Coordination Function.....	6
1.3.1.4	Satellites.....	6
1.3.1.5	Satellite System Coverage.....	7
1.3.2	Communications Protocols.....	7
1.4	Operational Applications.....	8
1.4.1	Compatibility and Interoperability.....	9
1.4.1.1	Protection of Radio Astronomy.....	10
1.4.2	End-to-End Service Criteria.....	10
1.5	Assumptions and Postulated Environment.....	10
1.5.1	Coverage.....	10
1.5.2	Data versus Voice Communications.....	10
1.5.3	Safety.....	10
1.5.4	Priority, Precedence and Preemption.....	11
1.5.5	Assumptions on Higher Layer Packet Data Interfaces.....	11
1.5.6	Assumptions on Voice Communications Using Digitized Voice.....	11
1.5.7	Assumptions on Aircraft Motion.....	12
1.5.8	Assumptions on Same-Aircraft Interference.....	12
1.6	Overview of Test and Performance Verification Procedures.....	12
1.6.1	Environmental Tests and Performance Verification.....	12
1.6.2	Bench Tests and Performance Verification.....	13
1.6.3	Installed Equipment Tests and Performance Verification.....	13
1.6.4	Operational Tests and Performance Verification.....	13
1.7	Definitions of Standard Terms Used in this Document.....	13
2	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES.....	17
2.1	General Requirements.....	17
2.1.1	Airworthiness.....	17
2.1.2	Intended Function.....	17
2.1.3	Federal Communications Commissions Rules.....	17
2.1.4	Fire Protection.....	17
2.1.5	Operation of Controls.....	17
2.1.6	Accessibility of Controls.....	17
2.1.7	Effects of Tests.....	17
2.1.8	Performance in a Shared Environment.....	18
2.2	Equipment Performance Requirements, Standard Conditions.....	18

2.2.1	Avionics Subsystem Definitions and Overall Requirements.....	18
2.2.2	Definition of System Specific Parameters.....	19
2.2.3	Detailed Requirements .....	21
2.2.3.1	AES Application Requirements .....	21
2.2.3.1.1	Antenna.....	22
2.2.3.1.1.1	Coverage Volume, Polarization and Antenna Gain .....	22
2.2.3.1.1.1.1	Coverage Volume.....	22
2.2.3.1.1.1.2	Polarization.....	22
2.2.3.1.1.1.3	Antenna Gain .....	22
2.2.3.1.1.2	Axial Ratio .....	22
2.2.3.1.1.3	Power Handling Capabilities .....	23
2.2.3.1.1.3.1	Single Carrier Units.....	23
2.2.3.1.1.3.2	Multi-Carrier Units.....	23
2.2.3.1.1.4	Passband.....	23
2.2.3.1.1.5	Antenna Voltage Standing Wave Ratio .....	23
2.2.3.1.1.6	Radiated Antenna Intermodulation Products.....	23
2.2.3.1.1.6.1	Radiated Antenna Intermodulation Products in the GNSS Band.....	24
2.2.3.1.1.6.2	Radiated Antenna Intermodulation in AMS(R)S Bands.....	24
2.2.3.1.1.7	Carrier-to-Multipath Discrimination .....	25
2.2.3.1.1.8	Pattern Discrimination .....	25
2.2.3.1.1.9	Steered Antenna Requirements.....	25
2.2.3.1.1.9.1	Phase Discontinuity.....	25
2.2.3.1.1.9.2	Beam Switching Time .....	25
2.2.3.1.1.9.3	Steering Rate.....	25
2.2.3.1.1.9.4	Pattern Discrimination.....	26
2.2.3.1.2	Transceiver Subsystem.....	26
2.2.3.1.2.1	Transmitter Function .....	26
2.2.3.1.2.1.1	Minimum Power Output .....	26
2.2.3.1.2.1.2	Maximum Individual Carrier Output.....	26
2.2.3.1.2.1.3	Maximum Total Transceiver Output.....	27
2.2.3.1.2.1.4	Transmitter Function Intermodulation Performance.....	27
2.2.3.1.2.1.4.1	Narrow band (CW) Intermodulation Performance.....	28
2.2.3.1.2.1.4.2	Modulated Intermodulation Performance.....	29
2.2.3.1.2.1.5	Transmitter Function Harmonics, Discrete Spurious and Noise Density .....	29
2.2.3.1.2.1.6	Protection of Radio Astronomy .....	33
2.2.3.1.2.1.6.1	AES Transmitting on Frequencies Outside of the 1610-1626.5 MHz Band.....	33
2.2.3.1.2.1.6.2	AES Transmitting on Frequencies Within the 1610-1626.5 MHz Band .....	34
2.2.3.1.2.1.7	Carrier Off Level.....	35
2.2.3.1.2.1.8	Power Control.....	35
2.2.3.1.2.1.9	On-Channel Output Spectrum .....	35
2.2.3.1.2.1.10	Transmitter Operation in Moving Aircraft .....	35
2.2.3.1.2.2	Receiver Function .....	35
2.2.3.1.2.2.1	Receiver Sensitivity.....	35
2.2.3.1.2.2.1.1	Data.....	35
2.2.3.1.2.2.1.2	Voice.....	36
2.2.3.1.2.2.2	Receiver Bandwidth .....	36
2.2.3.1.2.2.3	Rejection of Signals Outside the NGSS Receive Band.....	36
2.2.3.1.2.2.4	Rejection of Carrier Signals Generated by Other AMS(R)S Equipment.....	36
2.2.3.1.2.2.5	Receiver Operation in Moving Aircraft.....	37
2.2.3.1.2.2.6	Receiver Susceptibility .....	37

2.2.3.1.3	Required Aircraft Interfaces.....	37
2.2.3.1.3.1	External Position .....	37
2.2.3.1.3.2	External Time Reference.....	37
2.2.3.2	User Link Modulation and Signal in Space.....	37
2.2.3.3	Priority, Precedence and Preemption.....	38
2.2.3.3.1	Packet Data.....	39
2.2.3.3.2	Circuit Mode Communications .....	39
2.2.3.4	Satellite Subnetwork Data Protocol (Satellite Layer 2).....	39
2.2.3.5	Voice Protocol.....	40
2.2.3.5.1	Vocoder Interoperability With Satellite Subnetwork.....	40
2.2.3.5.2	Vocoder Performance in an Aeronautical Environment.....	40
2.2.3.6	User Data Interfaces.....	41
2.2.3.6.1	ATN-Compliant Protocol.....	41
2.2.3.6.1.1	Join and Leave Requirements.....	43
2.2.3.6.1.2	ATN-Compliant Mapping for Priority, Precedence and Preemption.....	43
2.2.3.6.2	Data-2.....	43
2.2.3.6.3	Satellite Subnetwork Requirements .....	44
2.2.3.6.3.1	Satellite Subnetwork Dependent Protocol Requirements .....	44
2.2.3.6.3.2	ATN-compliant Requirements.....	45
2.2.3.6.3.3	Data 2 Requirements .....	45
2.2.3.6.4	External Physical and Data Link Layer Requirements.....	45
2.2.3.6.5	Avionics Subnetwork Interface Requirements for ISO-8208 Service.....	45
2.2.3.6.6	Alternative ATN-compliant Subnetwork Access Protocols.....	46
2.2.3.7	Circuit Mode Service Requirements.....	46
2.2.3.8	Recovery from Primary Power Interruption.....	46
2.2.3.9	Failure/Status Indication.....	47
2.3	Equipment Performance – Environmental Condition .....	47
2.3.1	General Requirements.....	47
2.3.2	Equipment Configurations .....	48
2.3.3	Configuration Control.....	48
2.3.4	Specific Environmental Test Conditions .....	48
2.3.5	Performance vs. Test Requirements Matrix .....	48
2.4	Equipment Performance Verification Procedures.....	53
2.4.1	Definitions of Terms and Conditions of Test .....	53
2.4.1.1	AES Application Test Conditions .....	55
2.4.1.1.1	Antenna Subsystem Test Conditions .....	55
2.4.1.1.1.1	Antenna Under Test.....	55
2.4.1.1.2	Transceiver Subsystem Test Conditions .....	55
2.4.1.1.3	Required Aircraft Interfaces Test Conditions.....	55
2.4.1.2	Satellite Subnetwork Test Conditions .....	55
2.4.1.3	Priority, Precedence, and Preemption Test Conditions .....	55
2.4.1.4	Satellite Subnetwork Data Protocol Test Conditions .....	55
2.4.1.5	Voice Protocol Test Conditions .....	56
2.4.1.6	User Data Interfaces Test Conditions .....	56
2.4.1.7	Circuit Mode Service Test Conditions.....	56
2.4.1.8	Recovery from Primary Power Failure Test Conditions.....	56
2.4.1.9	Failure/Status Indication Test Conditions .....	56
2.4.2	Required Test Equipment.....	56
2.4.2.1	AES Application.....	56
2.4.2.1.1	Antenna Subsystem Required Test Equipment .....	56
2.4.2.1.1.1	Standard Test Equipment .....	56

2.4.2.1.1.2	Special Test Equipment .....	57
2.4.2.1.2	Transceiver Subsystem Required Test Equipment .....	57
2.4.2.1.2.1	Standard Test Equipment .....	57
2.4.2.1.2.2	Special Test Equipment .....	57
2.4.2.1.3	Required Aircraft Interfaces Required Test Equipment .....	58
2.4.2.2	Modulation and Signal in Space Required Test Equipment.....	58
2.4.2.3	Priority, Precedence, and Preemption Test Equipment .....	59
2.4.2.3.1	Packet Data.....	59
2.4.2.3.2	Circuit Mode Communications .....	59
2.4.2.4	Satellite Subnetwork Data Protocol Test Equipment .....	59
2.4.2.5	Voice Protocol Required Test Equipment.....	59
2.4.2.6	User Data Interface Required Test Equipment .....	60
2.4.2.7	Circuit Mode Service Test Equipment.....	60
2.4.2.8	Recovery from Primary Power Interruption Test Equipment.....	60
2.4.2.9	Failure/Status Indication Test Equipment .....	60
2.4.3	Detailed Test Procedures.....	60
2.4.3.1	AES Application Requirements .....	60
2.4.3.1.1	Antenna Test Requirements .....	60
2.4.3.1.1.1	Polarization, Gain and Coverage Volume .....	61
2.4.3.1.1.2	Antenna Axial Ratio .....	62
2.4.3.1.1.3	Maximum Power Handling .....	63
2.4.3.1.1.4	Antenna Passband .....	64
2.4.3.1.1.5	Antenna VSWR.....	64
2.4.3.1.1.6	Radiated Antenna Intermodulation Products .....	65
2.4.3.1.1.6.1	Antenna Intermodulation in the CNS Band .....	65
2.4.3.1.1.6.2	Antenna Intermodulation in AMS(OPS Band(s).....	67
2.4.3.1.1.7	Carrier-to-Multipath Discrimination .....	69
2.4.3.1.1.8	Pattern Discrimination .....	70
2.4.3.1.1.9	Steered Antenna Requirements.....	70
2.4.3.1.1.9.1	Phase Discontinuity.....	70
2.4.3.1.1.9.2	Beam Switching Time .....	70
2.4.3.1.1.9.3	Steering Rate.....	71
2.4.3.1.1.9.4	Pattern Discrimination .....	71
2.4.3.1.2	Transceiver Subsystem Test Requirements .....	72
2.4.3.1.2.1	Transmitter Performance.....	72
2.4.3.1.2.1.1	Transmitter Minimum Power Output .....	72
2.4.3.1.2.1.2	Maximum Individual Carrier Output.....	73
2.4.3.1.2.1.3	Maximum Total Transceiver Output Carrier Power .....	73
2.4.3.1.2.1.4	Transceiver Intermodulation Products.....	74
2.4.3.1.2.1.4.1	Narrow Band Intermodulation Performance.....	74
2.4.3.1.2.1.4.2	Modulated Intermodulation Performance.....	76
2.4.3.1.2.1.5	Composite Harmonics, Spurious and Noise.....	76
2.4.3.1.2.1.6	Composite Emissions in the Radio Astronomy Band.....	79
2.4.3.1.2.1.7	Carrier Off Level.....	80
2.4.3.1.2.1.8	Power Control.....	81
2.4.3.1.2.1.9	On-Channel Output Spectrum .....	81
2.4.3.1.2.1.10	Transmitter Operation in Moving Aircraft .....	82
2.4.3.1.2.2	Receiver .....	83
2.4.3.1.2.2.1	Receiver Sensitivity.....	83
2.4.3.1.2.2.1.1	Receiver Sensitivity (Data).....	83
2.4.3.1.2.2.1.2	Receiver Sensitivity (Voice).....	85

2.4.3.1.2.2.2	Receiver Bandwidth .....	85
2.4.3.1.2.2.3	Rejection of Signals Outside NGSS Receive Band.....	85
2.4.3.1.2.2.4	Rejection of Carrier Signals Generated by Other AMS(R)S Equipment.....	87
2.4.3.1.2.2.5	Receiver Operation in Moving Aircraft.....	87
2.4.3.1.3	Required Aircraft Interfaces.....	87
2.4.3.2	Satellite Subnetwork Specific Test Requirements .....	87
2.4.3.3	Priority, Precedence and Preemption.....	88
2.4.3.3.1	Packet Data.....	88
2.4.3.3.2	Circuit Mode Communications .....	89
2.4.3.4	Satellite Subnetwork data Protocol (Satellite Layer 2).....	90
2.4.3.5	Voice Protocol.....	90
2.4.3.5.1	Vocoder Interoperability With Satellite Subnetwork.....	90
2.4.3.5.2	Vocoder Performance in an Aeronautical Environment.....	91
2.4.3.6	User Data Interfaces.....	91
2.4.3.6.1	ATN Interfaces.....	91
2.4.3.6.1.1	Join and Leave Requirements.....	91
2.4.3.6.1.2	ATN-compliant Mapping for Priority, Precedence, and Preemption.....	92
2.4.3.6.2	Data 2 .....	92
2.4.3.6.3	Satellite Subnetwork .....	92
2.4.3.6.3.1	Satellite Subnetwork Dependent Protocol.....	92
2.4.3.6.4	Avionics Subnetwork Interface .....	93
2.4.3.6.4.1	ATN Compliant Physical and Data Link Requirements.....	93
2.4.3.7	Circuit Mode Test Procedures .....	93
2.4.3.8	Recovery from Primary Power Interrupt Test Procedure.....	93
2.4.3.9	Failure/Status Indication Test Procedure.....	94
3	INSTALLED EQUIPMENT PERFORMANCE.....	97
3.1	Equipment Installation.....	97
3.1.1	Accessibility .....	97
3.1.2	Aircraft Environment.....	97
3.1.3	Display Visibility .....	97
3.1.4	Inadvertent Turn-Off.....	97
3.1.5	Failure Protection .....	97
3.1.6	Interface Interference Effects.....	97
3.1.7	Aircraft Power Source.....	97
3.2	Installed Equipment Performance Requirements.....	97
3.2.1	Radiated Antenna Intermodulation Products in AMS(R)S Bands .....	98
3.2.2	Declaration of Additional Isolation.....	98
3.3	Conditions of Test.....	98
3.3.1	Power Input.....	98
3.3.2	Environment .....	98
3.3.3	Adjustment of Equipment.....	98
3.3.4	Warm-up Period .....	99
3.4	Test Procedures for Installed Equipment Performance.....	99
3.4.1	Conformity Inspection .....	99
3.4.2	Interference Tests.....	99
3.4.2.1	Antenna Isolation.....	100
3.4.2.2	SATCOM B Interference to SATCOM A.....	100
3.4.2.3	SATCOM A Interference to SATCOM B.....	101
3.4.3	Power Fluctuation Tests.....	101

3.4.4	Ground Test Procedures.....	101
3.4.5	Flight Test Procedures .....	101
3.4.6	Installed System Performance Verification.....	102
3.4.6.1	Installed Functionality .....	102
3.4.6.2	Installed Antenna Coverage .....	102
4	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS.....	103
4.1	Operational Performance Requirements .....	103
4.1.1	Power Input.....	103
4.1.2	Communications Displays .....	103
4.1.3	Communications Controls .....	103
4.1.4	System Operational Indication .....	103
4.1.5	Equipment Operating Limitations .....	103
4.2	Test Procedures for Operational Performance Requirements .....	103
4.2.1	Power Input.....	103
4.2.2	Communications Displays .....	103
4.2.3	Communications Controls .....	104
4.2.4	System Operational Indication .....	104

## APPENDICES

Appendix A – GLOSSARY, ACRONYMS AND DEFINITIONS

Appendix B – NORMATIVE REQUIREMENTS FOR JO-8.08 COMPLIANT INTERFACES

Appendix C – RECOMMENDED STANDARDS FOR AMSS EQUIPMENT NOT PROVIDING AMS(R)S SAFETY SERVICES

## TABLE OF FIGURES

<u>Figure 1-1</u>	Aeronautical Mobile Satellite Service (AMSS) End-to-End Model.....	5
<u>Figure 1-2</u>	Generic Block Diagram of Aircraft Earth Station .....	6
<u>Figure 2-1</u>	Requirements Mapping.....	19
<u>Figure 2-2</u>	Discrete Spurious Adjustment in 1565-1585 MHz Band .....	33
<u>Figure 2-3</u>	Discrete Spurious Adjustment in the 1585-1605 MHz Band.....	34
<u>Figure 2-4</u>	Satellite Subnetwork Architecture (Airborne Side) .....	42
<u>Figure 2-5</u>	Adjustment of Higher Level Entity User Data for Data 2 Transmissions .....	44
<u>Figure 2-6</u>	Antenna Gain/Polarization/Axial Ratio Test Setup .....	61
<u>Figure 2-7</u>	Power Handling Test Setup.....	64
<u>Figure 2-8</u>	Voltage Standing Wave Ratio (VSWR) Test.....	65
<u>Figure 2-9</u>	Radiated Antenna Intermodulation Products in the GNSS Band .....	66
<u>Figure 2-10</u>	Beam Switching Time.....	71
<u>Figure 2-11</u>	Minimum Power, Maximum Power, Power Control Test Setup .....	72
<u>Figure 2-12</u>	Maximum Total Transceiver Output Test Setup.....	74
<u>Figure 2-13</u>	Transceiver Intermodulation Product Test Set Up.....	75
<u>Figure 2-14</u>	Harmonic, Spurious, Noise Wide Band Emissions Test Set Up.....	77
<u>Figure 2-15</u>	Harmonic, Spurious, Noise Near Passband Frequency Test Set Up.....	78
<u>Figure 2-16</u>	Harmonic Emissions Test Set Up.....	79
<u>Figure 2-17</u>	Composite IM/HSN Test Setup .....	79
<u>Figure 2-18</u>	Carrier Off Level Test Setup .....	81
<u>Figure 2-19</u>	Moving Aircraft (Doppler) Test Setup.....	82
<u>Figure 2-20</u>	Transceiver Sensitivity Test Set Up.....	84
<u>Figure 2-21</u>	Test Set Up for Rejection of Signals Inside and Outside of Band Tests .....	86
<u>Figure 2-22</u>	High-Level Test Set Up for DCE Interface Testing .....	92
<u>Figure 2-23</u>	Power Interruption Test Set-Up.....	94
<u>Figure 2-24</u>	Failure/Status Indication Test Setup.....	95

## TABLE OF TABLES

<u>Table 2-1</u>	List of Parameters to be Quantified in Normative Technique-Specific Appendices.....	20
<u>Table 2-2</u>	Maximum Carrier Output Level.....	27
<u>Table 2-3</u>	Intermodulation Products for Unmodulated Transceiver Output.....	28
<u>Table 2-4</u>	In-Band and Transition Intermodulation Requirements.....	28
<u>Table 2-5</u>	Harmonic, Spurious and Noise Requirements .....	31
<u>Table 2-6</u>	In-Band and Transition Harmonic, Spurious and Noise Requirements .....	32
<u>Table 2-7</u>	Minimum AMS(R)S Priority Structure.....	38
<u>Table 2-8</u>	DO-160D Performance vs. Test Requirements Matrix .....	49
<u>Table 2-9</u>	DO-160D Sections Applicable to the AES.....	51

This page intentionally left blank.

---

## 1 PURPOSE AND SCOPE

### 1.1 Introduction

This document contains minimum operational performance standards (MOPS) for avionics that provide Aeronautical Mobile Satellite (R) Services (AMS(R)S) by means of satellite communications technologies scheduled to become operational after the year 2000. Each of these technologies is individually and collectively referred to as a "Next Generation Satellite System" (NGSS), and the NGSS nomenclature will be used throughout this document. This document does not apply to avionics that provide AMS(R)S in accordance with the Standards and Recommended Practices defined in ICAO Annex 10, Part I, Volume III, Chapter 4 (Chapter 4 SARPS). Such equipment is specified in the current version of RTCA DO-210.

Compliance with these standards is recommended as one means of assuring that NGSS avionics will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

This document contains a generic description of a satellite communication system configuration including Ground Subnetworks; NGSS Satellite Subnetworks, of which the Aircraft Earth Station (AES) is one part; and Aircraft Subnetworks. However, the specified Minimum Operational Performance Standards in this document address only the AES portion of the Satellite Subnetwork.

To comply with the minimum requirements of this document, an NGSS applicant is required to submit information regarding the technical characteristics of the NGSS. These technology-specific technical requirements for each such system will become normative attachments to this document. It is anticipated that such technology-specific attachments will be added to this document as the particular NGSS becomes operational for AMS(R)S.

This document covers typical NGSS avionics requirements and tests for the aircraft avionics. It includes the purpose, scope and equipment performance requirements, recommended bench tests and other performance verification procedures, and installed-equipment tests and operational performance characteristics. Detailed requirements and test procedures are based on the technical characteristics documented in the normative attachments, as discussed in the previous paragraph.

A companion document, *Minimum Aviation System Performance Standards (MASPS) for the Aeronautical Mobile-Satellite (R) Service (AMS(R)S) as Used in Aeronautical Data Links*, should be available in early 2001. The MASPS should be consulted for operational requirements at the air/ground system level, and for details of specific systems providing AMS(R)S. RTCA documents DO-215A and DO-231 provide guidance on overall data and voice performance issues.

### 1.2 Document Overview

Section 1 of this document provides general background information needed to understand the NGSS equipment and system characteristics and requirements stated in the remaining sections. It describes typical applications and operational goals as