

RTCA, Inc.
1150 18th St. NW, Suite 910
Washington, D.C. 20036, U.S.A.

**Minimum Operational Performance Standards
for Avionics Supporting Next Generation
Satellite Systems (NGSS)**

RTCA DO-262B
June 17, 2014

Prepared by: SC-222
©2014 RTCA, Inc.

Copies of this document may be obtained from
RTCA, Inc.
Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This document was prepared by Special Committee 222 (SC-222) and was approved by the RTCA Program Management Committee (PMC) on June 17, 2014.

RTCA, Incorporated is not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation, and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunications Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

Currently in preview, click buy full version

This Page Intentionally Left Blank

TABLE OF CONTENTS

1	PURPOSE AND SCOPE.....	1
1.1	Introduction	1
1.2	Document Overview.....	1
1.3	System Overview.....	3
1.4	Operational Applications.....	8
1.5	Assumptions and Postulated Environment.....	10
1.6	Overview of Test and Performance Verification Procedures.....	12
2	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES	17
2.1	General Requirements	17
2.2	Equipment Performance Requirements, Standard Conditions	18
2.3	Equipment Performance – Environmental Conditions.....	48
2.4	Equipment Performance Verification Procedures	54
3	INSTALLED EQUIPMENT PERFORMANCE	97
3.1	Equipment Installation.....	97
3.2	Installed Equipment Performance Requirements	97
3.3	Conditions of Test	98
3.4	Test Procedures for Installed Equipment Performance.....	99
4	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS.....	103
4.1	Operational Performance Requirements.....	103
4.2	Test Procedures for Operational Performance Requirements	103
5	MEMBERSHIP	105
	APPENDIX A GLOSSARY, ACRONYMS AND DEFINITIONS.....	A-1
	APPENDIX B INTERFERENCE MODEL FOR EMISSIONS ASSOCIATED WITH ANCILLIARY TERRESTRIAL COMPONENT (ATCT) GROUND STATIONS	B-1
1	INTRODUCTION	B-1
1.1	Assumptions on Higher Layer Packet Data Interfaces.....	B-2
2	ISO-8208 PROTOCOL REQUIREMENTS	B-2
2.1	ISO-8208 Priority Mapping.....	B-2
2.2	ISO-8208 Protocol Implementation Conformance.....	B-2
2.3	AES Operation as DCE in ISO-8208 Environment.....	B-4
2.4	State Transitions	B-4

2.5	DCE Timer	B16
3	ISO-8208 PROTOCOL VERIFICATION PROCEDURES	B-17
3.1	Packet Data Priority, Precedence and Preemption	B-19
3.2	ISO-8208 Protocol Implementation Conformance	B-21
3.3	AES Operation as a DCE in ISO-8208 Environment	B-21
3.4	State Transition Test Procedures	B-21
3.5	Packet Assembly	B-35
3.6	ISO-8208 DCE Timer Test Procedures	B-44
4	TEST EQUIPMENT	B-45
4.1	Standard Test Equipment	B-45
4.2	Special Test Equipment	B-45
4.3	Test Configuration	B-46
APPENDIX C – RECOMMENDED STANDARDS FO AMSS EQUIPMENT NOT PROVIDING AMS(R)S.....		C-1
APPENDIX D NORMATIVE REQUIREMENTS FOR Iridium AMS(R)S EQUIPMENT		D-1
1	INTRODUCTION	D-1
1.1	Scope and Objectives	D-1
1.2	Iridium Satellite Network	D-3
1.3	Iridium AMS(R)S System	D-23
2	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES	D-29
2.1	General Requirements	D-29
2.2	Equipment Performance Requirements Standard Conditions	D-31
2.3	Equipment Performance - Environmental Conditions	D-61
2.4	Equipment Performance Verification Procedures	D-70
3	INSTALLED EQUIPMENT PERFORMANCE	D-110
3.1	Equipment Installation	D-110
3.2	Installed Equipment Performance Requirements	D-111
3.3	Conditions of Test	D-111
3.4	Test Procedures for Installed Equipment Performance	D-112
4	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS.....	D-116
4.1	Operational Performance Requirements.....	D-116
4.2	Test Procedures for Operational Performance Requirements	D-116
5	AES CLASSIFICATION CONFIGURATION AND TEST REFERENCE.....	D-117
5.1	AES Configurations.....	D-117
5.2	AES Test Reference	D-118
6	ABBREVIATIONS.....	D-125

**APPENDIX E – NORMATIVE REQUIREMENTS FOR INMARSAT SWIFTBROADBAND
AMS(R)S EQUIPMENT.....E-1**

1	INTRODUCTION	E-1
1.1	Scope and Objectives	E-1
1.2	Document Overview.....	E-3
1.3	System Design and Description.....	E-6
2	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES	E-19
2.1	General Requirements	E-19
2.2	Equipment Performance Requirements – Standard Conditions	E-21
2.3	Equipment Performance - Environmental Conditions.....	E-68
2.4	Equipment Performance Verification Procedures	E-78
3	INSTALLED EQUIPMENT PERFORMANCE.....	E-132
3.1	Equipment Installation.....	E-132
3.2	Installed Equipment Performance Requirements	E-135
3.3	Conditions of Test	E-136
3.4	Test Procedures for Installed Equipment Performance	E-137
4	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS.....	E-143
4.1	Operational Performance Requirements.....	E-143
4.2	Test Procedures for Operational Performance Requirements	E-144
5	REQUIREMENTS CROSS-REFERENCE	E-145
6	ABBREVIATIONS.....	E-152

TABLE OF FIGURES

Figure 1-1 Aeronautical Mobile Satellite Service (AMSS) End-to-End Model	5
Figure 1-2 Generic Block Diagram of Aircraft Earth Station.....	6
Figure 2-1 Requirements Mapping	19
Figure 2-2 Discrete Spurious Adjustment in 1565-1585 MHz Band.....	34
Figure 2-3 Discrete Spurious Adjustment in the 1585-1605 MHz Band.....	35
Figure 2-4 Satellite Subnetwork Architecture (Airborne Side)	43
Figure 2-5 Adjustment of Higher Level Entity User Data for Data 2 Transmissions.....	45
Figure 2-6 Antenna Gain/Polarization/Axial Ratio Test Setup.....	62
Figure 2-7 Power Handling Test Setup.....	65
Figure 2-8 Voltage Standing Wave Ratio (VSWR) Test.....	66
Figure 2-9 Radiated Antenna Intermodulation Products in the GNSS Band.....	67
Figure 2-10 Beam Switching Time.....	72
Figure 2-11 Minimum Power, Maximum Power, Power Control Test Setup.....	73
Figure 2-12 Maximum Total Transceiver Output Test Setup.....	75
Figure 2-13 Transceiver Intermodulation Product Test Set Up.....	76
Figure 2-14 Harmonic, Spurious, Noise Wide Band Emissions Test Set Up.....	78
Figure 2-15 Harmonic, Spurious, Noise Near Passband Frequency Test Set Up.....	79
Figure 2-16 Harmonic Emissions Test Set Up.....	80
Figure 2-17 Composite IM/HSN Test Setup.....	80
Figure 2-18 Carrier Off Level Test Setup.....	82
Figure 2-19 Moving Aircraft (Doppler) Test Setup.....	83
Figure 2-20 Transceiver Sensitivity Test Set Up.....	85
Figure 2-21 Test Set Up for Rejection of Signals Inside and Outside of Band Tests.....	87
Figure 2-22 High-Level Test Set Up for DCE Interface Testing.....	93
Figure 2-23 Power Interruption Test Set-Up	95
Figure 2-24 Failure/Status Indication Test Setup.....	96
Figure B-1: Satellite Subnetwork Architecture (IS 9-8208)	1
Figure B-3: DCE Substate Hierarchy.....	4
Figure 5: High-Level Test Set Up for DCE Interface Testing.....	46
Figure 1-1 Key Elements of the Iridium A W3(R)S.....	4
Figure 1-2 Iridium 66-Satellite Constellation.....	5
Figure 1-3 Iridium Spot-Beam Configuration	6
Figure 1-4 Iridium Channel Structure Hierarchy	7
Figure 1-5 Iridium TDMA Structure	9
Figure 1-6 FDMA Frequency Plan	12
Figure 1-7 Protocol Particulars.....	16
Figure 1-8 Iridium RUD CS Mobile Originated Data Call Setup	19
Figure 1-9 System Architecture of Iridium Services	21
Figure 1-10 MCMBL Call sequence diagram	21
Figure 1-11 Iridium Aviation Safety Services Air-to-Ground (AtG) Voice (End-to-End Model)	24
Figure 1-12 Iridium Aviation Safety Services Air-to-Ground (AtG) Data (End-to-End Model)	24
Figure 1-13 Block Diagram of Aircraft Earth Station AES1	26
Figure 1-14 Block Diagram of Aircraft Earth Station AES2.....	26
Figure 1-15 Block Diagram of Aircraft Earth Station AES3.....	27
Figure 2-1 Requirements Mapping	31
Figure 2-2 Satellite Subnetwork Architecture (Airborne Side)	56
Figure 2-3 Antenna Gain/Polarization/Axial Ratio Test Setup.....	78
Figure 2-4 Power Handling Test Setup.....	79
Figure 2-5 Voltage Standing Wave Ratio (VSWR) Test.....	80

Figure 2-6 Radiated Antenna Intermodulation Products in the GNSS Band.....	82
Figure 2-7 Minimum Power, Maximum Power Test Setup.....	86
Figure 2-8 AES Intermodulation Product Test Set Up	88
Figure 2-9 Transmitter Harmonic, Discrete Spurious, Noise Density Wide Band Emissions Test Set Up	90
Figure 2-10 Test Set Up receiver sensitivity.....	94
Figure 2-11 Test Set Up for Rejection of Signals Inside and Outside of Band Tests.....	98
Figure 2-12 Test Set Up for Receiver Susceptibility	100
Figure 2-13 Satellite Sub-network Compliance Testing and Approval Process.....	102
Figure 2-14 High-Level Test Set Up for DCE Interface Testing.....	106
Figure 2-15 Power Interruption Test Set-Up	108
Figure 2-16 Failure/Status Indication Test Setup	109
Figure 1-1 AMS(R)S System, with Notional Partitioning.....	1
Figure 1-2 AES Requirements Map.....	2
Figure 1-3 SwiftBroadband Services	8
Figure 1-4: Example I4 Regional Beams.....	10
Figure 1-5: Example I4 Narrow Spot Beams.....	11
Figure 1-6 Main Functions of an AES.....	12
Figure 1-7. Frequency plan for Standard L-Band and Extended L-Band	15
Figure 2-1 Block Diagram of an AES4 and its Major System Components.....	22
Figure 2-2 Block Diagram of an AES6 and its Major System Components.....	22
Figure 2-3 Block Diagram of an AES7 and its Major System Components.....	23
Figure 2-4 Overview of Inmarsat Type Approval Process	31
Figure 2-5 Class 6 & 7 Interferer Levels	51
Figure 2-6 Interferer Level Class 4.....	51
Figure 2-7 Logical functional elements to be considered for Priority, Precedence and Pre-emption.....	58
Figure 2-8 Typical voice circuits with test points.....	64
Figure 2-9 Power Handling Test Setup.....	87
Figure 2-10 VSWR Test Setup	88
Figure 2-11 Block Diagram of Radiated IM in the GNSS Band Test Setup	90
Figure 2-12 Antenna Steering Rate Test Setup.....	92
Figure 2-13 Typical Antenna Test Range	94
Figure 2-14 Typical Two-Port Device Measurement Setup	99
Figure 2-15 Typical Self Calibration Configuration for a Noise Figure Meter	100
Figure 2-16 DLNA Measurement.....	101
Figure 2-17 HPA Test Setup.....	101
Figure 2-18 Measuring P_{Hot} and P_{Cold}	103
Figure 2-19 TAnt Measurement	105
Figure 2-20 Transceiver Intermodulation Product Test Set Up.....	109
Figure 2-21 Test Setup for Rejection of Signals Outside the GNSS Receive Band.....	115
Figure 2-22 Receiver Susceptibility Test Setup.....	116
Figure 2-23 Typical DLNA Test Setup.....	118
Figure 2-24 Typical DLNA Noise Figure Test Setup.....	119
Figure 2-25 Typical PIM Test Setup.....	121
Figure 2-26 Typical Transmit Power Test Set-up.....	122

TABLE OF TABLES

Table 2-1 List of Parameters to be Quantified in Normative Technique-Specific Appendices.....	20
Table 2-2 Maximum Total Transceiver Output Level.....	27
Table 2-3 Intermodulation Products for Unmodulated Transceiver Output.....	29
Table 2-4 In-Band and Transition Intermodulation Requirements.....	29
Table 2-5a Harmonic, Spurious and Noise Requirements for Protection of GPS and GLONASS.....	32
Table 2-5b Harmonic, Spurious and Noise Requirements for Protection of only GPS.....	32
Table 2-6 In-Band and Transition Harmonic, Spurious and Noise Requirements.....	33
Table 2-7 Minimum AMS(R)S Priority Structure.....	33
Table B-1: NGSS Packet-Mode Connection Precedence Mapping.....	3
Table B-3: DCE Actions at State Transition.....	6
Table B-3: DCE Special Cases.....	7
Table B-5: DTE Effect on DCE Restart States.....	8
Table B-7: DTE Effect on DCE Call Setup and Clearing States.....	10
Table B-9: DTE Effect on DCE Reset Status.....	12
Table B-11: DTE Effect on DCE Interrupt Transfer Status.....	13
Table B-10: DTE Effect on Flow Control Transfer States.....	14
Table B-14: DCE TIMER.....	17
Table 1-1 Sub- Band Frequency Allocation.....	10
Table 1-2 Reuse Unit Frequency Accesses.....	11
Table 1-3 Simplex Frequency Allocation.....	12
Table 2-1 DO-262 Requirements Sections Applicable for Dual Dissimilar SATCOM Installations.....	30
Table 2-2 AES Class Identifiers.....	32
Table 2-3 Valid Combination of AES System Components.....	34
Table 2-4 List of Parameters Quantified in the Iridium Normative Appendix.....	35
Table 2-5 Antenna Weighting Factor.....	39
Table 2-6 Harmonic, Spurious and Noise Requirements for AES Equipment with $EIRP_{MAX}$ greater than or equal to 15 dBW.....	44
Table 2-7 Harmonic, Spurious and Noise Requirements for AES Equipment with $EIRP_{MAX}$ less than 15 dBW.....	46
Table 2-8 Maximum EIRP of the Unwanted Emissions in the Carrier-off State.....	48
Table 2-9 Maximum Unwanted Emissions Within the Band 1610 – 1626.5 MHz and the Band 1626.5 – 1628.5 MHz of an AES Operating Such That the Nominated Bandwidth is Entirely or Partially Contained in the Frequency Band 1618.25 – 1626.5 MHz (ETSI EN 301 473 v1.4.1 Table 3).....	48
Table 2-10 Minimum AMS(P) Priority Structure.....	52
Table 2-11 DO-160G Performance vs. Test Requirements Matrix.....	63
Table 2-12 DO-160G Sections Applicable to the AES.....	67
Table 5-1 AES Configurations.....	117
Table 5-2 AES Test Reference.....	118
Table 1-1 Applicable Documents.....	3
Table 1-2 Applicable Inmarsat SDM Chapters and version numbers.....	4
Table 1-3 Applicable Inmarsat MTRs and version numbers.....	5
Table 2-1 Valid Combinations of System Components.....	25
Table 2-2 Cable losses for AES6 and AES7.....	26
Table 2-3 List of Parameters Applicable to a Complete SwiftBroadband AES.....	27
Table 2-4 Class 4 G/T and EIRP requirements.....	35
Table 2-5 Harmonics, discrete spurious and noise density limits for AES4.....	43
Table 2-6 Harmonics, Discrete Spurious and Noise Density Limits for AES6 and AES7.....	44
Table 2-7. AES4 Unwanted Emissions Limits with Carrier Off.....	46
Table 2-8. AES6 and AES7 Unwanted Emissions Limits with Carrier Off.....	46

Table 2-9 Limits for In-band Emissions for AES4	47
Table 2-10 Alternative Limits for In-band Emissions for AES4	48
Table 2-11 Limits for In-band Emissions for AES6 and AES7	48
Table 2-12 Nominated Bandwidth of Transmit Bearers	49
Table 2-13 DLNA Types	53
Table 2-14 DMA Antenna Port to Receive Port Rejection.....	53
Table 2-15 DMA Transmit Port to Antenna Port Rejection	54
Table 2-16 DMA Transmit Port to LNA Output Port Rejection	54
Table 2-17 DF Antenna Port to Receive Port Rejection	55
Table 2-18 DF Transmit Port to Antenna Port Rejection	55
Table 2-19 DF Transmit Port to Receive Port Rejection	56
Table 2-20 Voice call priority identifiers.....	59
Table 2-21 Relative attenuation of voice port.....	64
Table 2-22 Total voice distortion limits.....	64
Table 2-23 DO-160G Performance vs. Environmental Requirements Matrix.....	70
Table 2-24 DO-160G Sections Applicable to the AES.....	75
Table 2-25 Transmit Test Frequencies.....	80
Table 2-26 Receive Test Frequencies	80
Table 2-27 Transmit Test Frequencies for Antennas.....	85
Table 2-28 Receive Test Frequencies for Antennas	86
Table 2-29 Scattering Power Densities for Rough Sea State Computation	96
Table 2-30 Beam Directions to be Measured.....	98
Table 2-31 Intermodulation Limits	109
Table 2-32 DLNA Receive Path Power Level and Measurement	120
Table 5-1 Requirements Cross-reference.....	145

This Page Intentionally Left Blank.

1 PURPOSE AND SCOPE

1.1 Introduction

This document contains minimum operational performance standards (MOPS) for avionics that provide Aeronautical Mobile Satellite (R) Services (AMS(R)S) by means of satellite communications technologies scheduled to become operational after the year 2000. Each of these technologies is individually and collectively referred to as a "Next Generation Satellite System" (NGSS), and the NGSS nomenclature will be used throughout this document. This document does not apply to avionics that provide AMS(R)S in accordance with the Standards and Recommended Practices defined in ICAO Annex 10, Part I, Volume III, Chapter 4 (Chapter 4 SARPS). Such equipment is specified in the current version of RTCA DO-210.

Compliance with these standards is recommended as one means of assuring that NGSS avionics will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

This document contains a generic description of a satellite communication system configuration including Ground Subnetworks; NGSS Satellite Subnetworks, of which the Aircraft Earth Station (AES) is one part; and Aircraft Subnetworks. However, the specified Minimum Operational Performance Standards in this document address only the AES portion of the Satellite Subnetwork.

To comply with the minimum requirements of an application for certification or other approval, an NGSS applicant is required to submit information regarding the technical characteristics of the NGSS. These technology-specific technical requirements for each such system will become normative appendices to this document. It is anticipated that such technology-specific appendices will be created as the particular NGSS becomes operational for AMS(R)S.

This document covers typical NGSS avionics requirements and tests for the aircraft avionics. It includes the purpose, scope and equipment performance requirements, recommended bench tests and other performance verification procedures, and installed-equipment tests and operational performance characteristics. Detailed requirements and test procedures are based on the technical characteristics documented in the normative appendices, as discussed in the previous paragraph.

A companion document, *Minimum Aviation System Performance Standards (MASPS) for the Aeronautical Mobile-Satellite (R) Service (AMS(R)S) as Used in Aeronautical Data Links*, should be available in early 2001. The MASPS should be consulted for operational requirements at the air/ground system level, and for details of specific systems providing AMS(R)S. RTCA documents DO-215A and DO-231 provide guidance on overall data and voice performance issues.

1.2 Document Overview

Section 1 of this document provides general background information needed to understand the NGSS equipment and system characteristics and requirements stated in the remaining sections. It describes typical applications and operational goals as