

RTCA, Inc.
1150 18th Street NW, Suite 910
Washington, DC 20036
USA

**Minimum Operational Performance Standards
for Avionics Supporting Next Generation Satellite
Systems (NGSS)**

RTCA DO-262F
June 17, 2021

Prepared by: SC-222
© 2021 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-8335

Facsimile: 202-333-9434

Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This document was prepared by Special Committee 222 (SC-222) jointly with EUROCAE Working Group 82 (WG-82) and approved by the RTCA Program Management Committee (PMC) on June 17, 2021 and the EUROCAE Council on June 22, 2021.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders and several advisory circulars.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

DISCLAIMER

This publication is based on material submitted by various participants during the SC approval process. Neither the SC nor RTCA has made any determination whether these materials could be subject to valid claims of patent, copyright or other proprietary rights by third parties, and no representation or warranty, expressed or implied is made in this regard. Any use of or reliance on this document shall constitute an acceptance thereof and be subject to this disclaimer.

This Page Intentionally Left Blank

TABLE OF CONTENTS

1	PURPOSE AND SCOPE.....	1
1.1	Introduction.....	1
1.2	Document Overview	1
1.2.1	Reference Documents.....	2
1.3	System Overview	3
1.3.1	System Elements and Functions.....	3
1.3.1.1	Aircraft Earth Station (AES)	3
1.3.1.2	Ground Earth Station (GES).....	4
1.3.1.3	Network Control and Coordination Function	5
1.3.1.4	Satellites	6
1.3.1.5	Satellite System Coverage	7
1.3.2	Communications Protocols.....	7
1.4	Operational Applications.....	8
1.4.1	Compatibility and Interoperability.....	8
1.4.1.1	Protection of Radio Astronomy	9
1.4.2	End-to-End Service Criteria.....	9
1.5	Assumptions and Postulated Environment.....	9
1.5.1	Coverage	9
1.5.2	Data versus Voice Communications.....	9
1.5.3	Safety	10
1.5.4	Priority, Precedence and Preemption	10
1.5.5	Assumptions on Higher Layer Packet Data Interfaces.....	10
1.5.6	Assumptions on Voice Communications Using Digitized Voice	10
1.5.7	Assumptions on Aircraft Motion.....	10
1.5.8	Assumptions on Same-Aircraft Interference	11
1.6	Overview of Test and Performance Verification Procedures.....	11
1.6.1	Environmental Tests and Performance Verification	11
1.6.2	Bench Tests and Performance Verification.....	11
1.6.3	Installed Equipment Tests and Performance Verification.....	11
1.6.4	Operational Tests and Performance Verification	12
1.7	Definitions of Standard Terms Used in this Document	12
2	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES .	15
2.1	General Requirements.....	15
2.1.1	Adaptability.....	15
2.1.2	Intended Function	15
2.1.3	ITU Regulations and Federal Communications Commission's Rules	15
2.1.4	Fire Protection.....	15
2.1.5	Operation of Controls.....	15
2.1.6	Accessibility of Controls	15
2.1.7	Effects of Tests.....	15
2.1.8	Performance in a Shared Environment.....	15
2.2	Equipment Performance Requirements, Standard Conditions	16
2.2.1	Avionics Subsystem Definitions and Overall Requirements	16
2.2.2	Definition of System Specific Parameters	17

2.2.3	Detailed Requirements-----	19
2.2.3.1	AES Application Requirements-----	20
2.2.3.2	User Link Modulation and Signal in Space-----	36
2.2.3.3	Priority, Precedence and Preemption-----	36
2.2.3.4	Satellite Subnetwork Data Protocol (Satellite Layer 2)-----	38
2.2.3.5	Voice Protocol-----	38
2.2.3.6	User Data Interfaces-----	39
2.2.3.7	Circuit Mode Service Requirements-----	43
2.2.3.8	Recovery from Primary Power Interruption-----	43
2.2.3.9	Failure/Status Indication-----	43
2.3	Equipment Performance – Environmental Conditions.....	43
2.3.1	General Requirements-----	43
2.3.2	Equipment Configurations-----	44
2.3.3	Configuration Control-----	44
2.3.4	Specific Environmental Test Conditions-----	44
2.3.5	Performance vs. Test Requirements Matrix-----	44
2.4	Equipment Performance Verification Procedures.....	50
2.4.1	Definitions of Terms and Conditions of Test-----	50
2.4.1.1	AES Application Test Conditions-----	51
2.4.1.2	Satellite Subnetwork Test Conditions-----	52
2.4.1.3	Priority, Precedence, and Preemption Test Conditions-----	52
2.4.1.4	Satellite Subnetwork Data Protocol Test Conditions-----	52
2.4.1.5	Voice Protocol Test Conditions-----	52
2.4.1.6	User Data Interfaces Test Conditions-----	52
2.4.1.7	Circuit Mode Service Test Conditions-----	52
2.4.1.8	Recovery from Primary Power Failure Test Conditions-----	52
2.4.1.9	Failure/Status Indication Test Condition-----	52
2.4.2	Required Test Equipment-----	53
2.4.2.1	AES Application-----	53
2.4.2.2	Modulation and Signal in Space Required Test Equipment-----	54
2.4.2.3	Priority, Precedence, and Preemption Test Equipment-----	55
2.4.2.4	Satellite Subnetwork Data Protocol Test Equipment-----	55
2.4.2.5	Voice Protocol Required Test Equipment-----	55
2.4.2.6	User Data Interface Required Test Equipment-----	55
2.4.2.7	Circuit Mode Service Test Equipment-----	55
2.4.2.8	Recovery from Primary Power Interruption Test Equipment-----	55
2.4.2.9	Failure/Status Indication Test Equipment-----	56
2.4.3	Detailed Test Procedures-----	56
2.4.3.1	AES Application Requirements-----	56
2.4.3.2	Satellite Subnetwork Specific Test Requirements-----	80
2.4.3.3	Priority, Precedence and Preemption-----	80
2.4.3.4	Satellite Subnetwork data Protocol (Satellite Layer 2)-----	82
2.4.3.5	Voice Protocol-----	82
2.4.3.6	User Data Interfaces-----	82
2.4.3.7	Circuit Mode Test Procedures-----	84
2.4.3.8	Recovery from Primary Power Interrupt Test Procedure-----	84
2.4.3.9	Failure/Status Indication Test Procedure-----	85
	INSTALLED EQUIPMENT PERFORMANCE	87
3.1	Equipment Installation	87
3.1.1	Accessibility-----	87
3.2	Aircraft Environment	87
3.2.1	Display Visibility-----	87

3.2.2	Inadvertent Turn-Off-----	87
3.2.3	Failure Protection-----	87
3.2.4	Interface Interference Effects-----	87
3.2.5	Aircraft Power Source-----	87
3.3	Installed Equipment Performance Requirements	87
3.3.1	Radiated Antenna Intermodulation Products in AMS(R)S Bands-----	87
3.3.2	Declaration of Additional Isolation-----	88
3.4	Conditions of Test	88
3.4.1	Power Input-----	88
3.4.2	Environment-----	88
3.4.3	Adjustment of Equipment-----	88
3.4.4	Warm-up Period-----	88
3.5	Test Procedures for Installed Equipment Performance	88
3.5.1	Conformity Inspection-----	88
3.5.2	Interference Tests-----	89
3.5.2.1	Antenna Isolation-----	89
3.5.2.2	SATCOM B Interference to SATCOM A-----	90
3.5.2.3	SATCOM A Interference to SATCOM B-----	90
3.5.3	Power Fluctuation Tests-----	90
3.5.4	Ground Test Procedures-----	90
3.5.5	Flight Test Procedures-----	90
3.5.6	Installed System Performance Verification-----	91
3.5.6.1	Installed Functionality-----	91
3.5.6.2	Installed Antenna Coverage-----	91
4	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS	93
4.1	Operational Performance Requirements	93
4.1.1	Power Input-----	93
4.1.2	Communications Displays-----	93
4.1.3	Communications Controls-----	93
4.1.4	System Operational Indication-----	93
4.1.5	Equipment Operating Limitations-----	93
4.2	Test Procedures for Operational Performance Requirements	93
4.2.1	Power Input-----	93
4.2.2	Communications Displays-----	93
4.2.3	Communications Controls-----	93
4.2.4	System Operational Indication-----	93
5	MEMBERSHIP	95
APPENDIX A: GLOSSARY, ACRONYMS AND DEFINITIONS		A-1
APPENDIX B: REQUIREMENTS AND VERIFICATION PROCEDURES FOR ISO-8208 COMMUNICANT AES INTERFACE		B-1
APPENDIX C: RECOMMENDED STANDARDS FOR AMSS EQUIPMENT NOT PROCEEDING AMS(R)S		C-1
APPENDIX D: NORMATIVE REQUIREMENTS FOR IRIDIUM AMS(R)S EQUIPMENT		D-1
D.1	Introduction	D-1
D.1.1	Scope and Objectives-----	D-1
D.1.2	Document Overview-----	D-1
D.1.3	Iridium as a Commercial Service-----	D-2

D.1.4	Applicable Documents-----	D-2
D.1.5	Iridium Satellite Network -----	D-3
D.1.5.1	Overview -----	D-3
D.1.5.2	International Telecommunication Union (ITU) Frequency Assignment -----	D-3
D.1.5.3	System Architecture -----	D-3
D.1.5.4	Space Segment-----	D-4
D.1.5.5	Terrestrial Segment -----	D-6
D.1.5.6	Channel Classifications-----	D-6
D.1.5.7	Channel Multiplexing-----	D-8
D.1.5.8	L-Band (1616-1626.5 MHz) Transmission Characteristics-----	D-11
D.1.5.9	Call Processing -----	D-12
D.1.5.10	Voice and Data Traffic Channel -----	D-17
D.1.5.11	Iridium Data Services – RUDICS and SBD-----	D-18
D.1.6	Iridium AMS(R)S System-----	D-20
D.1.6.1	Iridium Network for AMS(R)S -----	D-21
D.1.6.2	Iridium-Based AES for AMS(R)S-----	D-22
D.1.6.3	Iridium Space Segment-----	D-24
D.1.6.4	Iridium Ground-Based Server for AMS(R)S-----	D-24
D.1.6.5	Installation Environment -----	D-24
D.2	Equipment Performance Requirements and Test Procedures	D-25
D.2.1	General Requirements -----	D-25
D.2.1.1	Airworthiness -----	D-25
D.2.1.2	Intended Function -----	D-25
D.2.1.3	Federal Communications Commission’s Rules-----	D-25
D.2.1.4	Fire Protection -----	D-25
D.2.1.5	Operation of Controls-----	D-25
D.2.1.6	Accessibility of Controls -----	D-26
D.2.1.7	Effects of Tests -----	D-26
D.2.1.8	Performance in a Shared Environment-----	D-26
D.2.1.9	AES Availability -----	D-27
D.2.2	Equipment Performance Requirements, Standard Conditions-----	D-27
D.2.2.1	Avionics Subsystem Definitions and Overall Requirements -----	D-28
D.2.2.2	Definition of System Specific Parameters-----	D-30
D.2.2.3	Detailed Requirements -----	D-35
D.2.3	Equipment Performance - Environmental Condition -----	D-53
D.2.3.1	General Requirements -----	D-53
D.2.3.2	Equipment Configurations -----	D-53
D.2.3.3	Configuration Control -----	D-54
D.2.3.4	Specific Environmental Test Conditions -----	D-54
D.2.3.5	Performance vs. Test Requirements Matrix-----	D-54
D.2.4	Equipment Performance Verification Procedures -----	D-60
D.2.4.1	Definitions of Terms and Conditions of Test -----	D-61
D.2.4.2	Required Test Equipment -----	D-63
D.2.4.3	Detailed Test Procedures-----	D-65
D.3	Installed Equipment Performance	D-104
D.3.1	Equipment Installation-----	D-104
D.3.1.1	Accessibility-----	D-104
D.3.1.2	Aircraft Environment -----	D-104
D.3.1.3	Display Visibility-----	D-104
D.3.1.4	Inadvertent Turn-Off-----	D-104
D.3.1.5	Failure Protection-----	D-104
D.3.1.6	Interface Interference Effects-----	D-104
D.3.1.7	Aircraft Power Source -----	D-105

D.3.1.8	Antenna Location/Installation	D-105
D.3.1.9	Co-Location with other Iridium SATCOM Systems	D-105
D.3.2	Installed Equipment Performance Requirements	D-105
D.3.2.1	Radiated Antenna Intermodulation Products in AMS(R)S Bands	D-105
D.3.2.2	Declaration of Additional Isolation	D-106
D.3.3	Conditions of Test	D-106
D.3.3.1	Power Input	D-106
D.3.3.2	Environment	D-106
D.3.3.3	Adjustment of Equipment	D-106
D.3.3.4	Warm-up Period	D-106
D.3.4	Test Procedures for Installed Equipment Performance	D-106
D.3.4.1	Conformity Inspection	D-106
D.3.4.2	Interference Tests	D-106
D.3.4.3	Power Fluctuation Tests	D-110
D.3.4.4	Flight Test Procedures	D-110
D.3.4.5	Installed System Performance Verification	D-110
D.3.5	Information Security	D-111
D.4	Equipment Operational Performance Characteristics	D-111
D.4.1	Operational Performance Requirements	D-111
D.4.1.1	Power Input	D-111
D.4.1.2	Communications Displays	D-111
D.4.1.3	Communications Controls	D-112
D.4.1.4	System Operational Indication	D-112
D.4.1.5	Equipment Operating Limitations	D-112
D.4.2	Test Procedures for Operational Performance Requirements	D-112
D.4.2.1	Power Input	D-112
D.4.2.2	Communications Displays	D-112
D.4.2.3	Communications Controls	D-112
D.4.2.4	System Operational Indication	D-112
D.5	AES Classification Configuration and Test Reference	D-112
D.5.1	AES Configurations	D-112
D.5.2	AES Test Reference	D-113
D.6	Abbreviations	D-121

**APPENDIX E NORMATIVE REQUIREMENTS FOR INMARSAT SWIFTBROADBAND
AMS(R)S EQUIPMENT E-1**

E.1	Introduction	E-1
E.1.1	Scope and Objectives	E-1
E.1.2	Document Overview	E-3
E.1.2.1	Applicable Documents	E-3
E.1.3	System Design and Description	E-7
E.1.3.1	SwiftBroadband System Overview	E-7
E.1.3.2	Services Provided by SwiftBroadband	E-8
E.1.3.3	Space Segment	E-11
E.1.3.4	Airborne Segment	E-12
E.1.3.5	Air Interface	E-15
E.1.3.6	ACARS and ATN/OSI Services Establishment	E-17
E.1.3.7	Mobility and Handoff	E-17
E.1.3.8	Priority, Precedence and Preemption	E-17
E.1.3.9	Redundancy Including Fallback to Classic Aero	E-18
E.1.3.10	Installation Environment	E-18
E.2	Equipment Performance Requirements And Test Procedures	E-20
E.2.1	General Requirements	E-20

E.2.1.1	Airworthiness	E-20
E.2.1.2	Intended Function	E-20
E.2.1.3	ITU Regulations and Federal Communications Commission Rules	E-20
E.2.1.4	Fire Protection	E-20
E.2.1.5	Operation of Controls	E-20
E.2.1.6	Accessibility of Controls	E-21
E.2.1.7	Effects of Tests	E-21
E.2.1.8	Performance in a Shared Environment	E-21
E.2.1.9	AES Availability	E-21
E.2.2	Equipment Performance Requirements – Standard Conditions	E-22
E.2.2.1	SwiftBroadband AES Classes, Subsystem Definitions and Overall Requirements	E-22
E.2.2.2	Definition of System-specific Parameters	E-28
E.2.2.3	Detailed Requirements	E-33
E.2.3	Equipment Performance -Environmental Conditions	E-76
E.2.3.1	General Requirements	E-76
E.2.3.2	Equipment Configurations	E-76
E.2.3.3	Configuration Control	E-77
E.2.3.4	Specific Environmental Test Conditions	E-77
E.2.3.5	Performance vs. Environmental Requirements Matrix	E-78
E.2.4	Equipment Performance Verification Procedures	E-87
E.2.4.1	Definitions of Terms and Conditions of Test	E-88
E.2.4.2	Required Test Equipment	E-91
E.2.4.3	Detailed Test Procedures	E-95
E.3	Installed Equipment Performance	E-147
E.3.1	Equipment Installation	E-147
E.3.1.1	Accessibility	E-147
E.3.1.2	Aircraft Environment	E-147
E.3.1.3	Display Visibility	E-147
E.3.1.4	Inadvertent Turn-Off	E-147
E.3.1.5	Failure Protection	E-147
E.3.1.6	Interface Interference Effects	E-147
E.3.1.7	Aircraft Power Source	E-147
E.3.1.8	Antenna Location/Installation	E-147
E.3.1.9	RF Cable Requirements	E-148
E.3.1.10	Co-location with Other Inmarsat Satcom Systems	E-148
E.3.1.11	Co-location of Dissimilar Satcom Systems	E-148
E.3.1.12	System Component Interoperability	E-148
E.3.1.13	Configuration of Priority for Data Services	E-149
E.3.1.14	Configuration of Priority for Voice Calls	E-149
E.3.2	Installed Equipment Performance Requirements	E-149
E.3.2.1	Unwanted Antenna Intermodulation Products in AMS(R)S Bands	E-149
E.3.2.2	Declaration of Non-standard Antenna Isolation	E-151
E.3.3	Conditions of Test	E-151
E.3.3.1	Power Input	E-151
E.3.3.2	Environment	E-151
E.3.3.3	Adjustment of Equipment	E-151
E.3.3.4	Warm-up Period	E-151
E.3.4	Test Procedures for Installed Equipment Performance	E-151
E.3.4.1	Conformity Inspection	E-151
E.3.4.2	Interference Tests	E-152
E.3.4.3	Power Fluctuation Tests	E-154
E.3.4.4	Ground Test Procedures	E-154
E.3.4.5	Flight Test Procedures	E-155

E.3.4.6	Installed System Performance Verification	E-155
E.4	Equipment Operational Performance Characteristics	E-157
E.4.1	Operational Performance Requirements	E-157
E.4.1.1	Power Input	E-157
E.4.1.2	Communications Controls	E-157
E.4.1.3	System Operational Indication	E-157
E.4.1.4	Equipment Operating Limitations	E-158
E.4.2	Test Procedures for Operational Performance Requirements.....	E-158
E.4.2.1	Power Input	E-158
E.4.2.2	Communications Displays	E-158
E.4.2.3	Communications Controls	E-158
E.4.2.4	System Operational Indication	E-158
E.5	Requirements Cross-Reference	E-159
E.6	Abbreviations	E-167

APPENDIX F NORMATIVE REQUIREMENTS FOR IRIDIUM CERTUS® AMS(R)S EQUIPMENT..... F-1

F.1	Introduction	F-1
F.1.1	Scope and Objectives	F-1
F.1.2	Document Overview	F-3
F.1.2.1	Applicable Documents.....	F-4
F.1.3	System Design and Description	F-6
F.1.3.1	Iridium Certus System Overview	F-6
F.1.3.2	Services Provided by Iridium Certus	F-8
F.1.3.2.1	Prioritized AMS(R)S Services.....	F-8
F.1.3.2.2	Non-Priority AMSS Services	F-10
F.1.3.3	Space Segment	F-10
F.1.3.4	Airborne Segment	F-12
F.1.3.5	Air Interface	F-15
F.1.3.5.1	Channel Spacing	F-15
F.1.3.5.2	Frequency Range	F-15
F.1.3.5.3	Bearers	F-15
F.1.3.5.4	Symbol Rates.....	F-16
F.1.3.5.5	Iridium Time Slots.....	F-16
F.1.3.5.6	Raw Data Rate	F-17
F.1.3.5.7	Multiple Time Slots Used in Burst for Higher Data Rates.....	F-17
F.1.3.5.8	Multiple Channels Used for Maximum Data Rates	F-17
F.1.3.6	Acquisition & Registration.....	F-18
F.1.3.6.1	Re-Registration	F-19
F.1.3.7	Mobility and Handoff.....	F-19
F.1.3.8	Priority, Precedence and Preemption	F-20
F.1.3.8.1	Satellite Network Priority Controls	F-20
F.1.3.8.2	Service Layer Priority & Preemption Controls	F-21
F.1.3.9	Redundancy.....	F-21
F.1.3.10	Installation Environment	F-22
F.1.3.10.1	Inmarsat AMS(R)S on the Same Aircraft.....	F-22
F.1.3.10.2	Inmarsat AMS(R)S in the Same Airspace	F-22
F.1.3.10.3	Co-location with GPS / GNSS Systems.....	F-22
F.1.3.10.4	Co-location of Iridium AES with other Iridium SATCOM Systems	F-22
F.1.4	International Telecommunication Union (ITU) Frequency Assignment.....	F-23
F.2	Equipment Performance Requirements and Test Procedures	F-23
F.2.1	General Requirements	F-23

F.2.1.1	Airworthiness-----	F-23
F.2.1.2	Intended Function -----	F-23
F.2.1.3	ITU Regulations and Federal Communications Commission Rules-----	F-23
F.2.1.4	Fire Protection-----	F-23
F.2.1.5	Operation of Controls -----	F-24
F.2.1.6	Accessibility of Controls -----	F-24
F.2.1.7	Effects of Tests-----	F-24
F.2.1.8	Performance in a Shared Environment-----	F-24
F.2.1.9	AES Availability-----	F-25
F.2.2	Equipment Performance Requirements - Standard Conditions-----	F-25
F.2.2.1	Iridium Certus AES Classes, Subsystem Definitions and Overall Requirements -----	F-25
F.2.2.1.1	Definition of Iridium Certus AES Classes-----	F-25
F.2.2.1.2	AES Class Definitions & Requirements -----	F-27
F.2.2.1.3	AES Interconnecting RF Cables-----	F-28
F.2.2.1.4	Services Provided by AMS(R)S AES -----	F-28
F.2.2.2	Definition of System Specific Parameters -----	F-29
F.2.2.3	Detailed Requirements-----	F-32
F.2.2.3.1	AES Requirements -----	F-32
F.2.2.3.2	Prioritization of AMS(R)S Services -----	F-53
F.2.2.3.3	Satellite Subnetwork Data Protocol-----	F-54
F.2.2.3.4	Voice Protocol -----	F-55
F.2.2.3.5	User Data Interfaces-----	F-55
F.2.2.3.6	Voice Service-----	F-56
F.2.2.3.7	Recovery from Primary Power Interruption -----	F-59
F.2.2.3.8	Failure/Status Indication-----	F-59
F.2.2.3.9	Information Security -----	F-59
F.2.3	Equipment Performance - Environmental Conditions -----	F-60
F.2.3.1	General Requirements -----	F-60
F.2.3.2	Equipment Sub-Systems-----	F-61
F.2.3.3	Configuration Control-----	F-61
F.2.3.4	Specific Environmental Test Conditions-----	F-61
F.2.3.5	Performance vs. Environmental Requirements Matrix -----	F-62
F.2.4	Equipment Performance Verification Procedures -----	F-69
F.2.4.1	Definitions of Terms and Conditions of Test-----	F-69
F.2.4.1.1	AES Application Test Conditions-----	F-71
F.2.4.1.2	Priority, Precedence and Preemption Test Conditions-----	F-71
F.2.4.1.3	Satellite Subnetwork Data Protocol Test Conditions -----	F-71
F.2.4.1.4	Voice Protocol Test Conditions -----	F-71
F.2.4.1.5	User Data Interfaces Test Conditions-----	F-72
F.2.4.1.6	Circuit Mode Service Test Conditions -----	F-72
F.2.4.1.7	Recovery from Primary Power Failure Test Conditions-----	F-72
F.2.4.1.8	Failure/Status Indication Test Conditions-----	F-72
F.2.4.1.9	Information Security -----	F-72
F.2.4.2	Required Test Equipment -----	F-72
F.2.4.2.1	AES Application-----	F-72
F.2.4.2.2	Modulation and Signal in Space Required Test Equipment -----	F-74
F.2.4.2.3	Priority, Precedence and Preemption Test Equipment-----	F-74
F.2.4.2.4	Satellite Sub-Network Data Protocol Test Equipment-----	F-74
F.2.4.2.5	Voice Protocol Required Test Equipment -----	F-75
F.2.4.2.6	User Data Interface Required Test Equipment-----	F-75
F.2.4.2.7	Circuit Mode Service Test Equipment -----	F-75

F.2.4.2.8	Recovery from Primary Power Interruption Test Equipment-----	F-75
F.2.4.2.9	Failure/Status Indication Test Equipment-----	F-75
F.2.4.2.10	Information Security Test Equipment-----	F-75
F.2.4.3	Detailed Test Procedures-----	F-75
F.2.4.3.1	AES Application Requirements-----	F-76
F.2.4.3.2	Satellite Subnetwork Specific-----	F-103
F.2.4.3.3	Priority, Precedence and Preemption-----	F-104
F.2.4.3.4	Satellite Subnetwork Data Protocol (Satellite Layer 2)-----	F-105
F.2.4.3.5	Voice Protocol-----	F-106
F.2.4.3.6	User Data Interfaces-----	F-106
F.2.4.3.7	Voice Quality-----	F-106
F.2.4.3.8	Recovery from Primary Power Interrupt-----	F-111
F.2.4.3.9	Failure/Status Indication-----	F-112
F.3	Installed Equipment Performance	F-113
F.3.1	Equipment Installation-----	F-113
F.3.1.1	Accessibility-----	F-113
F.3.1.2	Aircraft Environment-----	F-113
F.3.1.3	Display Visibility-----	F-113
F.3.1.4	Inadvertent Turn-Off-----	F-113
F.3.1.5	Failure Protection-----	F-113
F.3.1.6	Interface Interference Effects-----	F-114
F.3.1.7	Aircraft Power Source-----	F-114
F.3.1.8	Antenna Location/Installation-----	F-114
F.3.1.8.1	Iridium Certus to GPS Required Isolation-----	F-114
F.3.1.8.2	Application of Excess GNSS System Performance-----	F-119
F.3.1.8.3	Guidance for Documentation at Aircraft Level-----	F-121
F.3.1.9	RF Cable Requirements-----	F-122
F.3.1.10	Co-Location with other Iridium SATCOM Systems-----	F-122
F.3.1.11	Co-location of Dissimilar SATCOM Systems-----	F-122
F.3.1.12	System Component Interoperability-----	F-122
F.3.1.13	Installed Equipment Performance Requirements-----	F-122
F.3.1.14	Radiated Antenna Intermodulation Products in AMS(R)S Bands-----	F-122
F.3.1.14.1	Similar AES Installations on the Same Aircraft-----	F-123
F.3.1.14.2	Dissimilar AES Installations on the Same Aircraft-----	F-123
F.3.1.15	Declaration of Additional Isolation-----	F-123
F.3.2	Conditions of Test-----	F-123
F.3.2.1	Power Input-----	F-123
F.3.2.2	Environment-----	F-123
F.3.2.3	Adjustment of Equipment-----	F-123
F.3.2.4	Warm-Up Period-----	F-124
F.3.3	Test Procedures for Installed Equipment Performance-----	F-124
F.3.3.1	Conformity Inspection-----	F-124
F.3.3.2	Interference Tests-----	F-124
F.3.3.2.1	Interference with General Aircraft Systems-----	F-124
F.3.3.2.2	Aircraft GNSS System Test-----	F-125
F.3.3.2.3	Dual-Dissimilar AMS(R)S Equipment Testing-----	F-125
F.3.3.3	Power Fluctuation Tests-----	F-126
F.3.3.4	Ground Test Procedures-----	F-127
F.3.3.5	Flight Test Procedures-----	F-127
F.3.3.6	Installed System Performance Verification-----	F-127
F.3.3.6.1	Installed Functionality-----	F-127

F.3.3.6.2	Installed Antenna Coverage-----	F-128
F.4	Equipment Operational Performance Characteristics	F-128
F.4.1	Operational Performance Requirements -----	F-128
F.4.1.1	Power Input-----	F-128
F.4.1.2	Communications Displays -----	F-128
F.4.1.3	Communications Controls-----	F-128
F.4.1.4	System Operational Indication -----	F-129
F.4.1.5	Equipment Operating Limitations-----	F-129
F.4.2	Test Procedures for Operational Performance Requirements-----	F-129
F.4.2.1	Power Input-----	F-129
F.4.2.2	Communications Displays -----	F-129
F.4.2.3	Communications Controls-----	F-129
F.4.2.4	System Operational Indication -----	F-129
F.5	Abbreviations	F-130
F.6	IRIDIUM CERTUS TO GLONASS INTERFERENCE CALCULATIONS.....	F-138
F.6.1	Background-----	F-138
F.6.1.1	Aviation Industry Regulations-----	F-139
F.6.1.1.1	RTCA Paper No. 140-13/SC-159-1008: ‘MOPS-229 (KT-229) GNSS/SBAS Airborne Navigation Equipment-----	F-139
F.6.1.1.2	RTCA SC-222 MOPS/MASPS HSN Requirement -----	F-139
F.6.1.2	GLONASS L1 Overload Concern: Iridium CW Wanted Signal-----	F-145
F.6.1.2.1	RTCA Paper No. 140-13/SC-159-1008: MOPS-220 (KT-229) GNSS/SBAS Airborne Navigation Equipment-----	F-146
F.6.1.2.2	Gate Requirement Derivation: Overload Analysis of GLONASS GNSS Receiver---	F-146
F.6.1.2.3	Approach Requirement Derivation: Overload Analysis of GLONASS GNSS Receiver---	F-147
F.6.1.2.4	In Flight Parallel Runway Requirement Derivation: DO-262()/ED-243() GLONASS Noise-Like Interference -----	F-149
F.6.1.2.5	In Flight 1000 ft Separation Requirement Derivation: DO-262()/ED-243() GLONASS Noise-Like Interference -----	F-150
F.6.1.3	Aircraft Maintenance/Testing of Iridium Certus Considerations-----	F-151
F.6.1.4	Proposal for Consideration-----	F-151

TABLE OF TABLES

Table 2-1: List of Parameters to be Quantified in Normative Technique-Specific Appendices.....	18
Table 2-1: (Cont.) List of Parameters to be Quantified in Normative Technique-Specific Appendices	19
Table 2-2: Maximum Total Transceiver Output Level	25
Table 2-3: Intermodulation Products for Unmodulated Transceiver Output	26
Table 2-4: In-band and transition intermodulation requirements	27
Table 2-5: Harmonic, Spurious and Noise Requirements for Protection of GPS and GLONASS	29
Table 2-6: Harmonic, Spurious and Noise requirements for protection of only GPS	30
Table 2-7: In-band and transition harmonic, spurious and noise requirements	31
Table 2-8: Minimum AMS(R)S priority structure	36
Table 2-9: DO-160/ED-14 Performance vs. Test Requirements Matrix	46
Table 2-10: DO-160 / ED-14 sections applicable to the aes	48
Table C-1: recommended tailoring of AMS(R)S MOPS to AMSS equipment that provides no safety services	C-1
Table D-1: Sub- band frequency allocation	D-9

Table D-2: Reuse Unit Frequency Accesses.....	D-10
Table D-3: Simplex Frequency Allocation.....	D-11
Table D-4: DO-262 / ED-243 requirements sections dual dissimilar SATCOM installations.....	D-26
Table D-5: AES class identifiers.....	D-29
Table D-6: Valid combination of AES system components.....	D-30
Table D-7: List of parameters quantified in the Iridium normative appendix.....	D-30
Table D-8: Antenna weighting factor.....	D-37
Table D-9: Harmonic, Spurious and Noise requirements.....	D-41
Table D-10: Linear increase in the 1605-1610 MHz band for non-glonass.....	D-42
Table D-11: Maximum EIRP of the unwanted emissions in the carrier-off state.....	D-43
Table D-12: Maximum unwanted emissions.....	D-44
Table D-13: Minimum AMS(R)S priority structure.....	D-48
Table D-14: Recover from primary power interruption.....	D-52
Table D-15: DO-160G / ED-14G sections applicable to the AES.....	D-55
Table D-16: DO-160G/ED-14G sections applicable to the AES (Environment).....	D-57
Table D-17: Transceiver front end architecture.....	D-87
Table D-18: Iridium architecture radio frequencies.....	D-87
Table D-19: RFA list of NXM discrete interference frequencies calculated for CH121 (up to 10xLO and 5xRF).....	D-88
Table D-20: Sicon list of NXM discrete interference frequencies calculated for ch121 (up to 10xLO and 5xRFf).....	D-89
Table D-21: Chipx list of NXM discrete interference frequencies calculated for ch121 (up to 10xLO and 5xRF).....	D-90
Table D-22: Reference point details from AIG voice/datatest setup.....	D-93
Table D-23: Narrowband Interference Channel Expected BER.....	D-98
Table D-24: Threat condition and impact level.....	D-111
Table D-25: AES configurations.....	D-113
Table D-26: AES test reference.....	D-114
Table E-1: Applicable documents.....	E-4
Table E-2: Applicable Inmarsat SDM chapters and version numbers.....	E-5
Table E-3: Applicable Inmarsat MTRs and version numbers.....	E-6
Table E-4: Valid combinations of system components.....	E-26
Table E-5: Valid combinations of ACD services provided by an AES.....	E-27
Table E-6: Cable losses for AES6 and AES7.....	E-28
Table E-7: List of parameters applicable to a complete SwiftBroadBand AES.....	E-28
Table E-8: Class 4 G/T and EIRP requirements.....	E-37
Table E-9: Harmonics, Discrete Spurious and Noise density limits for AES4.....	E-44
Table E-10: Harmonics, Discrete Spurious and Noise Density limits for AES6 and AES7.....	E-46
Table E-11: AES4 unwanted emissions limits with carrier off.....	E-48
Table E-12: AES6 and AES7 unwanted emissions limits with carrier off.....	E-49
Table E-13: Limits for in-band emissions for AES4.....	E-50
Table E-14: Alternative limits for in-band emissions for AES4.....	E-51
Table E-15: Limits for in-band emissions for AES6 and AES7.....	E-52
Table E-16: Maximum nominated bandwidth of transmit bearers.....	E-52

Table E-17: DLNA types	E-56
Table E-18: DJ antenna port to receive port - reduced band.....	E-57
Table E-19: DJ antenna port to receive port - standard band.....	E-58
Table E-20: DJ transmit port to antenna port rejection.....	E-58
Table E-21: DJ transmit port to LNA port rejection	E-59
Table E-22: DFL antenna port to receive port rejection – standard band	E-59
Table E-23: DFL transmit port to antenna port rejection.....	E-60
Table E-24: DFL transmit port to receive port rejection.....	E-61
Table E-25: DFL transmit port to receive port rejection.....	E-63
Table E-26: Voice call priority identifiers	E-66
Table E-27: Relative attenuation of voice port	E-73
Table E-28: Total voice distortion limits	E-73
Table E-29: DO-160G / ED-14G performance vs. environmental requirements matrix	E-78
Table E-30: DO-160G / ED-14G sections applicable to the AES	E-84
Table E-31: Transmit test frequencies	E-90
Table E-32: Receive test frequencies.....	E-90
Table E-33: Transmit test frequencies for antennas.....	E-95
Table E-34: Receive test frequencies for antennas	E-96
Table E-35: Scattering power densities for rough sea state computation	E-105
Table E-36: Beam directions to be measured	E-107
Table E-37: intermodulation limits.....	E-117
Table E-38: Test Frequencies	E-123
Table E-39: Test Frequencies	E-124
Table E-40: DLNA receive path power level and measurement	E-130
Table E-41: Test Frequencies	E-134
Table E-42: Requirements cross-reference	E-159
Table F-1: Referenced Iridium Documents	F-4
Table F-2: Referenced External Documents.....	F-4
Table F-3: Iridium Certus Channel Spacing	F-15
Table F-4: Iridium Certus Bearer Channels.....	F-16
Table F-5: Iridium Certus Symbol Rates	F-16
Table F-6: Total Approximate User Data Rate.....	F-17
Table F-7: Maximum Uplink and Downlink Information Data Rate	F-18
Table F-8: DO-262()/ED-243() Requirements Sections	F-25
Table F-9: AES Class Defining Characteristics.....	F-26
Table F-10: AES Services by Class	F-28
Table F-11: List of Parameters Quantified in the Iridium Normative Appendix.....	F-29
Table F-12: Elevation Angle vs. Sky Temperature (K).....	F-34
Table F-13: AES8 / AES9 Antenna Elevation Angle vs. Average G/T at Ambient Conditions	F-35
Table F-14: AES10 / AES11 Antenna Elevation Angle vs. Average G/T at Ambient Conditions	F-35
Table F-15: AES8, AES9, AES10 and AES11 - EIRP vs. Elevation Angle for QPSK Waveforms.....	F-36
Table F-16: AES10 & AES11 - EIRP vs. Elevation Angle for 16APSK Waveforms.....	F-37
Table F-17: Maximum Axial Ratio (ARA) for AES Classes	F-38

Table F-18: Harmonic, Spurious and Noise Requirements for Transmit Power Limits.....	F-41
Table F-19: Transmit Power Limit in the 1559-1610 MHz GNSS Band	F-42
Table F-20: Maximum Transmit Power Limit of the Unwanted Emissions in the Carrier-Off State.....	F-45
Table F-21: On-Channel Output Spectrum Limits.....	F-46
Table F-22: On Channel Frequency Separation by Waveform.....	F-46
Table F-23: Channel Spacing.....	F-47
Table F-24: System Parameters for MOPS Data Sensitivity Measurement.....	F-48
Table F-25: Minimum Data Sensitivity Receive Signal Power Flux Density Over the Coverage Area	F-49
Table F-26: CW Interference Power Density (Not Subject to F.2.1.8).....	F-50
Table F-27: CW Interference Level (Subject to 2.1.8)	F-51
Table F-28: Receiver Power Level at A'	F-52
Table F-29: Minimum AMS(R)S Priority Structure.....	F-54
Table F-30: Relative Attenuation of Voice Port	F-57
Table F-31: Total Voice Distortion Limits	F-58
Table F-32: DO-160G / ED-14G Performance vs. Environmental Requirements Matrix.....	F-62
Table F-33: DO-160G / ED-14G Sections Applicable to the AES.....	F-66
Table F-34: GPS Isolation Between Antenna Ports.....	F-115
Table F-35: GPS Isolation Definition of Terms and Calculations	F-116
Table F-36: GPS Isolation Example	F-120
Table F-37: Iridium Interference Threshold Limits	F-139
Table F-38: DO-262F/ED-243C Table F-19: Transmit Power Limit in the 1559-1610 MHz GNSS Band (Non Co-Located GLONASS)	F-140
Table F-39: Derivation of Noise Like Limit at AES Antenna Port for Ground (Gate) Operations	F-141
Table F-40: Derivation of Noise Like Limit at AES Antenna Port for Approach Operations.....	F-143
Table F-41: Derivation of Noise Like Limit at AES Antenna Port for In-Flight Parallel Runway Operations.....	F-144
Table F-42: Derivation of Noise Like Limit at AES Antenna Port for In-Flight 1000ft Operations....	F-145
Table F-43: Derivation of CW Interference at 1618 MHz at AES Antenna Port for Ground Operations.....	F-147
Table F-44: Derivation of CW Interference at 1618 MHz at AES Antenna Port for Approach Operations	F-148
Table F-45: Derivation of CW Interference at 1618 MHz at AES Antenna Port for In-Flight Parallel Runway Operations	F-149
Table F-46: Derivation of CW Interference at 1618 MHz at AES Antenna Port for In-Flight 1000ft Operations.....	F-150
Table F-47: Overload Distance for Maintenance Operation.....	F-151
Table F-48: Iridium Certus MOPS Update based on SC-159 Consensus.....	F-152

TABLE OF FIGURES

Figure 1-1: Aeronautical Mobile Satellite Service (AMSS) end-to-end model.....	5
Figure 1-2: Generic block diagram of aircraft earth station.....	6
Figure 2-1: Requirements Mapping	17
Figure 2-2: Discrete Spurious Adjustment in 1565-1585 MHz Band.....	32

Figure 2-3: Discrete Spurious Adjustment in the 1585-1605 MHz Band.....	33
Figure 2-4: Satellite Subnetwork Architecture (Airborne Side)	40
Figure 2-5: Adjustment of Higher Level Entity User Data for Data 2 Transmissions.....	41
Figure 2-6: Antenna Gain/Polarization/Axial Ratio Test Setup	57
Figure 2-7: Power Handling Test Setup.....	59
Figure 2-8: Voltage Standing Wave Ratio (VSWR) Test.....	60
Figure 2-9: Radiated Antenna Intermodulation Products in the GNSS Band.....	61
Figure 2-10: Beam Switching Time.....	65
Figure 2-11: Minimum Power, Maximum Power, Power Control Test Setup	66
Figure 2-12: Maximum Total Transceiver Output Test Setup	67
Figure 2-13: Transceiver Intermodulation Product Test Set Up.....	68
Figure 2-14: Harmonic, Spurious, Noise Wide Band Emissions Test Set Up.....	71
Figure 2-15: Harmonic, Spurious, Noise Near Passband Frequency Test Set Up.....	71
Figure 2-16: Harmonic Emissions Test Set Up	72
Figure 2-17: Composite IM/HSN Test Setup	73
Figure 2-18: Carrier Off Level Test Setup.....	74
Figure 2-19: Moving Aircraft (Doppler) Test Setup.....	75
Figure 2-20: Transceiver Sensitivity Test Set Up.....	77
Figure 2-21: Test Set Up for Rejection of Signals Inside and Outside of Band Tests.....	78
Figure 2-22: High-Level Test Set Up for DCE Interface Testing.....	83
Figure 2-23: Power Interruption Test Set-Up	85
Figure 2-24: Failure/Status Indication Test Setup	85
Figure D-1: Key Elements of the Iridium AMS(R)S.....	4
Figure D-2: Iridium 66-Satellite Constellation	D-5
Figure D-3: Iridium Spot-Beam Configuration	D-6
Figure D-4: Iridium Channel Structure Hierarchy.....	D-7
Figure D-5: Iridium TDMA Structure	D-8
Figure D-6: FDMA Frequency Plan	D-11
Figure D-7: Protocol Partitions.....	D-15
Figure D-8: Iridium RUDICS Mobile Originated Data Call Setup	D-18
Figure D-9: System Architecture of Iridium Services	D-19
Figure D-10: MO SBD Call sequence diagram	D-20
Figure D-11: Iridium Aviation Safety Services Air-to-Ground (AtG) Voice (End-to-End Model)	D-21
Figure D-12: Iridium Aviation Safety Services Air-to-Ground (AtG) Data (End-to-End Model)	D-21
Figure D-13: Block Diagram of Aircraft Earth Station AES1	D-23
Figure D-14: Block Diagram of Aircraft Earth Station AES2.....	D-23
Figure D-15: Block Diagram of Aircraft Earth Station AES3.....	D-24
Figure D-16: Requirements Mapping	D-28
Figure D-17: Antenna Gain/Polarization/Axial Ratio Test Setup.....	D-66
Figure D-18: Power Handling Test Setup.....	D-67
Figure D-19: Voltage Standing Wave Ratio (VSWR) Test.....	D-68
Figure D-20: Radiated Antenna Intermodulation Products in the GNSS Band.....	D-70
Figure D-21: Minimum & Maximum Power Test Setup	D-73

Figure D-22: AES Intermodulation Product Test Set Up	D-75
Figure D-23: Transmitter Harmonic, Discrete Spurious, Noise Density WBE Test Set Up	D-77
Figure D-24: Test Set Up receiver sensitivity.....	D-81
Figure D-25: Test Set Up for Rejection of Signals Inside and Outside of Band Tests.....	D-86
Figure D-26: Test Set Up for Wideband Receiver Susceptibility	D-93
Figure D-27: Representative display of VSG noise signal set to 0dBm (adjusted for path loss)	D-95
Figure D-28: Test Set Up for Narrowband inside Iridium Receiver Susceptibility.....	D-96
Figure D-29: Satellite Sub-network Compliance Testing and Approval Process.....	D-99
Figure D-30: Power Interruption Test Set-Up	D-103
Figure D-31: Failure/Status Indication Test Setup.....	D-103
Figure E-1: AMS(R)S System, with Notional Partitioning	E-1
Figure E-2: AES Requirements Map	E-2
Figure E-3: SwiftBroadband Services.....	E-9
Figure E-4: Example I4 Regional Beams	E-11
Figure E-5: Example I4 Narrow Spot Beams	E-12
Figure E-6: Main Functions of an AES	E-13
Figure E-7: Frequency plan for Standard L-Band and Extended L-Band.....	E-16
Figure E-8: Block Diagram of an AES4 and its Major System Components.....	E-23
Figure E-9: Block Diagram of an AES6 and its Major System Components.....	E-23
Figure E-10: Block Diagram of an AES7 and its Major System Components.....	E-24
Figure E-11: Overview of Inmarsat Type Approval Process.....	E-34
Figure E-12: Class 6 & 7 Interferer Levels.....	E-54
Figure E-13: Interferer Level Class 4	E-54
Figure E-14: Logical functional elements to be considered for Priority, Precedence and Pre-emption .	E-65
Figure E-15: Typical voice circuits with test points	E-73
Figure E-16: Power Handling Test Setup	E-97
Figure E-17: VSWR Test Setup.....	E-98
Figure E-18: Block Diagram of Radiated IM in the GNSS Band Test Setup.....	E-100
Figure E-19: Antenna Steering Rate Test Setup	E-102
Figure E-20: Typical Antenna Test Range	E-104
Figure E-21: Typical Two-Port Device Measurement Setup.....	E-109
Figure E-22: Typical Self Calibration Configuration for a Noise Figure Meter.....	E-110
Figure E-23: DLNA Measurement	E-110
Figure E-24: HPA Test Setup	E-110
Figure E-25: Measuring P_{Hot} and P_{Cold}	E-112
Figure E-26: T_{Ant} Measurement	E-113
Figure E-27: Transceiver Intermodulation Product Test Set Up	E-116
Figure E-28: Test Setup for Rejection of Signals Outside the NGSS Receive Band.....	E-124
Figure E-29: Test Setup for Rejection of Signals Outside the NGSS Receive Band.....	E-125
Figure E-30: Receiver Susceptibility Test Setup	E-126
Figure E-31: Typical DLNA Test Setup.....	E-128
Figure E-32: Typical DLNA Noise Figure Test Setup	E-129
Figure E-33: Typical PIM Test Setup.....	E-131

Figure E-34: Typical Transmit Power Test Set-up	E-132
Figure E-35: Typical DLNA Test Set-up.....	E-134
Figure E-36: Typical Phase Noise Test Set-up	E-135
Figure F-1: AMS(R)S System with Notational Partitions	F-2
Figure F-2: AES Requirement Map	F-3
Figure F-3: Iridium Frequency Links.....	F-7
Figure F-4: Iridium Certus Services.....	F-8
Figure F-5: Iridium Constellation View.....	F-11
Figure F-8: Iridium Time Slot Structure	F-16
Figure F-9: AES Boundary Diagram	F-27
Figure F-10: Interferer Levels Outside the NGSS Band.....	F-50
Figure F-11: Common Voice Circuits w/ Test Points.....	F-57
Figure F-12: G/T Test Setup	F-77
Figure F-13: G/T Model for Iridium Certus.....	F-79
Figure F-14: EIRP Test Setup.....	F-82
Figure F-15: Axial Ratio Test Setup.....	F-84
Figure F-16: Power Handling Test Setup	F-85
Figure F-17: Transmitter Harmonic, Discrete Spurious, Noise Density Low Frequency Set Up.....	F-89
Figure F-18: Example HSN Time Domain Measurement Set Up	F-90
Figure F-19: Transmitter Harmonic, Discrete Spurious, Noise Density High Frequency Set Up.....	F-91
Figure F-20: Power Control Test Setup	F-93
Figure F-21: EVM Test Block Diagram	F-95
Figure F-22: Receiver Sensitivity Test Setup	F-96
Figure F-23: Rejection of Signals Inside and Outside of Band Set Up.....	F-98
Figure F-24: Satellite Sub-Network Compliance Testing and Approval Process.....	F-103
Figure F-25: Power Interruption Test Setup	F-111
Figure F-26: Notional Failure/Status Indication Test Setup	F-112

1 PURPOSE AND SCOPE

1.1 Introduction

This document contains minimum operational performance standards (MOPS) for avionics that provide Aeronautical Mobile Satellite (R) Services (AMS(R)S) by means of satellite communications technologies scheduled to become operational in context of the global and regional ATM and CNS modernization (e.g. ICAO/Global Air Navigation Plan, Europe/SESAR, US/NextGen). Each of these technologies is individually and collectively referred to as a “Next Generation Satellite System” (NGSS), and the NGSS nomenclature will be used throughout this document. This document does not apply to avionics that provide AMS(R)S in accordance with the Standards and Recommended Practices defined in ICAO Annex 10, Part I, Volume III, Chapter 4 (Chapter 4 SARPS). Such equipment is specified in the current version of RTCA DO-210D.

Note: The ICAO SARPS chapter 4 as well as the ICAO AMS(R)S manual (document number 9925) are planned to be updated to include NGSS. However these updates are not yet available.

Compliance with these standards is recommended as one means of assuring that NGSS avionics will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

This document contains a generic description of a satellite communication system configuration including Ground Subnetworks; NGSS Satellite Subnetworks, of which the Aircraft Earth Station (AES) is one part; and Aircraft Subnetworks. However, the specified Minimum Operational Performance Standards in this document address only the AES portion of the Satellite Subnetwork.

To comply with the minimum requirements of an application for certification or other approval, an NGSS applicant is required to submit information regarding the technical characteristics of the NGSS. These technology-specific technical requirements for each such system will become normative appendices to this document. It is anticipated that such technology-specific appendices will be created as the particular NGSS becomes operational for AMS(R)S.

This document covers typical NGSS avionics requirements and tests for the aircraft avionics. It includes the purpose, scope and equipment performance requirements, recommended bench tests and other performance verification procedures, and installed-equipment tests and operational performance characteristics. Detailed requirements and test procedures are based on the technical characteristics documented in the normative appendices, as discussed in the previous paragraph.

A companion document DO-343() / ED-242(), *Minimum Aviation System Performance Standards (MASPS) for the Aeronautical Mobile-Satellite (R) Service (AMS(R)S) as Used in Aeronautical Data Links*, should be consulted for operational requirements at the air/ground system level, and for details of specific systems providing AMS(R)S.

1.2 Document Overview

This document consists of the main body (sections 1 to 5) and the set of appendices. The main body of the document and the appendices A and C are informative. Only the technology specific appendices (D, E) are normative for the airborne equipment.

The main body of the document serves as a guideline for the development of the technology specific appendices and it is structured as follows:

Section 1 provides general background information needed to understand the NGSS equipment and system characteristics and requirements stated in the remaining sections. It