

RTCA, Inc.
1828 L St. NW Suite 805
Washington, D.C. 20036-5133 U.S.A.

**MINIMUM AVIATION SYSTEM
PERFORMANCE STANDARDS (MASPS)
for
ENHANCED VISION SYSTEMS, SYNTHETIC VISION
SYSTEMS, COMBINED VISION SYSTEMS
and
ENHANCED FLIGHT VISION SYSTEMS**

RTCA/DO-315A
September 15, 2010

Prepared by: SC-213
© 2010, RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036-5133 USA

Telephone: 202-333-9439

Facsimile: 202-333-9434

www.rtca.org

Please contact RTCA for price and ordering information.

FOREWORD

This document was prepared by RTCA Special Committee 213 (SC-213) and approved by the RTCA Program Management Committee (PMC) on September 15, 2010.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- Coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities.
- Analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency.
- Developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation.
- Assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U. S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

Currently in preview, click buy full version

Table of Contents

1	PURPOSE AND SCOPE.....	1
1.1	Introduction.....	1
1.1.1	EVS/SVS/CVS Introduction.....	2
1.1.2	EFVS Introduction.....	3
1.2	EVS/SVS/CVS.....	3
1.2.1	EVS/SVS/CVS Overview.....	3
1.2.2	EVS/SVS/CVS General Operation.....	5
1.2.3	EVS/SVS/CVS Intended Function.....	6
1.2.4	EVS/SVS/CVS Assumptions.....	6
1.3	EFVS.....	7
1.3.1	EFVS Overview.....	7
1.3.2	EFVS Operational Application.....	9
1.3.3	EFVS General Operation.....	10
1.3.4	EFVS Intended Function.....	17
1.3.5	EFVS Assumptions.....	17
1.4	Verification Procedures.....	17
1.5	Reference Documents.....	18
2	SYSTEM PERFORMANCE REQUIREMENTS.....	19
2.1	EVS/SVS/CVS.....	19
2.1.1	EVS/SVS/CVS General Requirements.....	19
2.1.2	EVS/SVS/CVS System Requirements.....	21
2.2	EFVS.....	24
2.2.1	EFVS General Requirements.....	24
2.2.2	EFVS System Performance.....	26
2.2.3	EFVS System Requirements.....	28
3	DETAILED SYSTEM REQUIREMENTS.....	31
3.1	EVS/SVS/CVS.....	31
3.1.1	EVS/SVS/CVS Detailed System Requirements.....	31
3.1.2	EVS/SVS/CVS Major Components.....	31
3.1.3	EVS/SVS/CVS Minimum System Performance.....	31
3.1.4	EVS/SVS/CVS Aircraft Interface.....	33
3.1.5	EVS/SVS/CVS Display.....	34
3.1.6	EVS/SVS/CVS Preventive Maintenance Requirements.....	34
3.1.7	EVS/SVS/CVS Built in Test (BIT).....	34
3.1.8	EVS/SVS/CVS System Safety Design Criteria.....	34
3.1.9	EVS/SVS/CVS Required Safety Level.....	34
3.1.10	EVS/SVS/CVS Fail Safe Features.....	35
3.1.11	EVS/SVS/CVS Environmental Specifications.....	36

3.2	EFVS	36
3.2.1	EFVS Detailed System Requirements.....	36
3.2.2	EFVS Major Components.....	37
3.2.3	EFVS Minimum System Performance.....	37
3.2.4	EFVS Aircraft Interface.....	39
3.2.5	EFVS Display.....	40
3.2.6	EFVS Preventive Maintenance Requirements.....	41
3.2.7	EFVS Built in Test (BIT).....	41
3.2.8	EFVS System Safety Design Criteria.....	41
3.2.9	EFVS Required Safety Level.....	41
3.2.10	System Safety Assessment.....	42
3.2.11	EFVS Fail Safe Features.....	43
3.2.12	EFVS Environmental Specifications.....	44
4	PERFORMANCE EVALUATION	45
4.1	Performance Demonstration for EVS/SVS/CSV and EFVS Approved to 100 feet Above Threshold Elevation (THRE)	45
4.2	Performance Demonstration for EFVS Approved for Landing and Rollout in visibility as low as 1000ft (or 300M if applicable) RVR	46
4.3	Environmental Qualification	47
4.4	Design Assurance	47
MEMBERSHIP		
APPENDIX A: Acronyms and Definitions		A-1
APPENDIX B: Technical References		B-1
APPENDIX C: System Safety Requirements Logic		C-1
C.1	EFVS Approved to 100 feet Height Above Threshold Elevation (THRE).....	C-1
C.2	EFVS Approved for Landing and Rollout in visibilities as low as 1000ft (or 300M if applicable) RVR.....	C-4
APPENDIX D: EFVS Minimum System Performance Standard Rationale		D-1
D.1	System Requirements Rationale	D-1
D.1.1	Latency.....	D-1
D.1.2	EFVS Field of Regard (FOR).....	D-1
D.1.3	Off-Axis Rejection.....	D-2
D.1.4	Jitter.....	D-2
D.1.5	Flicker.....	D-2
D.1.6	Image Artifacts.....	D-3
D.1.7	Image Conformality.....	D-3

D.2	Sensor/Sensor Processor.....	D-4
D.2.1	Dynamic Range.....	D-4
D.2.2	Sensor Image Calibration.....	D-4
D.2.3	Sensor Resolution.....	D-4
D.2.4	Passive Sensor Optical Distortion.....	D-4
D.2.5	Sensor Sensitivity.....	D-5
D.2.6	Failure Messages.....	D-5
D.2.7	Blooming.....	D-5
D.2.8	Image Persistence.....	D-5
D.2.9	Dead Pixels.....	D-5
D.3	Aircraft Interface.....	D-6
D.3.1	Pilot Controls.....	D-6
D.3.2	Annunciations – EFVS.....	D-7
D.4	Display.....	D-7
D.4.1	Display Resolution of the HUD.....	D-7
D.4.2	Imagery and Symbology Display.....	D-7
APPENDIX E: EVS/SVS/CSV Minimum System Performance Standards Rationale.....		E-1
E.1	System Requirements Rationale.....	E-1
E.1.1	EVS Image Characteristics.....	E-1
E.1.2	Data Refresh Rate.....	E-1
E.1.3	Image Latency.....	E-1
E.1.4	SVS Image Characteristics.....	E-1
E.1.5	Scene Range.....	E-2
E.1.6	SVS Obstacle Database.....	E-2
E.1.7	CSV Fusion of EVS and SVS Images.....	E-2
APPENDIX F: Sample EFVS Flight Test Plan.....		F-1
F.1	Objectives.....	F-1
F.2	Pilot Monitoring monitor.....	F-3
F.3	Failure Cases.....	F-3
F.4	Ice Protection System Evaluation.....	F-4
F.5	Evaluation Matrix.....	F-4
APPENDIX G: Sample EFVS Flight Test Plan for EFVS Approved for Landing and Rollout in visibility as low as 1000ft (or 300M if applicable) RVR		G-1
G.1	Objectives.....	G-1
G.2	Pilot Monitoring (PM) Display	G-4
G.3	Failure Cases.....	G-5
G.4	Ice Protection System Evaluation.....	G-5
G.5	Evaluation Matrix.....	G-5
APPENDIX H: Transport Category Airplanes.....		H-1
H.1	Vertical Flight Path Guidance	H-1
H.2	Flare Guidance.....	H-1

H.3	Co-Pilot Display/Pilot Monitoring (PM) Display.....	H-1
H.4	Design Assurance Level.....	H-1

LIST OF FIGURES

Figure 1	EVS diagram.....	4
Figure 2	SVS diagram.....	5
Figure 3	EFVS diagram.....	7
Figure 4	EFVS and visual transition points.....	16
Figure 5	Minimum detection range.....	26
Figure 6	Approach light system configurations.....	27

LIST OF TABLES

Table 1	Required visual references, 14 CFR §91.175 (c) and (l).....	11
Table 2	Required visual references, EU OPS Sub-Part E.....	12
Table 3	14 CFR §91.175 (l) operating requirements.....	27
Table 4	EU-OPS operating requirements.....	27
Table 5	Generic functional hazard assessments.....	35
Table C-1	Required level of safety, Part 25 aircraft.....	C-1
Table C-2	Example EFVS/HUD functional hazard assessment, Part 25 aircraft, ILS approaches to 100 ft height above threshold elevation (THRE), MVR 1200 ft.....	C-2
Table C-3	Example of EFVS/HUD functional hazard assessment, Part 25 aircraft from DA/DH to Landing and Rollout.....	C-7
Table C-4	Hazard level definition.....	C-8

1 PURPOSE AND SCOPE

1.1. Introduction

DO-315 addressed Enhanced Vision Systems (EVS), Synthetic Vision Systems (SVS), and Combined Vision Systems (CVS) technologies. Currently, only EVS technology incorporating an approved Head-Up Display (HUD) is eligible for operational credit under Title 14 US Code of Federal Regulations (CFR) §91.175 with the Federal Aviation Administration (FAA). An approved combination of EVS and HUD is termed an Enhanced Flight Vision System (EFVS) by the FAA. The European Aviation Safety Agency (EASA) uses the term “EVS” as equivalent to the FAA description of EFVS. While further definitions are in Appendix A, it is important to understand this distinction before reading this document. This document adds performance standards for operational credit to touch down in visibility as low as 1000ft RVR (or 300M if applicable), by use of an approved EFVS. Performance standards for this new operational capability are delineated throughout this document in order to maintain the unique characteristics of DO-315 and DO-315A. Performance standards for EFVS to landing (DO-315A) include performance standards for EFVS approaches to 100 ft height above threshold elevation (THPE), formerly height above touchdown zone elevation (TDZE) (DO-315). See notes below regarding change in terms of reference in DO-315A.

Section 1 provides information needed to understand the rationale for system characteristics and requirements. This section also contains typical applications and envisioned operational goals and assumptions necessary to establish a basis for the subsequent sections. It describes typical applications and operational goals, as envisioned by members of RTCA Special Committee 213 and EUROCAE Work Group 79, and establishes the basis for the standards stated in Sections 2 through 4. Definitions and assumptions essential to proper understanding of this document are also provided in this section.

Section 2 describes minimum system performance requirements.

Section 3 contains the minimum performance standards and subsystem/function that is a required element of minimum system performance in Section 2.0. These standards specify the required performance under the standard environmental conditions described.

Section 4 discusses performance evaluations with applicable FAA and EASA regulations, describing the minimum system test procedures to verify system performance compliance (e.g., end-to-end performance verification).

Compliance with these standards is recommended as one means of assuring that the system and each subsystem will perform its intended function(s) satisfactorily under conditions normally encountered in routine aeronautical operations for the environments intended. The Minimum Aviation System Performance Standards (MASPS) may be implemented by one or more regulatory documents and/or advisory documents (e.g., certifications, authorizations, approvals, commissioning, orders, advisory circulars, notices, etc.) and may be implemented in part or in total. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

In this document, the term “shall” is used to indicate requirements. An approved design should comply with every requirement, which can be assured by inspection, test, analysis, or