

RTCA, Inc.  
1150 18th St. NW, Suite 910  
Washington, D.C. 20036, U.S.A.

**Safety, Performance and Interoperability  
Requirements Document for Traffic Situation  
Awareness with Alerts (TSAA)**

RTCA DD-348  
March 18, 2014

Prepared by: SC-186  
©2014 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.  
1150 18th St. NW, Suite 110  
Washington, D.C. 20036, USA

Telephone: 202-833-9339  
Facsimile: 202-833-9434  
Internet: [www.rtca.org](http://www.rtca.org)

Please call RTCA for price and ordering information

## FOREWORD

This report was prepared by RTCA Special Committee 186 (SC-186) and approved by the RTCA Program Management Committee (PMC) on March 18, 2014.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal advisory committee, and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders and several advisory circulars.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

Currently in preview, click buy full version

This Page Intentionally Left Blank

## TABLE OF CONTENTS

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	Purpose of the Document .....	1
1.1.1	TSAA Application .....	2
1.1.2	Use of Document for Approvals .....	2
1.2	Scope of the Document .....	2
1.2.1	TSAA Context .....	3
1.2.2	Assumed Airborne and Ground Generic Surveillance Functional Architecture .....	3
1.3	Definition of Terms .....	6
1.4	Structure of the Document .....	9
1.5	References .....	9
1.5.1	ICAO .....	9
1.5.2	FAA .....	10
1.5.3	EUROCAE/RTCA .....	10
1.5.4	Other .....	12
<b>2</b>	<b>APPROACH AND METHODOLOGY .....</b>	<b>13</b>
2.1	Document Development Process .....	13
2.2	Methodology .....	13
2.2.1	Operational Services and Environment Definition (OSED) .....	13
2.2.2	Safety and Performance Requirements (SPR) .....	13
2.2.3	Interoperability Requirements (INTEROP) .....	14
2.3	Key Terms .....	14
2.3.1	Uses of Requirements and Recommendations and Key Words .....	15
2.3.2	Assumptions .....	15
2.3.3	Mitigation Means .....	15
2.3.4	Requirements .....	15
2.3.5	Recommendations .....	16
<b>3</b>	<b>SAFETY AND PERFORMANCE REQUIREMENTS (SPR) .....</b>	<b>19</b>
3.1	Background/Introduction .....	19
3.1.1	OPA Process .....	19
3.1.2	OSA Process .....	20
3.1.3	SPR Process .....	22
3.2	Assumptions .....	23
3.2.1	General Assumptions .....	23
3.2.2	Environmental Assumptions .....	24
3.2.3	Receive Participant Assumptions .....	24
3.2.4	Transmit Participant Assumptions .....	24
3.2.5	Ground System Assumptions .....	25
3.3	Operational Requirements .....	25
3.4	TSAA Equipment Requirements .....	26
3.4.1	Functional Requirements for TSAA Equipment .....	26
3.4.2	Safety and Performance Requirements for TSAA Equipment .....	29
3.5	TSAA Data Quality Requirements .....	31
3.6	Recommendations .....	33

3.7	Training Considerations .....	33
<b>4</b>	<b>INTEROPERABILITY REQUIREMENTS .....</b>	<b>35</b>
4.1	Purpose of Interoperability Requirements .....	35
4.2	Scope of Interoperability Requirements .....	35
4.2.1	TSAA Participants .....	35
4.3	TSAA Interoperability Requirements.....	37
4.3.1	Target Aircraft Surveillance Information Requirements .....	37
4.3.2	Minimum Data.....	37
4.3.3	Identity.....	38
4.3.4	Horizontal Position .....	38
4.3.5	Vertical Position .....	40
4.3.6	Horizontal Velocity .....	40
4.3.7	Vertical Rate .....	40
4.3.8	Latency Impact on Surveillance Quality Indicators.....	41
<b>5</b>	<b>MEMBERSHIP .....</b>	<b>43</b>
<b>ANNEX A</b>	<b>OPERATIONAL SERVICES AND ENVIRONMENTAL DEFINITION .....</b>	<b>1</b>
A.1	Introduction .....	1
A.1.1	TSAA Aircraft and Avionics .....	2
A.2	Objective .....	2
A.3	TSAA Description .....	3
A.3.1	System Outputs.....	4
A.3.2	TSAA Equipment Classes .....	5
A.3.3	Operations with the TSAA Application .....	7
A.3.4	Relationship to Other ADS-B IN Applications.....	9
A.3.5	Roles and Responsibilities .....	9
A.3.6	Impact on Phraseology.....	10
A.4	Airspace Characteristics and Operational Environment .....	10
A.4.1	Airspace System .....	10
A.4.2	Operational Environment.....	11
A.4.3	Communication, Navigation, Surveillance (CNS) Requirements.....	11
A.5	Operational Scenarios .....	12
A.5.1	Entering Traffic Pattern .....	12
A.5.2	IFR Enroute .....	14
A.5.3	Multiple Aircraft Converging on a Fix .....	15
A.5.4	Airport Vicinity .....	16
A.5.5	Aircraft Practicing Autorotation Example .....	17
A.5.6	Safely Entering Traffic Pattern Example .....	18
A.5.7	Non-cooperative Traffic .....	19
A.5.8	Updated Traffic Caution Alert.....	20
A.6	Phase Diagrams and Descriptions .....	21
A.6.1	Phase Diagrams .....	21
A.6.2	Phase Diagram Description .....	24
A.7	Phase Table.....	27

A.8	Abnormal Events.....	32
A.9	Summary of Assumptions and Operational Requirements.....	32
A.9.1	Assumptions.....	32
A.9.2	Operational Requirements.....	35
A.9.3	Operational Recommendations.....	35

**APPENDIX A-1 OTHER ALERTING APPLICATIONS ..... 1**

**APPENDIX A-2 ENCOUNTER CATEGORIES..... 3**

A-2.1	Approach.....	3
A-2.2	Encounter Categories Specific to the Airport Environment.....	4
A-2.3	Encounter Categories in the En Route Environment.....	7

**ANNEX B OPERATIONAL PERFORMANCE ASSESSMENT..... 1**

B.1	Introduction.....	1
B.1.1	Purpose.....	1
B.1.2	The CNS/ATM System.....	1
B.1.3	Objective.....	1
B.1.4	Scope.....	1
B.1.5	Approach.....	2
B.1.6	Definitions.....	3
B.2	Required Information for the TSAA Application.....	3
B.2.1	Operationally Required Information.....	3
B.2.2	Information Made Available to the TSAA Equipment.....	3
B.3	Functional Requirements on the TSAA Equipment.....	5
B.3.1	Surveillance Reports.....	5
B.3.2	Ownship State.....	5
B.3.3	Conflict Risk Prediction.....	5
B.3.4	TSAA Status.....	7
B.3.5	ASA Applications.....	7
B.4	Performance Requirements of the TSAA Equipment.....	7
B.4.1	Preliminary Analysis.....	7
B.4.2	Detailed Analysis.....	14
B.4.3	Performance Analysis Results.....	32
B.4.4	Requirements.....	53
B.4.5	Special Analysis.....	55
B.5	Design Considerations.....	58
B.5.1	Availability.....	58
B.5.2	Continuity.....	58
B.5.3	Coverage Volume.....	58
B.5.4	Tracking of Aircraft.....	58
B.5.5	Surface Traffic.....	59
B.5.6	Unqualified Traffic.....	59
B.5.7	ADS-R Traffic.....	59
B.5.8	TIS-B Traffic.....	59
B.5.9	TCAS Range Validation.....	60

B.6	Summary of Assumptions and Performance Requirements .....	60
B.6.1	Assumptions .....	60
B.6.2	Performance Requirements .....	61

**ANNEX C OPERATIONAL SAFETY ASSESSMENT ..... 1**

C.1	Introduction .....	1
C.1.1	OSA Objective .....	1
C.1.2	OSA Purpose and Scope .....	1
C.1.3	References .....	1
C.1.4	Definition of Terms Used in the OSA .....	2
C.2	Operational Safety Assessment Approach.....	5
C.2.1	OHA Process .....	6
C.2.2	ASOR Process .....	12
C.3	TSAA Description .....	16
C.4	TSAA OSA Results Summary .....	16
C.4.1	Operational Hazard Identification.....	16
C.4.2	Operational Effects Assessment .....	17
C.4.3	Safety Objectives .....	19
C.4.4	Training Considerations.....	21
C.5	Detailed Safety Analysis .....	23
C.5.1	Operational Hazard Identification.....	23
C.5.2	Operational Environment.....	24
C.5.3	Display and Non-display Implementation .....	26
C.5.4	Hazard Assessment and Severity Class Allocation.....	26
C.5.5	ASOR Analysis.....	30
C.5.6	Safety Analysis Summary.....	36

**APPENDIX C-1 ED-78A/DO-264 BASED HAZARD CLASSIFICATION MATRIX..... 1**

**APPENDIX C-2 DRAFT DISCUSSION PAPER: TSAA MANEUVERING INSTRUCTIONS ..... 2**

C-2.1	Subject TSAA Maneuvering Instructions (Effectiveness of Vertical versus Lateral Maneuvering) .....	2
C-2.2	Background .....	2
C-2.3	Applicable Regulation, FAR 91.113 Right-of-Way Rules .....	2
C-2.4	Discussion .....	2
C-2.5	Recommendation for “TSAA Maneuvering Instruction” .....	3

**ANNEX D ACRONYMS..... 1**

## TABLE OF TABLES

Table 1-1: Definitions .....	6
Table 3-1: Operational Requirements .....	26
Table 3-2: Functional Requirements for TSAA Equipment .....	27
Table 3-3: System Reliability and Integrity Requirements .....	29
Table 3-4: TSAA System Timing Requirements .....	30
Table 3-5: TSAA Data Quality Requirements .....	31
Table 3-6: Recommendations .....	33
Table A-1: Classes of TSAA Equipment .....	5
Table A-2: TSAA Information by Equipment Class .....	6
Table A-3: Phase Table: TSAA .....	28
Table A-4: Abnormal Events and Responses .....	32
Table A-5: Summary of OSED Assumptions .....	32
Table A-6: TSAA Operational Requirements .....	35
Table A-7: TSAA Operational Recommendations .....	35
Table A-8: Comparison of Selected Airborne Traffic Alerting Systems .....	1
Table A-9: Airport Encounter Categories Same Leg .....	4
Table A-10: Airport Encounter Categories Entering Pattern .....	5
Table A-11: Airport Encounter Categories Departing .....	6
Table A-12: Airport Encounter Categories Rotorcraft .....	7
Table A-13: En Route Encounter Categories .....	7
Table B-1: Definition of Terms Used in the OPA .....	3
Table B-2: Required Data Items at the Input of the TSAA Equipment .....	4
Table B-3: Preliminary Analysis Parameters .....	8
Table B-4: Preliminary Analysis Navigation and Surveillance Parameters Ranges .....	9
Table B-5: Operational and Environmental Parameter Ranges .....	10
Table B-6: Prediction Error Parameter Dependencies .....	10
Table B-7: Preliminary Analysis Navigation and Surveillance Parameters .....	12
Table B-8: Key Parameters Analysis Priority .....	14
Table B-9: Airports Used for Encounter Data .....	17
Table B-10: NACp Values .....	20
Table B-11: NACv Values .....	20
Table B-12: HAZ and HAZ' Dimension .....	26
Table B-13: Detailed Analysis Parameter Range .....	31
Table B-14: Summary of Performance Parameter Values for the Airport Environment .....	42
Table B-15: Summary of the Airport Environment Performance .....	42
Table B-16: Summary of TSAA Low En Route Performance .....	43
Table B-17: Summary of TSAA High En Route Performance .....	43
Table B-18: Degradation Parameters for Nominal Traffic Simulations .....	44
Table B-19: Nominal Traffic End-to-End Latency Assumptions .....	55
Table B-20: Helicopter Performance Summary .....	56
Table B-21: Summary of Raw Airport Data Analysis .....	57
Table B-22: OPA Assumptions .....	60
Table B-23: TSAA Performance Requirements .....	61
Table C-1: Definition of Terms Used in the OSA .....	2
Table C-2: Safety Targets from U.S. FAA SMS Approach .....	9
Table C-3: Safety Targets from European Approach .....	10
Table C-4: Number of ATM Hazards Per Severity Class in Controlled Airspace .....	11
Table C-5: Safety Targets Per Flight Hour, European Approach .....	11
Table C-6: Gate Symbols .....	14
Table C-7: TSAA Operational Hazard Assessment .....	17
Table C-8: Environmental Conditions .....	18

Table C-9: External Mitigation Means.....	18
Table C-10: Internal Mitigation Means.....	19
Table C-11: TSAA Safety Requirements.....	20
Table C-12: TSAA OSA Assumptions .....	20
Table C-13: TSAA Safety Achievement.....	21
Table C-14: Safety Objectives for OH1.2 100% Workload.....	29
Table C-15: Safety Objectives for OH1.2 10% Maneuver on False Alert.....	29
Table C-16: Safety Objectives for OH1.2 90% Workload of Severity 4 .....	29
Table C-17: Basic Causes / Mitigations for OH1.2.....	34
Table C-18: Safety Objectives Per TSAA Operational Hazard .....	38

Currently in preview, click buy full version

## TABLE OF FIGURES

Figure 1-1: Surveillance Functional Architecture.....	4
Figure 2-1: Requirement Traceability Scheme .....	16
Figure A-1: Entering Traffic Pattern Example .....	13
Figure A-2: IFR En Route Example .....	14
Figure A-3: Multiple Aircraft Converging Example .....	15
Figure A-4: Airport Vicinity Example.....	16
Figure A-5: Rotorcraft Practicing Autorotation Example.....	17
Figure A-6: Safely Entering Traffic Pattern Example .....	18
Figure A-7: Non-cooperative Traffic Example.....	19
Figure A-8: Traffic Caution Alert update .....	20
Figure A-9: Phase Diagram Actions TSAA in VFR (VMC).....	22
Figure A-10: Phase Diagram: Actions TSAA in IFR (VMC/IMC).....	23
Figure A-11: Depiction of Track Intersect Angle And Relative Horizontal Velocity .....	4
Figure A-12: Relative Vertical Velocity.....	4
Figure A-13: Depiction of Possible Locations for Encounter Categories A1 and A2 .....	5
Figure A-14: Depiction of Possible Locations for Scenarios A3 and A4 .....	6
Figure A-15: Scenario Representation of A5 and A6.....	6
Figure A-16: Scenario Representation of A7 and A8.....	7
Figure A-17: Schematic Representation of Encounter Categories E1 through E3 .....	9
Figure A-18: Schematic Representation of Encounter Categories E4 through E6 .....	9
Figure B-1: Preliminary Analysis of Prediction Errors Over Time .....	13
Figure B-2: TSAA Simulation Architecture .....	18
Figure B-3: Data Flow through the Degradier .....	19
Figure B-4: TSAA Sample Algorithm Alerting Concept.....	23
Figure B-5: TAS Simulation Architecture .....	24
Figure B-6: Categorizing Alerts .....	26
Figure B-7: Example of a Multiple CPA Encounter .....	27
Figure B-8: Example Alerting Timeline and Scoring .....	27
Figure B-9: Comparative Analysis Process.....	29
Figure B-10: Process for Determining Performance Requirements.....	32
Figure B-11: Position and Velocity Error Analysis – Total Alert Period Results.....	33
Figure B-12: Position and Velocity Error Analysis – Total Outlying Alert Period Results.....	34
Figure B-13: Position and Velocity Error Analysis – Mean Time to Alert Results.....	34
Figure B-14: Position and Velocity Error Analysis – % Outlying Alert Results .....	35
Figure B-15: Position and Velocity Error Analysis – % Repeated Alert Results .....	35
Figure B-16: Position and Velocity Error Analysis – % Missed Alert Results.....	35
Figure B-17: Vertical Rate Error Effect on Total Alert Period.....	37
Figure B-18: Final Performance Parameter Selection – Total Alert Period Results .....	38
Figure B-19: Final Performance Parameter Selection – Outlying Alert Period Results .....	39
Figure B-20: Final Performance Parameter Selection – Mean Time to Alert Results .....	39
Figure B-21: Final Performance Parameter Selection – % Outlying Alerts Results.....	40
Figure B-22: Final Performance Parameter Selection – % Repeated Alerts Results .....	40
Figure B-23: Final Performance Parameter Selection – % Missed Alerts Results .....	40
Figure B-24: Maximum Data Age Analysis – Total Alert Period Results.....	41
Figure B-25: Maximum Data Age Analysis – % Missed Alert Results.....	41
Figure B-26: Airport Nominal Traffic Performance – Total Alert Period .....	45
Figure B-27: Airport Nominal Traffic Performance – Outlying Alert Period .....	46
Figure B-28: Airport Nominal Traffic Performance – Mean Time to Alert .....	46
Figure B-29: Airport Nominal Traffic Performance – % Outlying Alerts .....	46
Figure B-30: Airport Nominal Traffic Performance – % Repeated Alerts .....	47
Figure B-31: Airport Nominal Traffic Performance – % Missed Alerts.....	47

Figure B-32: Low En Route Nominal Traffic Performance – Total Alert Period.....	48
Figure B-33: Low En Route Nominal Traffic Performance – Outlying Alert Period.....	48
Figure B-34: Low En Route Nominal Traffic Performance – Mean Time to Alert.....	49
Figure B-35: Low En Route Nominal Traffic Performance – % Outlying Alerts .....	49
Figure B-36: Low En Route Nominal Traffic Performance – % Repeated Alerts.....	50
Figure B-37: Low En Route Nominal Traffic Performance – % Missed Alerts .....	50
Figure B-38: High En Route Nominal Traffic Performance – Total Alert Period.....	51
Figure B-39: High En Route Nominal Traffic Performance – Outlying Alert Period .....	51
Figure B-40: High En Route Nominal Traffic Performance – Mean Time to Alert.....	51
Figure B-41: High En Route Nominal Traffic Performance – % Outlying Alerts.....	52
Figure B-42: High En Route Nominal Traffic Performance – % Repeated Alerts .....	52
Figure B-43: High En Route Nominal Traffic Performance – % Missed Alerts .....	53
Figure C-1: OSA Process (Bowtie Model) Overview.....	6
Figure C-2: OHA Steps .....	7
Figure C-3: Probability “Pe” Per Hazard-Effect Pair Scheme .....	9
Figure C-4: ASOR Steps.....	13
Figure C-5: Example of Fault Tree structure .....	14
Figure C-6: Fault Tree Analysis for OH1.2.....	33

## 1 INTRODUCTION

This document provides the minimum operational, Safety and Performance Requirements (SPR) and Interoperability Requirements (INTEROP) for the implementation of Traffic Situation Awareness with Alerts (TSAA). The TSAA application is fully defined in the Operational Services and Environment Definition (OSED) found in Annex A.

All material in this document was developed jointly by European Organisation for Civil Aviation Equipment (EUROCAE) Working Group 51 and RTCA Special Committee 186. This document was developed based on the criteria for SPR and INTEROP documents set forth in RTCA DO-264/EUROCAE ED-78A, “Guidelines for Approval of the Provision and Use of Air Traffic Services Supported by Data Communications” [14] and the “Streamlined ADS-B Standardization Process – Joint SC186/WG51 Proposal” [35]. This document provides the minimum TSAA requirements, and allocations thereof, based on the results of a coordinated requirements determination process.

The requirements contained in this document are necessary to provide adequate assurance that the appropriate elements of the relevant Communication Navigation Surveillance and Air Traffic Management (CNS/ATM) system, when operating together, will perform their intended function in an acceptably safe manner for the operations defined in the OSED.

While all detailed SPR-related assessments are found in the Annexes to this document, Chapter 3 presents the results of reconciling all of these assessment results into a single set of underlying Safety and Performance Requirements. This process retains the most stringent requirements for those attributes or parameters commonly applied by both the safety and performance assessments. Traceability of those requirements to the corresponding assessment(s) is provided in Chapter 3.

### 1.1 Purpose of the Document

This document defines and allocates the set of minimum requirements for the end-to-end operational, safety, performance, and interoperability aspects for implementations of the TSAA application. This SPR/INTEROP allocates these requirements to the necessary domains of the CNS/ATM system, (i.e., at the aircraft and ground domain levels).

These requirements can be used as a component for approval processes including aircraft type design approval, aircraft operator operational approval and Air Traffic Services (ATS) provider operational approval. This SPR/INTEROP document is also written to support system-specific standards (e.g., MOPS, TSOs) which may be used as design guidance by regulatory agencies and authorities.

In addition, this document provides guidance to determine the levels of design assurance and performance that are needed for each element (aircraft, operator and Air Navigation Service Provider [ANSP]) to support the TSAA application.

The TSAA SPR/INTEROP document is also envisioned to be used along with those from other surveillance applications based on Automatic Dependent Surveillance-Broadcast (ADS-B) to develop minimum standards for avionics systems to assure that all subsystems perform their intended functions adequately for these applications.