

Application of Thick Film Polyurea and Polyurethane Coatings to Concrete, Steel, and Non-Ferrous Metals Using Plural-Component Equipment

©2021 Association for Materials Protection and Performance (AMPP). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise) without the prior written permission of AMPP.

Application of Thick Film Polyurea and Polyurethane Coatings to Concrete, Steel, and Non-Ferrous Metals Using Plural-Component Equipment

This AMPP Standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he or she has adopted the Standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this Standard. Nothing contained in this AMPP Standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by letters patent, or as indemnifying or protecting anyone against liability for infringement of letters patent. This Standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this Standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this Standard in specific instances. AMPP assumes no responsibility for the interpretation or use of this Standard by other parties and accepts responsibility for only those official AMPP interpretations issued by AMPP in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this AMPP Standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this Standard prior to its use. This AMPP Standard may not necessarily address all potential health and safety problems, or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this Standard. Users of this AMPP Standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities, if necessary to achieve compliance with any existing applicable regulatory requirements prior to the use of this Standard.

CAUTIONARY NOTICE: Standards may be revised or withdrawn at any time in accordance with AMPP standards committee procedures. The user is cautioned to obtain the latest edition. Purchasers of AMPP Standards may receive current information on all AMPP publications by contacting the AMPP Customer Support Department, 15835 Park Ten Place, Houston, TX 77084-5145 (Tel: +1 281-228-6200, email: customersupport@ampp.org).

Document History

2021-12-22: Revised by SSPC C.1.9, Polyurea Coatings
2012-09-25: Developed by SSPC C.1.9, Polyurea Coatings

AMPP values your input. To provide feedback on this standard, please contact: standards@ampp.org

SSPC-PA 14-2021

©2021 Association for Materials Protection and Performance (AMPP). All rights reserved.

Application of Thick Film Polyurea and Polyurethane Coatings to Concrete, Steel, and Non-Ferrous Metals Using Plural-Component Equipment

1	Scope.....	5
2	Referenced Documents	5
3	Definitions	6
4	Qualifications of Craftworkers	6
5	Surface Condition of Concrete Prior to Application of Coating.....	6
	5.1 Surface Soundness.....	6
	5.2 Surface Cleanliness	6
	5.3 Surface Profile.....	6
	5.4 Joints.....	6
6	Surface Condition of Steel Prior to Application of Coating.....	7
	6.1 Surface Cleanliness	7
	6.2 Surface Profile.....	7
7	Surface Condition of Non-Ferrous Metals Prior to Application of Coating	7
	7.1 Surface Cleanliness	7
	7.2 Surface Profile.....	7
8	Coating Materials Handling	7
	8.1 Personal Protective Equipment (PPE).....	7
	8.2 Coating Products Delivery	7
	8.3 Marking Containers	7
	8.4 Storing.....	8
	8.5 Mixing.....	8
9	Pre-Application Checks.....	8
	9.1 Ambient Condition.....	8
	9.2 Temperature.....	8
	9.3 Humidity	8
	9.4 Concrete Substrate Moisture	8
	9.5 Steel and Non-Ferrous Metal Substrate Moisture.....	8
	9.6 Masking.....	8
10	Application Equipment Requirements.....	9
	10.1 General	9
	10.2 Spray Equipment Cleanliness	9
	10.3 Spray Equipment Material Pressure	9

	10.4	Process Temperature Control	9
	10.5	Spray Gun Parameters	9
11		Project Test Area	9
	11.1	General	9
	11.2	Steel and Non-Ferrous Metal Substrates	9
	11.3	Concrete Substrates	9
12		Application Process Requirements	9
	12.1	Records	9
	12.2	Protection from Contaminants	9
	12.3	Application of Primer	10
	12.4	Application of Topcoat or Overcoat	10
	12.5	Coating Thickness on Steel and Nonferrous Metal Substrates	10
	12.6	Coating Thickness on Concrete Substrates	10
	12.7	Continuity	10
13		Drying/Curing of Applied Coatings	10
	13.1	Cure	10
	13.2	Drying	10
	13.3	Protection of Fresh Coating	10
	13.4	Placement into Service	11
14		Repair of Coated Surfaces (Steel, Non-Ferrous Metal or Concrete)	11
15		Other Referenced Documents	11
16		Notes	11
Additional Reading			12
		AMPP Documents	12
		ACI International Documents	13
		ICRI Guideline	13

1: Scope

This standard provides requirements for the field application of polyurea, polyurethane, or polyurea/polyurethane hybrid thick film coatings to concrete, steel, and non-ferrous metal surfaces using plural component spray equipment. In this standard, thick film coatings are defined as coatings specified to have greater than 500 micrometers [μm] (20 mils) dry film thickness. Surface preparation, pretreatments, machinery requirements and parameters are addressed in this standard.

UNITS OF MEASURE: This standard makes use of both the IEEE/ASTM SI10, International Standards (SI) units and U.S. Customary units. The measurements are not exact equivalents; therefore, each system must be used independently of the other without combining in any way.

2: Referenced Documents

2.1 The latest issue, revision, or amendment of the referenced documents in effect on the date of publication to bid shall govern unless otherwise specified. Those documents marked with an asterisk (*) are referenced only in the Notes, which are not requirements of this standard.

2.2 If there is a conflict between the requirements of any of the cited referenced documents and this standard, the requirements of this standard shall prevail, unless otherwise specified by the procurement documents.

2.3 AMPP DOCUMENTS, www.ampp.org

NACE SP0188	Discontinuity (Holiday) Testing of New Protective Coatings on Conductive Surfaces
NACE/ASTM G193	Standard Terminology and Acronyms Relating to Corrosion
*SSPC-QP 1	Standard Procedure for Evaluating the Qualifications of Industrial/Marine Painting Contractors
*SSPC-QP 3/AISC 420	Certification Standard for Shop Application of Complex Protective Coating Systems
*SSPC-QP 8	Standard Procedure for Evaluating the Qualifications of Contracting Firms that Install Polymer Coatings and Surfacing on Concrete and Other Cementitious Substrates
SSPC-TU 8	Safe Use and Handling of Isocyanate-Containing Polyurethane and Polyurea Coatings for Industrial Maintenance Applications
SSPC-Paint 45	Two-Component, Thick-Film Polyurea and Polyurea/Polyurethane Hybrid Coatings, Performance Based
SSPC-PA 2	Procedure for Determining Conformance to Dry Coating Thickness Requirements
SSPC-PA 17	Procedure for Determining Conformance to Steel Profile/Surface Roughness/Peak Count Requirements

2.4 ASTM INTERNATIONAL STANDARDS, www.astm.org

ASTM C805	Standard Test Method for Rebound Number of Hardened Concrete
ASTM D4138	Standard Practices for Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means
*ASTM D4263	Standard Test Method for Indicating Moisture in Concrete by the Plastic Sheet Method
ASTM E1417	Standard Test Methods for Field Measurement of Surface Profile of Blast Cleaned Steel
ASTM D4787	Standard Practice for Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates
ASTM D6132	Standard Test Method for Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage
ASTM D7091	Standard Practice for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals
*ASTM E1907	Standard Practices for Determining Moisture-Related Acceptability of Concrete Floors to Receive Moisture-Sensitive Finishes