

ASME B30.9-2018
(Revision of ASME B30.9-2014)

Slings

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks, Jacks,
and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.9-2018
(Revision of ASME B30.9-2014)

Slings

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks, Jacks,
and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 15, 2018

The next edition of this Standard is scheduled for publication in 2021. This Standard will become effective 1 year after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be based on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures agreed to as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" an item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2018 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	vi
Committee Roster	iii
B30 Standard Introduction	xii
Summary of Changes	xiv
Chapter 9-0	
Scope, Definitions, Personnel Competence, Rigger Responsibilities, Translations, and References	1
Section 9-0.1 Scope of ASME B30.9	1
Section 9-0.2 Definitions	1
Section 9-0.3 Personnel Competence	3
Section 9-0.4 Rigger Responsibilities	3
Section 9-0.5 Original and Translated Technical and Safety-Related Information	3
Section 9-0.6 References	3
Chapter 9-1 Alloy Steel Chain Slings: Selection, Use, and Maintenance	5
Section 9-1.0 Scope	5
Section 9-1.1 Training	5
Section 9-1.2 Components	5
Section 9-1.3 Fabrication and Configurations	5
Section 9-1.4 Design Factor	5
Section 9-1.5 Rated Load	5
Section 9-1.6 Proof Test Requirements	7
Section 9-1.7 Sling Identification	7
Section 9-1.8 Effects of Environment	7
Section 9-1.9 Inspection, Removal, and Repair	7
Section 9-1.10 Operating Practices	9
Chapter 9-2 Wire Rope Slings: Selection, Use, and Maintenance	11
Section 9-2.0 Scope	11
Section 9-2.1 Training	11
Section 9-2.2 Components	11
Section 9-2.3 Fabrication and Configurations	11
Section 9-2.4 Design Factor	12
Section 9-2.5 Rated Load	12
Section 9-2.6 Proof Test Requirements	12
Section 9-2.7 Sling Identification	13
Section 9-2.8 Effects of Environment	13
Section 9-2.9 Inspection, Removal, and Repair	14
Section 9-2.10 Operating Practices	15
Chapter 9-3 Metal Mesh Slings: Selection, Use, and Maintenance	18
Section 9-3.0 Scope	18

Section 9-3.1	Training	18
Section 9-3.2	Components	18
Section 9-3.3	Fabrication and Configurations	18
Section 9-3.4	Design Factor	18
Section 9-3.5	Rated Load	18
Section 9-3.6	Proof Test Requirements	18
Section 9-3.7	Sling Identification	18
Section 9-3.8	Effects of Environment	19
Section 9-3.9	Inspection, Removal, and Repair	20
Section 9-3.10	Operating Practices	21
Chapter 9-4	Synthetic Rope Slings: Selection, Use, and Maintenance	23
Section 9-4.0	Scope	23
Section 9-4.1	Training	23
Section 9-4.2	Components	23
Section 9-4.3	Fabrication and Configurations	23
Section 9-4.4	Design Factor	24
Section 9-4.5	Rated Load	24
Section 9-4.6	Proof Test Requirements	24
Section 9-4.7	Sling Identification	26
Section 9-4.8	Effects of Environment	26
Section 9-4.9	Inspection, Removal, and Repair	26
Section 9-4.10	Operating Practices	27
Chapter 9-5	Synthetic Webbing Slings: Selection, Use, and Maintenance	30
Section 9-5.0	Scope	30
Section 9-5.1	Training	30
Section 9-5.2	Components	30
Section 9-5.3	Fabrication and Configurations	30
Section 9-5.4	Design Factor	30
Section 9-5.5	Rated Load	30
Section 9-5.6	Proof Test Requirements	32
Section 9-5.7	Sling Identification	32
Section 9-5.8	Effects of Environment	32
Section 9-5.9	Inspection, Removal, and Repair	32
Section 9-5.10	Operating Practices	33
Chapter 9-6	Polyester Roundslings: Selection, Use, and Maintenance	35
Section 9-6.0	Scope	35
Section 9-6.1	Training	35
Section 9-6.2	Components	35
Section 9-6.3	Fabrication and Configurations	35
Section 9-6.4	Design Factor	36
Section 9-6.5	Rated Load	36
Section 9-6.6	Proof Test Requirements	36
Section 9-6.7	Sling Identification	36
Section 9-6.8	Effects of Environment	37
Section 9-6.9	Inspection, Removal, and Repair	37

Section 9-6.10	Operating Practices	38
Chapter 9-7	High Performance Roundslings: Selection, Use, and Maintenance	40
Section 9-7.0	Scope	40
Section 9-7.1	Training	40
Section 9-7.2	Components	40
Section 9-7.3	Fabrication and Configurations	40
Section 9-7.4	Design Factor	41
Section 9-7.5	Rated Load	41
Section 9-7.6	Proof Test Requirements	41
Section 9-7.7	Sling Identification	41
Section 9-7.8	Effects of Environment	42
Section 9-7.9	Inspection, Removal, and Repair	42
Section 9-7.10	Operating Practices	43

Figures

9-1.0-1	Alloy Steel Chain Slings: Configurations, Components, and Hitches	6
9-1.5-1	Angle of Loading	7
9-2.0-1	Wire Rope Sling	11
9-2.0-2	Wire Rope	12
9-2.3.2-1	Minimum Sling Length	13
9-2.3.2-2	Minimum Braided Sling Length	13
9-2.5-1	Angle of Loading	13
9-2.9.5-1	Cable-Laid Wire Rope Sling	15
9-2.10.1-1	<i>D/d</i> Ratio: Wire Rope Slings	16
9-3.0-1	Metal Mesh Sling	19
9-3.5-1	Angle of Loading	20
9-3.10.1-1	Angle of Choke: Metal Mesh Slings	21
9-4.0-1	Synthetic Fiber Rope Sling	24
9-4.5-1	Hitch Types for Synthetic Rope Slings	25
9-4.5-2	Angle of Loading	26
9-4.10.1-1	<i>D/d</i> Ratio: Synthetic Rope Slings	28
9-5.0-1	Synthetic Webbing Slings	31
9-5.0-2	Synthetic Webbing Sling Nomenclature	31
9-5.5-1	Angle of Loading	31
9-6.0-1	Pre-ester Roundslings Types	35
9-6.5-1	Angle of Loading	36
9-7.0-1	High Performance Roundslings Types	40
9-7.5-1	Angle of Loading	41

Tables

9-1.3.1-1	Effect of Elevated Temperature on Rated Load of Alloy Steel Chain	8
9-1.9.5-1	Minimum Allowable Thickness at Any Point on a Link	9
9-1.10.1-1	Basket Sling Hitch-Rated Capacity Affected by <i>D/d</i>	10
9-2.10.1-1	Angle of Choke: Wire Rope Slings	16
9-3.2.1-1	Fabric Construction: Metal Mesh Slings	19

9-4.10.1-1	Angle of Choke: Synthetic Rope Slings	28
9-5.10.1-1	Angle of Choke: Synthetic Webbing Slings	34
9-6.10.1-1	Angle of Choke: High Performance Roundslings	38
9-7.10.1-1	Angle of Choke: High Performance Roundslings	43

Currently in preview, click buy full versi

FOREWORD

This American National Standard, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings, has been developed under the procedures accredited by the American National Standards Institute (ANSI). This Standard had its beginning in December 1916 when an eight-page Code of Safety Standards for Cranes, prepared by the ASME Committee on the Protection of Industrial Workers, was presented to the annual meeting of the ASME.

Meetings and discussions regarding safety on cranes, derricks, and hoists were held from 1920 to 1927 involving the ASME Safety Code Correlating Committee, the Association of Iron and Steel Electrical Engineers, the American Museum of Safety, the American Engineering Standards Committee (AESC) [later changed to American Standards Association (ASA), then to the USA Standards Institute (USASI), and finally to ANSI], Department of Labor — State of New Jersey Department of Labor and Industry — State of Pennsylvania, and the Locomotive Crane Manufacturers Association. On June 11, 1925, the AESC approved the ASME Safety Code Correlating Committee's recommendation and authorized the project with the U.S. Department of the Navy, Bureau of Yards and Docks, and ASME as sponsors.

In March 1926, invitations were issued to 50 organizations to appoint representatives to a Sectional Committee. The call for organization of this Sectional Committee was sent out October 2, 1926, and the committee organized on November 4, 1926, with 57 members representing 29 national organizations. Commencing in June 1927, and using the eight-page code published by ASME in 1916 as a basis, the Sectional Committee developed the "Safety Code for Cranes, Derricks, and Hoists." The early drafts of this safety code included requirements for jacks, but due to inputs and comments on those drafts, the Sectional Committee decided in 1938 to make the requirements for jacks a separate code. In January 1943, ASA B30.2-1943 was published addressing a multitude of equipment types and in August 1943, ASA B30.1-1943 was published addressing just jacks. Both documents were reaffirmed in 1950 and widely accepted as safety standards.

Due to changes in design, advancement in techniques, and general interest of labor and industry in safety, the Sectional Committee, under the joint sponsorship of ASME and the Bureau of Yards and Docks (now the Naval Facilities Engineering Command) was reorganized on January 31, 1962, with 39 members representing 27 national organizations. The new Committee changed the format of ASA B30.2-1943 so that the multitude of equipment types it addressed could be published in separate volumes that could completely cover the construction, installation, inspection, testing, maintenance, and operation of each type of equipment that was included in the scope of ASA B30.2. This format change resulted in the initial publication of B30.3, B30.5, B30.6, B30.11, and B30.16 being designated as revisions of B30.2 with the remainder of the B30 volumes being published as totally new volumes. ASA changed its name to USASI in 1966 and to ANSI in 1969, which resulted in B30 volumes from 1943 to 1968 being designated as ASA B30, USAS B30, or ANSI B30, depending on their date of publication.

In 1982, the Committee was reorganized as an Accredited Organization Committee, operating under procedures developed by ASME and accredited by ANSI. This Standard presents a coordinated set of rules that may serve as a guide to government and other regulatory bodies and municipal authorities responsible for the guarding and inspection of the equipment falling within its scope. The suggestions leading to accident prevention are given both as mandatory and advisory provisions; compliance with both types may be required by employers of their employees. In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant variances from the literal requirements or permit the use of other devices or methods, but only when it is clearly evident that an equivalent degree of protection is thereby secured. To secure uniform application and interpretation of this Standard, administrative or regulatory authorities are urged to consult the B30 Committee, in accordance with the format described in Section IX of the Introduction, before rendering decisions on disputed points.

Safety codes and standards are intended to enhance public safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

The first edition of ASME B30.9 was issued in 1971; new editions were published in 1984, 1990, 1996, 2003, 2006, and 2014. The 2014 edition contained extensive revisions including the use of the term *load handling* to recognize that the load could be moving vertically or horizontally, and removal of the rated load tables, and addressed personnel competence and translations. This 2018 edition contains guidance concerning the inspection of stored slings, rigger responsibilities, and an entire chapter dedicated to high performance roundslings.

This edition of the B30.9 volume was approved by the B30 Committee and by ASME, and was approved by ANSI and designated as an American National Standard on March 23, 2018.

ASME B30 COMMITTEE

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

T. L. Blanton, *Chair*
E. D. Fidler, *Vice Chair*
K. M. Hyam, *Secretary*

STANDARDS COMMITTEE PERSONNEL

N. E. Andrew, LTS Crane Mechanical
T. L. Blanton, NACB Group, Inc.
P. A. Boeckman, The Crosby Group, Inc.
P. W. Boyd, The Boeing Co.
B. D. Closson, Craft Forensic Services
J. A. Danielson, The Boeing Co.
D. R. Decker, Becket, LLC
L. D. Demark, Sr., Equipment Training Solutions, LLC
D. W. Eckstine, Eckstine & Associates
R. J. Edwards, NationsBuilders Insurance Services, Inc.
A. J. Egging, National Oilwell Varco
E. D. Fidler, Grove U.S., LLC
J. A. Gilbert, Associated Wire Rope Fabricators
J. L. Gordon, Acco Material Handling Solutions, Inc.
N. C. Hargreaves, Consultant
G. B. Hetherston, Consultant
K. M. Hyam, The American Society of Mechanical Engineers
M. M. Jaxheimer, Navy Crane Center
P. R. Juhren, Morrow Equipment Co., LLC
R. M. Kohner, Landmark Engineering Services
A. J. Lusi, Jr., Lumark Consulting, LLP
E. K. Marburg, Columbus McKinnon Corp.
L. D. Means, Means Engineering & Consulting
M. W. Mills, Liberty Mutual Insurance
D. L. Morgan, Critical Lift Consultants, LLC
W. E. Osborn, Ingersoll Rand
R. M. Parnell, ITI-Field Service
J. T. Perkins, First Solar Electric
B. A. Pickett, Systems Engineering and Forensic Services
J. A. Pilgrim, Manitowoc Cranes
S. K. Rammelsberg, CB&I
J. E. Richardson, U.S. Department of the Navy
D. W. Ritchie, David Ritchie Consultant, LLC
J. W. Rowland, Consultant
J. C. Ryan, Bechtel Bros. Construction Co.
D. W. Smith, STI Group
W. J. Smith, Jr., NationsBuilders Insurance Services, Inc.
R. Stanoch, Lampson International, LLC
A. G. Train, Advanced Crane Technologies, LLC
J. S. Sturm, Sturm Corp.
P. D. Sweeney, Riverside Engineering, LLC
E. P. Vliet, Consultant
J. D. Wiethorn, Haag Engineering Co.
R. C. Wild, CJ Drilling, Inc.
D. N. Wolff, National Machine/Manitowoc Crane Group
S. D. Wood, Terex Corp.
B. B. Bacon, *Alternate*, Tennessee Valley Authority
R. J. Bolen, *Alternate*, Consultant
G. J. Brant, *Alternate*, NCCCO
J. R. Burke, *Alternate*, Columbus McKinnon Corp.
B. M. Casey, *Alternate*, Electric Boat
W. C. Dickinson, Jr., *Alternate*, Crane Industry Services, LLC
J. Dudley, *Alternate*, The Walsh Group
D. Duerr, *Alternate*, 2DM Associates, Inc.
M. Eggenberger, *Alternate*, Berry Contracting, Inc.
S. R. Fletcher, *Alternate*, Cowles, Murphy, Glover & Associates
M. Gardiner, *Alternate*, Haag Engineering Co.
S. R. Gridley, *Alternate*, Navy Crane Center
D. A. Henninger, *Alternate*, Bridon Bekaert, The Ropes Group
D. F. Jordan, *Alternate*, American International Crane Bureau
K. Kennedy, *Alternate*, Navy Crane Center
J. Lindsay, *Alternate*, Link-Belt Construction Equipment
T. C. Mackey, *Alternate*, WRPS Hanford, an AECOM Co.
J. P. Muhlbauer, *Alternate*, All Ship & Cargo Surveys, Ltd.
D. A. Moore, *Alternate*, Unified Engineering
L. S. Olver, *Alternate*, Kolo Holdings, Inc.
J. M. Randall, *Alternate*, CB&I
K. Rask, *Alternate*, NationsBuilders Insurance Services, Inc.
C. L. Richardson, *Alternate*, Lone Star Rigging, LP
A. R. Ruud, *Alternate*, Atkinson Construction
J. R. Schober, *Alternate*, American Bridge Co.
J. Schoppert, *Alternate*, NBIS Claims & Risk Management
L. K. Shapiro, *Alternate*, Howard I. Shapiro & Associates
K. Shinn, *Alternate*, K. J. Shinn, Inc.
C. H. Smith, *Alternate*, Morrow Equipment Co., LLC
S. Snider, *Alternate*, Ingersoll Rand
R. Stanoch, *Alternate*, IPS Cranes
C. Warren, *Alternate*, Webber, LLC
A. T. West, *Alternate*, Liberty Mutual Insurance
M. P. Zerba, *Alternate*, Lampson International, LLC

HONORARY MEMBERS

J. W. Downs, Jr., Downs Crane and Hoist Co.
J. L. Franks, Consultant
C. W. Ireland, National Oilwell Varco

J. M. Klibert, Lift-All Co., Inc.
R. W. Parry, Consultant

B30.9 SUBCOMMITTEE PERSONNEL

R. M. Parnell, *Chair*, ITT-Field Service
A. Abraham, Samson Rope Technologies
N. E. Andrew, LTS Cranes
B. B. Bacon, Tennessee Valley Authority
T. Blanton, NACB Group, Inc.
P. A. Boeckman, The Crosby Group
P. Cooke, CM
D. R. Decker, Becket, LLC
G. J. D'Elia, Slingmax Rigging Solutions
D. Fabula, Department of the Navy
M. J. Gelskey, Lift It Manufacturing Co., Inc.
J. A. Gilbert, Associates Wire Rope Fabricators
S. R. Gridley, Navy Crane Center
P. S. Hughes, MAGNA Lifting

T. W. Klein, Wireco Worldgroup
M. A. Kowalick, Lifttext Corp.
L. D. Means, Means Engineering & Consulting
D. A. Moore, Unified Engineering
M. Neuzil, Six Flags
B. D. Todd, Campbell Chain
D. Beltran, *Alternate*, Gunnebo Johnson Corp.
R. Marcotte, *Alternate*, Industrial Training International
R. Ohman III, *Alternate*, The Crosby Group
T. Raines, Jr., *Alternate*, CMCO
M. Riggs, *Alternate*, Rigging Institute, LLC
J. Schroeder, *Alternate*, RUE Chain
L. R. Townsend, *Alternate*, FIK Rigging Technology, LLC

B30 INTEREST REVIEW GROUP

O. Akinboboye, Ropetech Engineering Services
D. Beltran, Gunnebo Johnson Corp.
J. D. Cannon, U.S. Army Corps of Engineers
B. Dobbs, LEEA
M. J. Eggenberger, Berry Contracting, Inc.
A. Gomes Rocha, Belgo Bekaert Arames
H. A. Hashem, Saudi Aramco
J. Hui, Si Pai Lou, School of Civil Engineering

C. Lee, Department of Industry — BSEE
A. C. Mott, Arrowinch, LLC
J. P. Pihlauer, All Ship & Cargo Surveys, Ltd.
J. S. Omer, Kolo Holdings, Inc.
G. L. Owens, Consultant
D. C. Remus, Reed Manufacturing
C. C. Tsauro, Institute of Occupational Safety and Health

B30 REGULATORY AUTHORITY COUNCIL

C. Shelhamer, *Chair*, New York City Department of Buildings
K. M. Hyam, *Secretary*, The American Society of Mechanical Engineers
L. G. Champion, Department of Labor/OSHA
R. Feidt, Stephenson Equipment, Inc.
C. Harris, City of Chicago — Department of Buildings
R. D. Jackson, U.S. Department of Labor
J. L. Lankford, State of Nevada (OSHA)
D. E. Latham, State of Maryland DOLR
A. Lundeen, State of Washington, Department of Labor and Industries

J. Mendoza, North Carolina Department of Labor, Division of Occupational Safety
M. J. Nelmda, State of California, Occupational Safety and Health Standards Board
G. E. Pushies, MIOSHA
C. N. Stribling, Jr., Kentucky Labor Cabinet
T. Taylor, Minnesota Department of Labor & Industry
A. O. Omran, *Alternate*, New York City Department of Buildings
K. L. Powell, *Alternate*, Maryland Department of Labor, MOSH

B30 STANDARD INTRODUCTION

SECTION I: SCOPE

The ASME B30 Standard contains provisions that apply to the construction, installation, operation, inspection, testing, maintenance, and use of cranes and other lifting and material-movement-related equipment. For the convenience of the reader, the Standard has been divided into separate volumes. Each volume has been written under the direction of the ASME B30 Standards Committee and has successfully completed a consensus approval process under the general auspices of the American National Standards Institute (ANSI).

As of the date of issuance of this Volume, the B30 Standard comprises the following volumes:

- B30.1 Jacks, Industrial Rollers, Air Casters, and Hydraulic Gantries
- B30.2 Overhead and Gantry Cranes (Top Running Bridge, Single or Multiple Girder, Top Running Trolley Hoist)
- B30.3 Tower Cranes
- B30.4 Portal and Pedestal Cranes
- B30.5 Mobile and Locomotive Cranes
- B30.6 Derricks
- B30.7 Winches
- B30.8 Floating Cranes and Floating Derricks
- B30.9 Slings
- B30.10 Hooks
- B30.11 Monorails and Underhung Cranes (withdrawn 2018 — requirements found in B30.17)
- B30.12 Handling Loads Suspended From Rotorcraft
- B30.13 Storage/Retrieval (S/R) Machines and Associated Equipment
- B30.14 Side Boom Tractors
- B30.15 Mobile Hydraulic Cranes (withdrawn 1982 — requirements found in latest revision of B30.5)
- B30.16 Overhead Underhung and Stationary Hoists
- B30.17 Cranes and Monorails (With Underhung Trolley or Bridge)
- B30.18 Stacker Cranes (Top or Under Running Bridge, Multiple Girder With Top or Under Running Trolley Hoist)
- B30.19 Cableways
- B30.20 Below-the-Hook Lifting Devices

- B30.21 Lever Hoists
- B30.22 Articulating Boom Cranes
- B30.23 Personnel Lifting Systems
- B30.24 Container Cranes
- B30.25 Scrap and Material Handlers
- B30.26 Rigging Hardware
- B30.27 Material Placement Systems
- B30.28 Balance Lifting Units
- B30.29 Self-Erecting Tower Cranes
- B30.30 Ropes¹
- B30.31 Self-Propelled, Towed, or Remote-Controlled Hydraulic Platform Transporters¹
- B30.32 Unmanned Aircraft Systems (UAS) Used in Inspection, Testing, Maintenance, and Lifting Operations¹

SECTION II: SCOPE EXCLUSIONS

Any exclusion of, or limitations applicable to, the equipment, requirements, recommendations, or operations contained in this Standard are established in the affected volume's scope.

SECTION III: PURPOSE

The B30 Standard is intended to

(a) prevent or minimize injury to workers, and otherwise provide for the protection of life, limb, and property by prescribing safety requirements

(b) provide direction to manufacturers, owners, employers, users, and others concerned with, or responsible for, its application

(c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION IV: USE BY REGULATORY AGENCIES

These volumes may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding regulations of the governmental authorities.

¹This volume is currently in the development process.