

Australian/New Zealand Standard™

**Slotted countersunk (flat) head tapping
screws (common head style)**



AS/NZS 4404:2015

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME-029, Fasteners. It was approved on behalf of the Council of Standards Australia on 24 July 2015 and on behalf of the Council of Standards New Zealand on 24 July 2015.

This Standard was published on 26 August 2015.

The following are represented on Committee ME-029:

Association of Accredited Certification Bodies
Association of Wall and Ceiling Industries of Australia and New Zealand
Australasian Corrosion Association
Australian Chamber of Commerce and Industry
Australian Engineered Fasteners and Anchors Council
Australian Industry Group
Australian Steel Institute
Australian Technical Infrastructure Committee
Austroads
Bureau of Steel Manufacturers of Australia
CSIRO
Employers and Manufacturers Association
Galvanizers Association of Australia
Materials Australia
National Association of Steel-Framed Housing
National Association of Testing Authorities Australia
New Zealand Heavy Engineering Research Association
Society of Automotive Engineers—Australasia
Steel Construction New Zealand
Swinburne University of Technology

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the online catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4404:2015.

Australian/New Zealand Standard™

Slotted countersunk (flat) head tapping screws (common head style)

Original as AS/NZS 4404:1996.
Second edition 2015.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN 978 1 76035 206 6

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME-029, Fasteners, to supersede AS/NZS 4404:1996.

The objective of this Standard is to specify the dimensions and mechanical properties of a standard range of heat-treated steel slotted countersunk head tapping screws.

This Standard is identical with, and has been reproduced from, ISO 1482:2011, *Slotted countersunk (flat) head tapping screws*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) In the source text ‘this International Standard’ should read ‘this Australian/New Zealand Standard’.
- (b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>	<i>Australian/New Zealand Standard</i>
ISO	AS/NZS
1478 Tapping screws thread	4411 Tapping screws thread
2702 Heat-treated steel tapping screws— Mechanical properties	4412 Heat-treated steel tapping screws— Mechanical properties
	AS
4759 Tolerances for fasteners	
4759-1 Part 1: Bolts, screws, studs and nuts— Product grades A, B and C	5060 Tolerances for ISO metric bolts, screws, studs and nuts—Product grades A, B and C

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

AUSTRALIAN/NEW ZEALAND STANDARD

Slotted countersunk (flat) head tapping screws (common head style)**1 Scope**

This International Standard specifies the characteristics of slotted countersunk (flat) head tapping screws with thread sizes from ST 2,2 to ST 9,5 inclusive.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 225, *Fasteners — Bolts, screws, studs and nuts — Symbols and descriptions of dimensions*

ISO 1478, *Tapping screws thread*

ISO 2702, *Heat-treated steel tapping screws — Mechanical properties*

ISO 3269, *Fasteners — Acceptance inspection*

ISO 3506-4, *Mechanical properties of corrosion-resistant stainless steel fasteners — Part 4: Tapping screws*

ISO 4042, *Fasteners — Electroplated coatings*

ISO 4759-1, *Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C*

ISO 7721, *Countersunk head screws — Head configuration and gauging*

ISO 8992, *Fasteners — General requirements for bolts, screws, studs and nuts*

ISO 10683, *Fasteners — Non-electrolytically applied zinc flake coatings*

ISO 16048, *Passivation of corrosion-resistant stainless-steel fasteners*