

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Functional safety of electrical/electronic/programmable electronic safety-related systems –

Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3

Sécurité fonctionnelle des systèmes électriques/électroniques/électroniques programmables relatifs à la sécurité

Partie 6: Lignes directrices pour l'application de la CEI 61508-2 et de la CEI 61508-3



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour toute ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Functional safety of electrical/electronic/programmable electronic safety-related systems –
Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3**

**Sécurité fonctionnelle des systèmes électriques/électroniques/électroniques
programmables relatifs à la sécurité
Partie 6: Lignes directrices pour l'application de la CEI 61508-2 et de la
CEI 61508-3**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XE

ICS 25.040.40

ISBN 978-2-88910-529-8

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references.....	12
3 Definitions and abbreviations.....	12
Annex A (informative) Application of IEC 61508-2 and of IEC 61508-3.....	13
Annex B (informative) Example of technique for evaluating probabilities of hardware failure.....	21
Annex C (informative) Calculation of diagnostic coverage and safe failure fraction – worked example.....	76
Annex D (informative) A methodology for quantifying the effect of hardware-related common cause failures in E/E/PE systems.....	80
Annex E (informative) Example applications of software safety integrity tables of IEC 61508-3.....	95
Bibliography.....	110
Figure 1 – Overall framework of the IEC 61508 series.....	11
Figure A.1 – Application of IEC 61508-2.....	17
Figure A.2 – Application of IEC 61508-2 (Figure A.1 continued).....	18
Figure A.3 – Application of IEC 61508-3.....	20
Figure B.1 – Reliability Block Diagram of a whole safety loop.....	22
Figure B.2 – Example configuration for two sensor channels.....	26
Figure B.3 – Subsystem structure.....	29
Figure B.4 – 1oo1 physical block diagram.....	30
Figure B.5 – 1oo1 reliability block diagram.....	31
Figure B.6 – 1oo2 physical block diagram.....	32
Figure B.7 – 1oo2 reliability block diagram.....	32
Figure B.8 – 2oo2 physical block diagram.....	33
Figure B.9 – 2oo2 reliability block diagram.....	33
Figure B.10 – 1oo2/1 physical block diagram.....	33
Figure B.11 – 1oo2/2D reliability block diagram.....	34
Figure B.12 – 2oo3 physical block diagram.....	34
Figure B.13 – 2oo3 reliability block diagram.....	35
Figure B.14 – Architecture of an example for low demand mode of operation.....	40
Figure B.15 – Architecture of an example for high demand or continuous mode of operation.....	49
Figure B.16 – Reliability block diagram of a simple whole loop with sensors organised into 2oo3 logic.....	51
Figure B.17 – Simple fault tree equivalent to the reliability block diagram presented on Figure B.1.....	52
Figure B.18 – Equivalence fault tree / reliability block diagram.....	52
Figure B.19 – Instantaneous unavailability $U(t)$ of single periodically tested components.....	54
Figure B.20 – Principle of $PF D_{avg}$ calculations when using fault trees.....	55

Figure B.21 – Effect of staggering the tests	56
Figure B.22 – Example of complex testing pattern	56
Figure B.23 – Markov graph modelling the behaviour of a two component system	58
Figure B.24 – Principle of the multiphase Markovian modelling	59
Figure B.25 – Saw-tooth curve obtained by multiphase Markovian approach.....	60
Figure B.26 – Approximated Markovian model	60
Figure B.27 – Impact of failures due to the demand itself.....	61
Figure B.28 – Modelling of the impact of test duration.....	61
Figure B.29 – Multiphase Markovian model with both DD and DU failures	62
Figure B.30 – Changing logic (2oo3 to 1oo2) instead of repairing first failure	63
Figure B.31 – "Reliability" Markov graphs with an absorbing state	63
Figure B.32 – "Availability" Markov graphs without absorbing states	65
Figure B.33 – Petri net for modelling a single periodically tested component.....	66
Figure B.34 – Petri net to model common cause failure and repair resources.....	69
Figure B.35 – Using reliability block diagrams to build Petri net and auxiliary Petri net for <i>PF</i> D and <i>PF</i> H calculations	70
Figure B.36 – Simple Petri net for a single component with revealed failures and repairs	71
Figure B.37 – Example of functional and dysfunctional modelling with a formal language.....	72
Figure B.38 – Uncertainty propagation principle.....	73
Figure D.1 – Relationship of common cause failures to the failures of individual channels	82
Figure D.2 – Implementing shock model with fault trees.....	93
Table B.1 – Terms and their ranges used in this annex (applies to 1oo1, 1oo2, 2oo2, 1oo2D, 1oo3 and 2oo3)	27
Table B.2 – Average probability of failure on demand for a proof test interval of six months and a mean time to restoration of 8 h	36
Table B.3 – Average probability of failure on demand for a proof test interval of one year and mean time to restoration of 8 h.....	37
Table B.4 – Average probability of failure on demand for a proof test interval of two years and a mean time to restoration of 8 h	38
Table B.5 – Average probability of failure on demand for a proof test interval of ten years and a mean time to restoration of 8 h	39
Table B.6 – Average probability of failure on demand for the sensor subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i>)	40
Table B.7 – Average probability of failure on demand for the logic subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i>)	41
Table B.8 – Average probability of failure on demand for the final element subsystem in the example for low demand mode of operation (one year proof test interval and 8 h <i>MTTR</i>)	41
Table B.9 – Example for a non-perfect proof test	42
Table B.10 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of one month and a mean time to restoration of 8 h	45

Table B.11 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of three month and a mean time to restoration of 8 h	46
Table B.12 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of six month and a mean time to restoration of 8 h	Error! Bookmark not defined.
Table B.13 – Average frequency of a dangerous failure (in high demand or continuous mode of operation) for a proof test interval of one year and a mean time to restoration of 8 h	Error! Bookmark not defined.
Table B.14 – Average frequency of a dangerous failure for the sensor subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i>)	49
Table B.15 – Average frequency of a dangerous failure for the logic subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i>)	50
Table B.16 – Average frequency of a dangerous failure for the final element subsystem in the example for high demand or continuous mode of operation (six month proof test interval and 8 h <i>MTTR</i>)	50
Table C.1 – Example calculations for diagnostic coverage and safe failure fraction	78
Table C.2 – Diagnostic coverage and effectiveness for different element	79
Table D.1 – Scoring programmable electronics or sensors/final elements	88
Table D.2 – Value of Z – programmable electronics	89
Table D.3 – Value of Z – sensors or final elements	89
Table D.4 – Calculation of β_{int} or $\beta_{D int}$	90
Table D.5 – Calculation of β for systems with level of redundancy greater than 1oo2	91
Table D.6 – Example values for programmable electronics	92
Table E.1 – Software safety requirements specification	96
Table E.2 – Software design and development – software architecture design	97
Table E.3 – Software design and development – support tools and programming language	98
Table E.4 – Software design and development – detailed design	99
Table E.5 – Software design and development – software module testing and integration	100
Table E.6 – Programmable electronics integration (hardware and software)	100
Table E.7 – Software aspects of system safety validation	101
Table E.8 – Modification	101
Table E.9 – Software verification	102
Table E.10 – Functional safety assessment	102
Table E.11 – Software safety requirements specification	104
Table E.12 – Software design and development – software architecture design	104
Table E.13 – Software design and development – support tools and programming language	105
Table E.14 – Software design and development – detailed design	106
Table E.15 – Software design and development – software module testing and integration	106
Table E.16 – Programmable electronics integration (hardware and software)	107
Table E.17 – Software aspects of system safety validation	108
Table E.18 – Modification	108

Table E.19 – Software verification 109

Table E.20 – Functional safety assessment 109

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FUNCTIONAL SAFETY OF ELECTRICAL/ELECTRONIC/
PROGRAMMABLE ELECTRONIC SAFETY-RELATED SYSTEMS –****Part 6: Guidelines on the application
of IEC 61508-2 and IEC 61508-3**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61508-6 has been prepared by subcommittee 65A: System aspects of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2000. This edition constitutes a technical revision.

This edition has been subject to a thorough review and incorporates many comments received at the various revision stages.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/553/FDIS	65A/577/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61508 series, published under the general title *Functional safety of electrical / electronic / programmable electronic safety-related systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Systems comprised of electrical and/or electronic elements have been used for many years to perform safety functions in most application sectors. Computer-based systems (generically referred to as programmable electronic systems) are being used in all application sectors to perform non-safety functions and, increasingly, to perform safety functions. If computer system technology is to be effectively and safely exploited, it is essential that those responsible for making decisions have sufficient guidance on the safety aspects on which to make these decisions.

This International Standard sets out a generic approach for all safety lifecycle activities for systems comprised of electrical and/or electronic and/or programmable electronic (E/E/PE) elements that are used to perform safety functions. This unified approach has been adopted in order that a rational and consistent technical policy be developed for all electrically based safety-related systems. A major objective is to facilitate the development of product and application sector international standards based on the IEC 61508 series.

In most situations, safety is achieved by a number of systems which rely on many technologies (for example mechanical, hydraulic, pneumatic, electrical, electronic, programmable electronic). Any safety strategy must therefore consider not only all the elements within an individual system (for example sensors, controlling devices and actuators) but also all the safety-related systems making up the total combination of safety-related systems. Therefore, while this International Standard is concerned with E/E/PE safety-related systems, it may also provide a framework within which safety-related systems based on other technologies may be considered.

It is recognized that there is a great variety of applications using E/E/PE safety-related systems in a variety of application sectors and covering a wide range of complexity, hazard and risk potentials. In any particular application, the required safety measures will be dependent on many factors specific to the application. This International Standard, by being generic, will enable such measures to be formulated in future product and application sector international standards and in revisions of those that already exist.

This International Standard

- considers all relevant overall E/E/PE system and software safety lifecycle phases (for example, from initial concept through design, implementation, operation and maintenance to decommissioning) when E/E/PE systems are used to perform safety functions;
- has been conceived with a rapidly developing technology in mind; the framework is sufficiently robust and comprehensive to cater for future developments;
- enables product and application sector international standards, dealing with E/E/PE safety-related systems, to be developed; the development of product and application sector international standards, within the framework of this standard, should lead to a high level of consistency (for example, of underlying principles, terminology etc.) both within application sectors and across application sectors; this will have both safety and economic benefits;
- provides a method for the development of the safety requirements specification necessary to achieve the required functional safety for E/E/PE safety-related systems;
- adopts a risk-based approach by which the safety integrity requirements can be determined;
- introduces safety integrity levels for specifying the target level of safety integrity for the safety functions to be implemented by the E/E/PE safety-related systems;

NOTE 2 The standard does not specify the safety integrity level requirements for any safety function, nor does it mandate how the safety integrity level is determined. Instead it provides a risk-based conceptual framework and example techniques.

- sets target failure measures for safety functions carried out by E/E/PE safety-related systems, which are linked to the safety integrity levels;

- sets a lower limit on the target failure measures for a safety function carried out by a single E/E/PE safety-related system. For E/E/PE safety-related systems operating in
 - a low demand mode of operation, the lower limit is set at an average probability of a dangerous failure on demand of 10^{-5} ;
 - a high demand or a continuous mode of operation, the lower limit is set at an average frequency of a dangerous failure of 10^{-9} [h^{-1}];

NOTE 3 A single E/E/PE safety-related system does not necessarily mean a single-channel architecture.

NOTE 4 It may be possible to achieve designs of safety-related systems with lower values for the target safety integrity for non-complex systems, but these limits are considered to represent what can be achieved for relatively complex systems (for example programmable electronic safety-related systems) at the present time.

- sets requirements for the avoidance and control of systematic faults, which are based on experience and judgement from practical experience gained in industry. Even though the probability of occurrence of systematic failures cannot in general be quantified the standard does, however, allow a claim to be made, for a specified safety function, that the target failure measure associated with the safety function can be considered to be achieved if all the requirements in the standard have been met;
- introduces systematic capability which applies to an element with respect to its confidence that the systematic safety integrity meets the requirements of the specified safety integrity level;
- adopts a broad range of principles, techniques and measures to achieve functional safety for E/E/PE safety-related systems, but does not explicitly use the concept of fail safe. However, the concepts of “fail safe” and “inherently safe” principles may be applicable and adoption of such concepts is acceptable providing the requirements of the relevant clauses in the standard are met.

FUNCTIONAL SAFETY OF ELECTRICAL/ELECTRONIC/ PROGRAMMABLE ELECTRONIC SAFETY-RELATED SYSTEMS –

Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3

1 Scope

1.1 This part of IEC 61508 contains information and guidelines on IEC 61508-2 and IEC 61508-3.

- Annex A gives a brief overview of the requirements of IEC 61508-2 and IEC 61508-3 and sets out the functional steps in their application.
- Annex B gives an example technique for calculating the probabilities of hardware failure and should be read in conjunction with 7.4.3 and Annex C of IEC 61508-2 and Annex D.
- Annex C gives a worked example of calculating diagnostic coverage and should be read in conjunction with Annex C of IEC 61508-2.
- Annex D gives a methodology for quantifying the effect of hardware-related common cause failures on the probability of failure.
- Annex E gives worked examples of the application of the software safety integrity tables specified in Annex A of IEC 61508-3 for safety integrity levels 2 and 3.

1.2 IEC 61508-1, IEC 61508-2, IEC 61508-3 and IEC 61508-4 are basic safety publications, although this status does not apply in the context of low complexity E/E/PE safety-related systems (see 3.4.3 of IEC 61508-4). As basic safety publications, they are intended for use by technical committees in the preparation of standards in accordance with the principles contained in IEC Guide 104 and ISO/IEC Guide 51. IEC 61508-1, IEC 61508-2, IEC 61508-3 and IEC 61508-4 are also intended for use as stand-alone publications. The horizontal safety function of this international standard does not apply to medical equipment in compliance with the IEC 60601 series.

1.3 One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. In this context, the requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the publications prepared by those technical committees.

1.4 Figure 1 shows the overall framework of the IEC 61508 series and indicates the role that IEC 61508-6 plays in the achievement of functional safety for E/E/PE safety-related systems.




Figure 1 – Overall framework of the IEC 61508 series

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61508-2:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems*

IEC 61508-3:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 3: Software requirements*

IEC 61508-4:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 4: Definitions and abbreviations*

3 Definitions and abbreviations

For the purposes of this document, the definitions and abbreviations given in IEC 61508-4 apply.